mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



HellermannTyton

Specification Sheet

Part Number: 596-00251



Solar Marker, Reflective, Non-Adhesive, CAUTION: SOLAR CIRCUIT, 7.25" x 5", VL, Red, 25/pkg

Article Number	596-00251
Туре	CSCSNAP72R
Color	Red (RD)
Features & Benefits	 Made with UV stable inks and materials for durability and weather resistance. The labels are supplied with aggresive adhesive to ensure long life. Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.
Quantity Per	roll

These HellermannTyton photovoltaic caution and power source markers are designed to meet the requirements of the National Electrical Code (NEC) International Fire Code (IFC) as well as being acceptable to the Authority Having Jurisdiction (AHJ). Coiled markers are pre-printed, non-adhesive and made of a UV stable vinyl. Markers can be opened and snapped over cables for long-term, reflective, permanent identification. Some pre-printed labels are printable using a thermal transfer printer when variable voltage or series data must be printed and displayed. Vinyl markers fit all standard PV cables or electrical metallic tubing (EMT) conduits.
Solar Marker, Reflective, Non-Adhesive, CAUTION: SOLAR CIRCUIT, 7.25" x 5", VL, Red, 25/pkg
CSCSNAP72R-V-RD
Pre-Printed Solar Marker, Reflective, Non-Adhesive, Coiled, "CAUTION: SOLAR CIRCUIT", 7.25" X 5", Red

Width W (Imperial)	7.25
Width W (Metric)	184.15
Height H (Imperial)	5.0
Height H (Metric)	127.0

Material	Vinyl
Material Shortcut	V
Halogen free	Yes

Operating Temperature (Metric)

-18°F to +200°F (-29°C to +93°C)

ROHS Complaint	Yes
Certification/Specification WEB	IFC 2012 NEC2011
Package Quantity(Imperial)	25
Package Quantity (Metric)	25
Customs Number	3919905060

© 2018 HellermannTyton. All rights reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions