



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



596-00338

Thermal Transfer Label, 4.0" X 6.0", Paper, White, 1000/RL

Article Number: 596-00338

Part Number: 596-00338

Type: LD46TT3

[Find a Distributor](#)

[Order Samples](#)

[Get Technical Drawings](#)

    |  Share


Base Data

Part No.	596-00338
Type	LD46TT3
Color	White (WH)
Features	<ul style="list-style-type: none">HellermannTyton Thermal Transfer Paper labels are ideal for temporary applications due to low cost.The labels come in the most common sizes to fit most packaging applications.
Application Method	Labels are printed using a HellermannTyton thermal transfer printer and then applied by hand.

Product Dimensions

Length (L)	6.0" / 152.4mm
Width (W) (imperial)	4.0"
Width (W)	101.6mm
Height (H)	6.0" / 152.4mm
Height (H2)	6" / 152.4mm
Print Method	Thermal Transfer

Material and Specifications

Material	Paper (PAP)
Operating Temperature	-40 °F to +180 °F (-40 °C to +82 °C)
ROHS Conformity	

Logistic and Packaging

Packaging Type	case
Pkg. Qty.	1 / 1
UPC	089306339465

[Find a Distributor](#)

[Get Product Samples](#)

[Get Technical Drawings](#)

