



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Specification Sheet

Part Number: 596-00418



Insert for 596-00189, 596-00190, 596-00191, 1.06" X .59", Plastic, White, 360/pkg

<b>Article Number</b>	596-00418
<b>Type</b>	WPL15X27
<b>Color</b>	White (WH)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• The legend base inserts are made of high performance polycarbonate.</li><li>• The inserts can be marked with a standard label or if a plotter is available, can be printed with ink jet or laser etching.</li><li>• The inserts snap easily into the plastic legend bases for a high contrast and permanent identifier.</li></ul>
<b>Quantity Per</b>	pack

### Product Description

Plastic Nameplate labels are less costly than plastic or metal engraved plates, saving material costs. Plastic Nameplate labels are made of a UL94VO rated polycarbonate that can be mounted mechanically or using an adhesive backing. HellermannTyton thermal transfer or laser labels can be printed and applied to the inserts and covered with a clear plastic cover to protect printed text.

<b>Short Description</b>	Insert for 596-00189, 596-00190, 596-00191, 1.06" X .59", Plastic, White, 360/pkg
<b>Global Part Name</b>	WPL15X27-PC-WH
<b>Technical Description</b>	Insert for 596-00189, 596-00190, 596-00191, 1.06" X .59", Plastic, White
<b>Width W (Imperial)</b>	1.06
<b>Width W (Metric)</b>	27
<b>Height H (Imperial)</b>	0.59
<b>Height H (Metric)</b>	15
<b>Material</b>	Polycarbonate (PC)
<b>Material Shortcut</b>	PC
<b>Flammability</b>	UL 94 V0
<b>Halogen free</b>	No
<b>Operating Temperature (Metric)</b>	-22°F to +266°F (-30°C to +130°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes

<b>Package Quantity(Imperial)</b>	360
<b>Package Quantity (Metric)</b>	360
<b>Customs Number</b>	3919905060
<b>Content Unit(BMEcat)</b>	pcs.
<b>Labels per Column</b>	4
<b>Labels per Row</b>	3
<b>Weight (Metric)</b>	0.22
<b>Weight (Imperial)</b>	0.5