



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!






Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





RECOMMENDED PC BOARD LAYOUT

- △1 HOUSING MATERIAL: GLASS FILLED POLYESTER, COLOR- BLACK
- △2 CONTACT MATERIAL: PHOSPHOR BRONZE
- △3 CONTACT FINISH: 0.00076[.000030] THK DUPLEX PLATED GOLD ON CONTACT AREA, 0.00127[.000050] MIN THK BRIGHT TIN-LEAD OR TIN ON SOLDERLEADS, ALL OVER 0.00127[.000050] NICKEL
- △4 MOLDED IN ARROW DESIGNATES THE MATING FACE OF THE CONNECTOR
- △5 POINT OF MEASUREMENT FOR PLATING THICKNESS OF CONTACT AREA
- △6 DIMENSIONS PERTAIN TO HOUSING CAVITY CENTERLINES
- △7 DATE CODE AND PART NUMBER MARKED IN APPROXIMATE LOCATION SHOWN.
- △8 ALTERNATE LOCATION FOR DATE CODE FOR 2 AND 3 POSITION.

162.56	6.400	165.10	6.500	65	6-535676-4
160.02	6.300	162.56	6.400	64	6-535676-3
157.48	6.200	160.02	6.300	63	6-535676-2
154.94	6.100	157.48	6.200	62	6-535676-1
152.40	6.000	154.94	6.100	61	6-535676-0
149.86	5.900	152.40	6.000	60	5-535676-9
147.32	5.800	149.86	5.900	59	5-535676-8
144.78	5.700	147.32	5.800	58	5-535676-7
139.70	5.500	144.78	5.700	57	5-535676-6
139.70	5.500	142.24	5.600	56	5-535676-5
137.16	5.400	139.70	5.500	55	5-535676-4
134.62	5.300	137.16	5.400	54	5-535676-3
132.08	5.200	134.62	5.300	53	5-535676-2
129.54	5.100	132.08	5.200	52	5-535676-1
127.00	5.000	129.54	5.100	51	5-535676-0
124.46	4.900	127.00	5.000	50	4-535676-9
121.92	4.800	124.46	4.900	49	4-535676-8
119.38	4.700	121.92	4.800	48	4-535676-7
116.84	4.600	119.38	4.700	47	4-535676-6
114.30	4.500	116.84	4.600	46	4-535676-5
111.76	4.400	114.30	4.500	45	4-535676-4
109.22	4.300	111.76	4.400	44	4-535676-3
106.68	4.200	109.22	4.300	43	4-535676-2
104.14	4.100	106.68	4.200	42	4-535676-1
101.16	4.000	104.14	4.100	41	4-535676-0
99.06	3.900	101.16	4.000	40	3-535676-9
96.52	3.800	99.06	3.900	39	3-535676-8
93.98	3.700	96.52	3.800	38	3-535676-7
91.44	3.600	93.98	3.700	37	3-535676-6
88.90	3.500	91.44	3.600	36	3-535676-5
86.36	3.400	88.90	3.500	35	3-535676-4
83.82	3.300	86.36	3.400	34	3-535676-3
81.28	3.200	83.82	3.300	33	3-535676-2
78.74	3.100	81.28	3.200	32	3-535676-1
76.20	3.000	78.74	3.100	31	3-535676-0
73.66	2.900	76.20	3.000	30	2-535676-9
71.12	2.800	73.66	2.900	29	2-535676-8
68.58	2.700	71.12	2.800	28	2-535676-7
66.04	2.600	68.58	2.700	27	2-535676-6
63.50	2.500	66.04	2.600	26	2-535676-5
60.96	2.400	63.50	2.500	25	2-535676-4
58.42	2.300	60.96	2.400	24	2-535676-3
55.88	2.200	58.42	2.300	23	2-535676-2
53.34	2.100	55.88	2.200	22	2-535676-1
50.80	2.000	53.34	2.100	21	2-535676-0
48.26	1.900	50.80	2.000	20	1-535676-9
45.72	1.800	48.26	1.900	19	1-535676-8
43.18	1.700	45.72	1.800	18	1-535676-7
40.64	1.600	43.18	1.700	17	1-535676-6
38.10	1.500	40.64	1.600	16	1-535676-5
35.56	1.400	38.10	1.500	15	1-535676-4
33.02	1.300	35.56	1.400	14	1-535676-3
30.48	1.200	33.02	1.300	13	1-535676-2
27.94	1.100	30.48	1.200	12	1-535676-1
25.40	1.000	27.94	1.100	11	1-535676-0
22.86	.900	25.40	1.000	10	535676-9
17.78	.700	22.86	.900	9	535676-8
17.78	.700	20.32	.800	8	535676-7
15.24	.600	17.78	.700	7	535676-6
12.70	.500	15.24	.600	6	535676-5
10.16	.400	12.70	.500	5	535676-4
7.62	.300	10.16	.400	4	535676-3
5.08	.200	7.62	.300	3	535676-2
2.54	.100	5.08	.200	2	535676-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DESIGNED BY: B. BROWN	DATE: 03/24/02	REVISED BY: J. OLSON	DATE: 03/24/02
PROJECT: AMP485	PRODUCT: AMP485	APPLICATION: AMP485	SCALE: 1:1
DRAWING NO: A1	DATE CODE: 00779	DRAWING NO: 535676	RESTRICTED TO: CUSTOMER DRAWING

AMP485 REV 31/000000
AMPQ1193