



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Technical Data Sheet		Rosenberger									
7-16	Torque Wrench	60W000-003									
<div></div>											
<p>This Torque Wrench is specially set to a low torque that makes it useable for metrology purposes like direct connections on vector network analyzers (VNA) and calibration kits. The high torque that is normally used for 7-16 connectors can destroy the VNA test port and leads to high abrasion on test port connectors and calibration standards. This Torque Wrench should not be used for durable outdoor connections, high power or low PIM applications!</p>											
<div><div>Documents</div><div><div>Application note</div><div>AN001 “Calibration Services”</div></div></div>											
<div><div>Material and plating</div><div><table><tr><th>Torque Wrench parts</th><th>Material</th><th>Plating</th></tr><tr><td>Handel</td><td>Stainless steel</td><td>N/A</td></tr><tr><td>Head 32 mm</td><td>Stainless steel</td><td>N/A</td></tr></table></div></div>			Torque Wrench parts	Material	Plating	Handel	Stainless steel	N/A	Head 32 mm	Stainless steel	N/A
Torque Wrench parts	Material	Plating									
Handel	Stainless steel	N/A									
Head 32 mm	Stainless steel	N/A									
<div><div>Mechanical data</div><div><table><tr><td>Torque setting</td><td>2.26 Nm ± 0.2 Nm</td></tr><tr><td>Wrench size</td><td>32 mm</td></tr></table></div></div>			Torque setting	2.26 Nm ± 0.2 Nm	Wrench size	32 mm					
Torque setting	2.26 Nm ± 0.2 Nm										
Wrench size	32 mm										
Rosenberger Hochfrequenztechnik GmbH & Co. KG P.O.Box 1260 D-84526 Tittmoning Germany www.rosenberger.de		<div>Tel. : +49 8684 18-0 Email : info@rosenberger.de</div> <div>Page 1 / 2</div>									

RF_35/05.10/6.0
Dieses Dokument ist urheberrechtlich geschützt • This document is protected by copyright • Rosenberger Hochfrequenztechnik GmbH & Co. KG

Technical Data Sheet				Rosenberger																			
7-16		Torque Wrench		60W000-003																			
<div>Declaration of calibration options</div> <div>Factory Calibration Standard delivery for this torque wrench includes a Factory Calibration. The Calibration Certificate issued reports individual mechanical calibration results, traceable to national / international standards.</div> <div>Accredited Calibration Not available.</div> <div><i>For further, more detailed information see application note AN001 on the Rosenberger homepage.</i></div> <div>Calibration interval Recommendation12 months</div> <div>Packing Standard1 pce Weight300 g/pce</div> <div><p>While the information has been carefully compiled to the best of our knowledge, nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. In the effort to improve our products, we reserve the right to make changes judged to be necessary.</p><table><tr><td>Draft</td><td>Date</td><td>Approved</td><td>Date</td><td>Rev.</td><td>Engineering change number</td><td>Name</td><td>Date</td></tr><tr><td>Herbert Babinger</td><td>12.04.12</td><td>Martin Moder</td><td>09.11.15</td><td>c00</td><td>14-1492</td><td>Maik Knoll</td><td>09.11.15</td></tr></table><div><div>Rosenberger Hochfrequenztechnik GmbH & Co. KG P.O.Box 1260 D-84526 Tittmoning Germany www.rosenberger.de</div><div>Tel. : +49 8684 18-0 Email : info@rosenberger.de</div><div>Page 2 / 2</div></div></div>								Draft	Date	Approved	Date	Rev.	Engineering change number	Name	Date	Herbert Babinger	12.04.12	Martin Moder	09.11.15	c00	14-1492	Maik Knoll	09.11.15
Draft	Date	Approved	Date	Rev.	Engineering change number	Name	Date																
Herbert Babinger	12.04.12	Martin Moder	09.11.15	c00	14-1492	Maik Knoll	09.11.15																