



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




Pulse Open Frame P.C. Board Mount 611 Series



Features

- Economical, open style, P. C. board pin mount
- Units are intended for pulse applications including thyristor / triac firing circuits.

Gallery



Part No.	Ratio	Circuit	Primary ET Constant	Primary Inductance	D.C. Res.	D.C. Winding Resistance		Max. Primary or Secondary		Insulation	
		Max. Maximum				V	mH (min)	(Ohms)	Sec. 1 (Ohms)	Sec. 2 (Ohms)	Peak Current @ 10% Duty
611A	1:1	125	1400	8.6	0.45	0.55	-	0.7 A	2.1 A	1000	0.7
611B	1:1	125	1400	17.2	1.26	1	1.53	0.7 A	2.1 A	1000	0.7
611C	1:1	250	7250	56	3.31	4.46	-	0.7 A	2.1 A	1500	1.2
611D	1:1	250	4000	17	1.73	1.31	2.12	0.7 A	2.1 A	1500	1.2

Mechanical & Schematic Data

Part No.	Pin Spacing	Height	Width	Coil		Mounting Tab	
				Depth	Centers	Size	Size
611A & 611B	0.20 x 0.60	0.69	0.82	0.57	-	-	x -
611C & 611D	0.20 x 0.60	0.82	1.06	0.82	1.00	0.12	x 0.25

Data subject to change without notice