



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



SHEET 1 OF 2

NUMBER
61518

1. TERMINAL SUPPLIED IN INDIVIDUAL FORM, NOT AS CONTINUOUS STRIP.

2. PARTS COMPLY WITH AMP SOLDERABILITY SPEC 109-11-3

③ .0815/.0845 DIA OVER .200 MIN. LENGTH.

④ .000030 GOLD OVER .000050 NICKEL.

PART NO.	MATERIAL & FINISH
61518-1.	.012 PHOS. BRZ PRE-TIN

DIMENSIONS IN INCHES. DO NOT SCALE PRINT.

				©1969 BY AMP INCORPORATED, ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING.		CUSTOMER COPY REFERENCE ONLY	
				MATERIAL AND FINISH SEE TABLE		AMP INCORPORATED HARRISBURG, PENNA.	
				WIRE — RANGE — INSULATION —H— —H—		CLASS —H—	
				TYPE —H—			
R REV PER EC 0730-0142-94 RV RS 9/15/94				TOLERANCE EXCEPT AS NOTED ± .015 ± 1° 0'		SCALE 5"	
REVISION RECORD				DATE		NO. 1	
ECN				DATE		SHEET 1 OF 2	
DR JIM KUNKLE				DATE		61518	
CHK J. Kunkle				DATE		6/15/94	
APP J. Kunkle				DATE		6/15/94	
				NAME MATE-N-LOK PIN WITH P.C. BOARD TAB			

.057 ± .003 DIA HOLES

Φ .005 DIA

4 CIRCUIT

3 CIRCUIT

2 CIRCUIT

.607 (BSC)

.405 (BSC)

.202 (BSC)

0

P.C. BOARD LAYOUT FOR
2, 3, & 4 CIRCUIT FREE-
HANGING HOUSINGS.

.057 ± .003 DIA HOLES

Φ A B .005 DIA

.360 (BSC)

-A-

1.365
(BSC).975
(BSC).585
(BSC).195
(BSC)1.170
(BSC).780
(BSC).390
(BSC)

-B-

P.C. BOARD LAYOUT FOR
6, 8, 10, 12, & 16 CIRCUIT
MOTOR MOUNT HOUSINGS.

©1970 BY AMP INCORPORATED, ALL RIGHTS
 RESERVED. AMP PRODUCTS COVERED BY
 PATENTS AND/OR PATENTS PENDING
 MATERIAL AND FINISH

CUSTOMER COPY
REFERENCE ONLYAMP INCORPORATED
HARRISBURG, PENNA.

CLASS — # —

TYPE — # —

WIRE — # — RANGE — # — INSULATION — # —

SEE SHEET 1

TOLERANCE EXCEPT SCALE LOC NO SHEET 2 OF 2 INCH

± .015 ± .010 C-1 CH H 61510 IR

NAME RECOMMENDED HOLE LOCATIONS

FOR MOUNTING MATE-N-LOK HOUSINGS