



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832




Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
CM	54	R		REVISED PER ECO-12-007611	03AUG12	KH SM	



95.10 [3.744]	24	5-640595-4	
91.14 [3.588]	23	5-640595-3	
87.17 [3.432]	22	5-640595-2	
83.21 [3.276]	21	5-640595-1	
79.25 [3.120]	20	5-640595-0	
75.29 [2.964]	19	4-640595-9	
71.32 [2.808]	18	4-640595-8	
67.36 [2.652]	17	4-640595-7	
63.40 [2.496]	16	4-640595-6	
59.44 [2.340]	15	4-640595-5	
55.47 [2.184]	14	4-640595-4	
51.51 [2.028]	13	4-640595-3	
47.55 [1.872]	12	4-640595-2	
43.59 [1.716]	11	4-640595-1	
39.62 [1.560]	10	4-640595-0	
35.66 [1.404]	9	3-640595-9	
31.70 [1.248]	8	3-640595-8	
27.74 [1.092]	7	3-640595-7	
23.77 [.936]	6	3-640595-6	
19.81 [.780]	5	3-640595-5	
15.85 [.624]	4	3-640595-4	
11.89 [.468]	3	3-640595-3	
7.92 [.312]	2	3-640595-2	
△ SUPERSEDED BY 5-640595-4	95.10 [3.744]	24	2-640595-4
△ SUPERSEDED BY 5-640595-3	91.14 [3.588]	23	2-640595-3
△ SUPERSEDED BY 5-640595-2	87.17 [3.432]	22	2-640595-2
△ SUPERSEDED BY 5-640595-1	83.21 [3.276]	21	2-640595-1
△ SUPERSEDED BY 5-640595-0	79.25 [3.120]	20	2-640595-0
△ SUPERSEDED BY 4-640595-9	75.29 [2.964]	19	1-640595-9
△ SUPERSEDED BY 4-640595-8	71.32 [2.808]	18	1-640595-8
△ SUPERSEDED BY 4-640595-7	67.36 [2.652]	17	1-640595-7
△ SUPERSEDED BY 4-640595-6	63.40 [2.496]	16	1-640595-6
△ SUPERSEDED BY 4-640595-5	59.44 [2.340]	15	1-640595-5
△ SUPERSEDED BY 4-640595-4	55.47 [2.184]	14	1-640595-4
△ SUPERSEDED BY 4-640595-3	51.51 [2.028]	13	1-640595-3
△ SUPERSEDED BY 4-640595-2	47.55 [1.872]	12	1-640595-2
△ SUPERSEDED BY 4-640595-1	43.59 [1.716]	11	1-640595-1
△ SUPERSEDED BY 4-640595-0	39.62 [1.560]	10	1-640595-0
△ SUPERSEDED BY 3-640595-9	35.66 [1.404]	9	640595-9
△ SUPERSEDED BY 3-640595-8	31.70 [1.248]	8	640595-8
△ SUPERSEDED BY 3-640595-7	27.74 [1.092]	7	640595-7
△ SUPERSEDED BY 3-640595-6	23.77 [.936]	6	640595-6
△ SUPERSEDED BY 3-640595-5	19.81 [.780]	5	640595-5
△ SUPERSEDED BY 3-640595-4	15.85 [.624]	4	640595-4
△ SUPERSEDED BY 3-640595-3	11.89 [.468]	3	640595-3
△ SUPERSEDED BY 3-640595-2	7.92 [.312]	2	640595-2
	DIM A	NO OF CIRCUITS	PART NO

- 1 MATERIAL: CONNECTOR - NYLON UL94V-2
CONTACTS - 0.30[.012] THICK COPPER ALLOY
(BRIGHT TIN-LEAD 0.00203[.000080] MIN. THICK FOR CONTACTS 640595-2 THRU 2-640595-4)
(MATTE WHISKER MITIGATED TIN 0.00203[.000080] MIN THICKNESS OVER NICKEL UNDERPLATE FOR 3-640595-2 THRU 5-640595-4).
- 2 CONTACTS ACCEPT 26 AWG WIRE WITH 2.41[.095] MAX INSULATION DIAMETER.
- 3 CONTACTS MUST ACCEPT 1.14±0.03[.045±.001] SQUARE POST AND REMAIN LOCKED IN POSITION.
- 4 IDENTIFICATION NUMBER FOR LAST CIRCUIT MAY NOT APPEAR ON ALL ASSEMBLIES.
- 5 DIMENSIONS IN BRACKETS ARE IN INCHES.
- 6 HOUSING FEATURES ARE: FEED-THRU WITH LOCKING RAMP.
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- 8 BLUE COLOR STRIPE ON HOUSING (NOT SHOWN) MAY RUN DOWN BETWEEN RIBS.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. LEWIS 12FEB91	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK R. SWING 12FEB91	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± 0.13 [.005] 4 PLC ± - ANGLES ± -		APVD D. CLARK 19FEB91	MTA-156 CONNECTOR ASSEMBLY, 26 AWG, STANDARD	
MATERIAL 1		FINISH 1	PRODUCT SPEC 108-1051	RESTRICTED TO
		APPLICATION SPEC 114-1020	SIZE A2	CAGE CODE 00779
		WEIGHT -	DRAWING NO C-640595	SCALE 4:1
		CUSTOMER DRAWING	SHEET 1 OF 1	REV R