



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us




Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com



Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



LOC	DIST	REV	DATE	BY	APP'D
GP	00	F1	23NOV2009	IL	SY
		G	26NOV2009	IL	SY



- 1 OPTIONAL CENTER MODULE, WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE
- 2 "AMP", TRADEMARK, PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES
- 3 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
 SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
 POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 4 CONTACT PLATING: SIGNAL CONTACTS - .000050 MIN Ni UNDER ALL
 .000030 MIN Au ON CONTACT AREA
 .000100 MIN Sn AT PCB INTERFACE
 POWER CONTACTS - .000050 MIN Ni UNDER ALL
 .000030 MIN Au ON CONTACT AREA
 .000100 MIN Sn AT PCB INTERFACE
- 5 MECHANICAL CONNECTOR KEEP OUT ZONE
- 6 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 7 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- 8 PCB - .0453 ±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE
- 9 FOR P/N: 2-6450150-2, THE VARIABLE DIMENSIONS PLEASE SEE SHEET 7.



WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	2-6450150-6
WITH	3.800	.300	.250	1.875	1.375	3.850	-	4.150	.450	4P + 16S + 7ACP	2-6450150-5
WITH	2.400	.200	.200	2.100	.825	2.450	-	2.750	.450	2P + 48S + 2P	2-6450150-4
WITH	1.700	.250	.250	1.350	.875	1.750	-	2.050	.450	2P + 16S + 2P	2-6450150-3
WITHOUT	5.500	△	.300	3.175	2.525	5.550	-	5.850	.475	7ACP+20S+4ACP+5P	2-6450150-2
WITH	2.900	.250	.250	2.550	.875	2.950	-	3.250	.450	2P + 64S + 2P	2-6450150-1
WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	2-6450150-0
WITH	4.000	-	-	-	.375	4.050	-	4.350	-	148S	1-6450150-9
WITH	2.800	.250	.250	1.700	1.125	2.850	-	3.150	.450	3P + 20S + 5P	1-6450150-8
WITH	2.200	.250	.250	1.350	.875	2.250	-	2.550	.450	2P + 16S + 4P	1-6450150-7
WITH	3.500	.300	.250	2.775	2.375	3.550	-	3.850	.450	8P + 12S + 3ACP	1-6450150-3
WITH	2.300	.250	.300	1.950	1.275	2.350	-	2.650	.475	3ACP + 24S + 2P	6450150-9
WITH	1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	6450150-8
WITH	3.000	.250	.250	2.150	1.425	3.050	-	3.350	.450	4P + 24S + 4P	6450150-6
WITH	2.500	.300	.250	1.800	1.125	2.550	-	2.850	.450	3P + 24S + 3ACP	6450150-5
WITH	2.675	.200	.200	2.375	1.650	2.725	-	3.025	.475	5P + 24S + 2P	6450150-4
WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	6450150-3
WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	6450150-2
WITH	4.350	.250	.250	3.500	2.625	4.400	-	4.700	.450	9P + 32S + 4P	6450150-1
HOLD DOWN	U	T	S	R	W	D	M	L	K	DESCRIPTION	PART NUMBER

DIMENSIONS: INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.01 5 PLC ±.005 4 PLC ±.0020 ANGLES ±.0020		DWN: R. GRZYBOWSKI 16FEB05 CHK: M. PERCHERKE 16FEB05 APVD: M. PERCHERKE PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT: - CUSTOMER DRAWING: -		Tyco Electronics Corporation Harrisburg, PA 17105-3608 NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL SIZE: A 00779 C=6450150 SCALE: 1:1 SHEET 1 OF 9 REV G	
--	--	--	--	---	--



NO CONTACT LOADED

PART NUMBER	ROWS	POWER (L)				SIGNAL								POWER (R)					HD						
		P13	P12	P11	P10	8	7	6	5	4	3	2	1	P9	P8	P7	P6	P5		P4	P3	P2	P1		
6450150-1	D	VM	VM	VA	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	HD
	C					E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E			
	B					E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E			
	A					E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E			

9P + 32S + 4P


PART NUMBER	ROWS	POWER (L)				SIGNAL												POWER (R)			HD						
		P8	P7	P6	P5	12	11	10	9	8	7	6	5	4	3	2	1	P3	P2	P1							
6450150-2	D	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM	HD
	C					E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E				
	B					E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E				
	A					E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E				

3ACP + 48S + 5P



PART NUMBER	ROWS	POWER (L)			SIGNAL							POWER (R)			HD			
		P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1				
6450150-3	D	VM	VM	VA	E	E	E	E	E	E	E	E	E	E	VM	VM	VM	HD
	C				E	E	E	E	E	E	E	E	E	E				
	B				E	E	E	E	E	E	E	E	E	E				
	A				E	E	E	E	E	E	E	E	E	E				

4P + 24S + 3ACP



CODE	TAIL LENGTH	DESCRIPTION	CODE	TAIL LENGTH
VN	.090	STD		
VM	.135	STD		
VB	.090	MFBL	J	.090
VA	.135	MFBL	E	.135



POWER CONTACTS SIGNAL CONTACTS

DIMENSIONS: INCHES 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±. 8 PLC ±.01 5 PLC ±.005 4 PLC ±.0020 ANGLES ±.5°		DWN R. GRZYBOWSKI 16FEB05 CHK M. PERCHERKE 16FEB05 APVD M. PERCHERKE PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038 WEIGHT CUSTOMER DRAWING		Tyco Electronics Corporation Harrisburg, PA 17105-3608 NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL SIZE CAGE CODE DRAWING NO A1100779C=6450150 RESTRICTED TO SCALE 1:1 SHEET 2 OF 9 REV G	
---------------------------	--	--	--	---	--	--	--

REVISONS		DATE	DWN	APVD
GP	00			
DESCRIPTION				
SEE SHEET 1				



PART NUMBER	ROWS	POWER (L)					SIGNAL					POWER (R)				
		P7	P6	6	5	4	3	2	1	P5	P4	P3	P2	P1		
6450150-4	D						J	J	J	J	J	VN	VN	VN	VN	
	C	VB	VB				J	J	J	J	J	VN	VN	VN	VN	
	B	VB	VB				J	J	J	J	J	VN	VN	VN	VN	
		5P + 24S + 2P														

PART NUMBER	ROWS	POWER (L)					SIGNAL					POWER (R)				
		P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	
6450150-6	D						J	J	J	J	J	VN	VB	VN	VB	
	C	VB	VN	VB	VN		J	J	J	J	J	VN	VB	VN	VB	
	B	VB	VN	VB	VN		J	J	J	J	J	VN	VB	VN	VB	
		4P + 24S + 4P														



PART NUMBER	ROWS	POWER (L)					SIGNAL					POWER (R)				
		P6	P5	P4	6	5	4	3	2	1	P3	P2	P1			
6450150-5	D						E	E	E	E	E	VM	VM	VM	VA	
	C	VM	VM	VM			E	E	E	E	E	VM	VM	VM	VA	
	B	VM	VM	VM			E	E	E	E	E	VM	VM	VM	VA	
		3P + 24S + 3ACP														

PART NUMBER	ROWS	POWER					SIGNAL					POWER				
		P2	6	5	4	3	2	1	P1	P2	6	5	4	3		
6450150-8	D						E	E	E	E	E	VM	VM	VM	VA	
	C	VM	VM	VM			E	E	E	E	E	VM	VM	VM	VA	
	B	VM	VM	VM			E	E	E	E	E	VM	VM	VM	VA	
		1P + 24S + 1P														



DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN: R. GRZYBOWSKI 16FEB05		Tyco Electronics Corporation	
9 PLC ±.01		3 PLC ±.01		CHK: M. PERCHERKE 16FEB05		Harrisburg, PA 17105-3608	
5 PLC ±.005		4 PLC ±.002		APVD: M. PERCHERKE		NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
MATERIAL: -		FINISH: -		PRODUCT SPEC: 108-1973		SIZE: CAGE CODE DRAWING NO: A100779C-6450150	
				APPLICATION SPEC: 114-13038		RESTRICTED TO: -	
				WEIGHT: -		SCALE: 1:1 SHEET 3 OF 9 REV G	
				CUSTOMER DRAWING			



LOC	DIST	REVISIONS				
GP	00	P	LTB	DATE	DWN	APVD
		-	SEE SHEET 1			

PART NUMBER	ROWS	POWER (L)			SIGNAL								POWER				
		P11	P10	P9	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1		
I-6450150-3	D	VM	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	E
	C	VM	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	E
	B	VM	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	E
	A	VM	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	E

8P + 12S + 3ACP


PART NUMBER	ROWS	POWER (L)					SIGNAL					POWER (R)		
		P8	P7	P6	P5	P4	5	4	3	2	1	P3	P2	P1
I-6450150-8	D	VA	VA	VM	VA	E	E	E	E	E	E	VM	VM	
	C	VA	VA	VM	VA	E	E	E	E	E	VM	VM		
	B	VA	VA	VM	VA	E	E	E	E	E	VM	VM		
	A	VA	VA	VM	VA	E	E	E	E	E	VM	VM		

3P + 20S + 5P




PART NUMBER	ROWS	SIGNAL																																						
		37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		
I-6450150-9	D	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		
	C	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	
	B	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	A	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E

148S




<small>THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.</small>		DWN R. GRZYBOWSKI 16FEB05 CHK M. PERCHERKE 16FEB05 APVD M. PERCHERKE	Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS: INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.01 5 PLC ±.01 4 PLC ±.0025 ANGLES .0025		NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT: - FINISH: -	SIZE: A CAGE CODE: 100779 DRAWING NO: C=6450150 RESTRICTED TO: - SCALE: 1:1 SHEET: 4 OF 9 REV: G
MATERIAL: - FINISH: -		CUSTOMER DRAWING	

LOC	DIST	REV	DESCRIPTION	DATE	DWN	APVD
GP	00		SEE SHEET 1			



PART NUMBER	ROWS	Diagram	POWER				SIGNAL				POWER		Diagram
			P6	P5	P4	P3	4	3	2	1	P2	P1	
1-6450150-7	D C B A		VM	VM	VA	VA	E	E	E	E	VA	VM	
2P + 16S + 4P													



PART NUMBER	ROWS	Diagram	POWER (L)				SIGNAL										POWER (R)			Diagram			
			P8	P7	P6	P5	P4	12	11	10	9	8	7	6	5	4	3	2	1		P3	P2	P1
2-6450150-0	D C B A		VM	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM		
3ACP + 48S + 5P																							



NO CONTACTS LOADED

DIMENSIONS: INCHES 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.01 2 PLC ±.01 3 PLC ±.01 4 PLC ±.005 5 PLC ±.002 ANGLES ±.020		DWN R. GRZYBOWSKI 16FE05 CHK M. PERCHERKE 16FE05 APVD M. PERCHERKE PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038 WEIGHT - CUSTOMER DRAWING		Tyco Electronics Corporation Harrisburg, PA 17105-3608 NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL SIZE CAGE CODE DRAWING NO. RESTRICTED TO A100779C=6450150	
SCALE 1:1		SHEET 5 OF 9		REV G			

LOC		DIST		REVISIONS			
GP	00	P	LTG	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			

PART NUMBER	ROWS	POWER (L)		SIGNAL																POWER (R)		HD				
		P4	P3	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1					
2-6450150-1	D	VB	VN	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	VN	VB	HD	
	C			J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J				
	B			J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J				J
	A			J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J				J
				2P + 64S + 2P																						

PART NUMBER	ROWS	POWER		SIGNAL						POWER			HD														
		P5	P4	6	5	4	3	2	1	P3	P2	P1															
6450150-9	D	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM	HD		
	C			E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E					E	
	B			E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E					E	E
	A			E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E					E	E
				3ACP+24S+2P																							




<small>THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.</small>		DWN: R. GRZYBOWSKI CHK: M. PERCHERKE APVD: M. PERCHERKE	16FEB05 16FEB05 NAME: M. PERCHERKE	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.02°		PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT: -	VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL SIZE: A 100779 C=6450150 SCALE: 1:1 SHEET 6 OF 9 REV G
MATERIAL: - FINISH: -		CUSTOMER DRAWING		RESTRICTED TO: -	

LOC	DIST	REVISIONS			
GP	00	REV	DATE	BY	APP'D
		1			
		2			
		3			
		4			
		5			
		6			
		7			
		8			
		9			

NO CONTACTS LOADED

PART NUMBER	ROWS	POWER (L)								SIGNAL					POWER (R)							
		P16	P15	P14	P13	P12	P11	P10	P9	P8	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1
2-6450150-2	D	VA		VM		VM		VM		VM		VM		VM		VM		VM		VM		VM
	C																					
	B																					
7ACP+20S+4ACP+5P																						





<small>THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.</small>		DWN: R. GRZYBOWSKI CHK: M. PERCHERKE APVD: M. PERCHERKE	16FEB05 16FEB05 16FEB05	Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS: INCHES 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±. 8 PLC ±.01 5 PLC ±.005 4 PLC ±.0020 ANGLES ±.2° FINISH: -		NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038
MATERIAL: - FINISH: -		WEIGHT: - CUSTOMER DRAWING	SIZE: A 00779 C=6450150 SCALE: 1:1 SHEET: 7 OF 9 REV: G	RESTRICTED TO: -

LOC	DIST	REV	DATE	BY	APPD
GP	00				
REV		DESCRIPTION		DATE	BY
-		SEE SHEET 1		-	-

PART NUMBER	ROWS	POWER		SIGNAL				POWER	
		P4	P3	4	3	2	1	P2	P1
2-6450150-3	D C B A	VM	VM	E	E	E	E	VA	VA
				E	E	E	E		
				E	E	E	E		
				E	E	E	E		
2P + 16S + 2P		HD		HD					

PART NUMBER	ROWS	POWER		SIGNAL								POWER						
		P4	P3	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1	
2-6450150-4	D C B A	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM
				E	E	E	E	E	E	E	E	E	E	E	E	E		
				E	E	E	E	E	E	E	E	E	E	E	E	E		
				E	E	E	E	E	E	E	E	E	E	E	E	E		
2P + 48S + 2P		HD		HD														



DIMENSIONS: INCHES 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±. 8 PLC ±.01 5 PLC ±.005 4 PLC ±.0020 ANGLES ±.020		DWN R. GRZYBOWSKI 16FEB05 CHK M. PERCHERKE 16FEB05 APVD M. PERCHERKE NAME PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038 WEIGHT CUSTOMER DRAWING		Tyco Electronics Corporation Harrisburg, PA 17105-3608 NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL SIZE CAGE CODE DRAWING NO A1100779C-6450150 RESTRICTED TO	
MATERIAL		FINISH		SCALE 1:1		SHEET 8 OF 9 REV G	



LOC	DIST	REVISIONS			
GP	00	REV	DATE	DWN	APVD
		1	SEE SHEET 1		

PART NUMBER	ROWS	POWER						SIGNAL				POWER				
		P11	P10	P9	P8	P7	P6	P5	4	3	2	1	P4	P3	P2	P1
2-6450150-5	D							E	E	E	E					
	C	VM	VA	VM	VM	VA	VM	E	E	E	E	VM	VM	VM	VM	
	B							E	E	E	E					
	A							E	E	E	E					
4P + 16S + 7ACP																

PART NUMBER	ROWS	POWER (L)			SIGNAL						POWER (R)			
		P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1
2-6450150-6	D	VM	VM	VA	E	E	E	E	E	E				
	C				E	E	E	E	E	E	VM	VM	VM	VM
	B				E	E	E	E	E	E				
	A				E	E	E	E	E	E				
4P + 24S + 3ACP														

(F1)

NO CONTACT LOADED



DIMENSIONS: INCHES 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.020 FINISH		DWN R. GRZYBOWSKI 16FEB05 CHK M. PERCHERKE 16FEB05 APVD M. PERCHERKE PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038 WEIGHT CUSTOMER DRAWING		Tyco Electronics Corporation Harrisburg, PA 17105-3608 NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL SIZE CAGE CODE DRAWING NO RESTRICTED TO A1100779C=6450150 SCALE 1:1 SHEET 9 OF 9 REV G	
---------------------------	--	---	--	---	--	---	--