



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us



Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DMN	APVD
AD	00	C		REVISED PER ECO-12-010079	04OCT2012	KH	JE




RECOMMENDED PC BOARD LAYOUT,
 DAUGHTER BOARD,
 COMPONENT SIDE SHOWN
 SCALE 4:1

- 1. REFERENCE APPLICATION SPEC 114-13059 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.
- 2. MATERIAL:
 SHIELD - PHOSPHOR BRONZE
 CONTACT - COPPER-NICKEL-SILICON
 HOUSING, CHICKLET AND CHICKLET COVER - GLASS FILLED POLYESTER, UL 94V-0 RATED.
- 3. FINISH: SIGNAL AND GROUND CONTACTS:
 MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF PRODUCT SPECIFICATION 108-2055; BASED ON TELCORDIA GR-1217-CORE, APPLICATIONS IN UNCONTROLLED ENVIRONMENTS
 COMPLIANT PIN AREA: 0.5 μm MIN MATTE TIN OVER BASE PLATING
- 4. CONNECTOR MARKED WITH PART NUMBER AND DATE CODE IN APPROXIMATE AREA SHOWN
- 5. DIMENSION APPLIES TO CENTERLINE OF THRU HOLE.
- 6. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 7. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995.



TOP SURFACE OF DAUGHTER CARD



6469294-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN S. J. MAGARO 25 JUL 2004	NAME RECEPTACLE ASSEMBLY, 4 PAIR, 37.5mm HMZd
DIMENSIONS:		CHK R. A. PATTERSON 25 JUL 2004	RESTRICTED TO
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD R. PATTERSON 17 MAY 2007	SIZE A100779C=6469294
Ø	0 PLC ±	PRODUCT SPEC	SCALE 5:1 SHEET 1 OF 1 REV C
□	1 PLC ±	APPLICATION SPEC	
□	2 PLC ±	WEIGHT	
□	3 PLC ±	CUSTOMER DRAWING	
□	4 PLC ±		
□	5 PLC ±		
□	6 PLC ±		
□	7 PLC ±		
□	8 PLC ±		
□	9 PLC ±		
□	10 PLC ±		
□	11 PLC ±		
□	12 PLC ±		
□	13 PLC ±		
□	14 PLC ±		
□	15 PLC ±		
□	16 PLC ±		
□	17 PLC ±		
□	18 PLC ±		
□	19 PLC ±		
□	20 PLC ±		
□	21 PLC ±		
□	22 PLC ±		
□	23 PLC ±		
□	24 PLC ±		
□	25 PLC ±		
□	26 PLC ±		
□	27 PLC ±		
□	28 PLC ±		
□	29 PLC ±		
□	30 PLC ±		
□	31 PLC ±		
□	32 PLC ±		
□	33 PLC ±		
□	34 PLC ±		
□	35 PLC ±		
□	36 PLC ±		
□	37 PLC ±		
□	38 PLC ±		
□	39 PLC ±		
□	40 PLC ±		
□	41 PLC ±		
□	42 PLC ±		
□	43 PLC ±		
□	44 PLC ±		
□	45 PLC ±		
□	46 PLC ±		
□	47 PLC ±		
□	48 PLC ±		
□	49 PLC ±		
□	50 PLC ±		
□	51 PLC ±		
□	52 PLC ±		
□	53 PLC ±		
□	54 PLC ±		
□	55 PLC ±		
□	56 PLC ±		
□	57 PLC ±		
□	58 PLC ±		
□	59 PLC ±		
□	60 PLC ±		
□	61 PLC ±		
□	62 PLC ±		
□	63 PLC ±		
□	64 PLC ±		
□	65 PLC ±		
□	66 PLC ±		
□	67 PLC ±		
□	68 PLC ±		
□	69 PLC ±		
□	70 PLC ±		
□	71 PLC ±		
□	72 PLC ±		
□	73 PLC ±		
□	74 PLC ±		
□	75 PLC ±		
□	76 PLC ±		
□	77 PLC ±		
□	78 PLC ±		
□	79 PLC ±		
□	80 PLC ±		
□	81 PLC ±		
□	82 PLC ±		
□	83 PLC ±		
□	84 PLC ±		
□	85 PLC ±		
□	86 PLC ±		
□	87 PLC ±		
□	88 PLC ±		
□	89 PLC ±		
□	90 PLC ±		
□	91 PLC ±		
□	92 PLC ±		
□	93 PLC ±		
□	94 PLC ±		
□	95 PLC ±		
□	96 PLC ±		
□	97 PLC ±		
□	98 PLC ±		
□	99 PLC ±		
□	100 PLC ±		