



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




LOC	DIST	REV	DATE	DWN	APVD
ES	00				

REVISIONS					
P	LTN	DESCRIPTION	DATE	DWN	APVD
C2		ADD NEW PART -13	02JUN2011	AY	SZ
C3		ADDED THE DASH NUMBER -15	27APR2012	ML	SZ
C4		ADDED THE DASH NUMBER -14,16	03JUL2012	ML	SZ
C5		ADD NEW PART -17	16OCT2012	AY	SZ



- △1 HEADER HOUSING: THERMO PLASTIC, BLACK, UL94 V-0; CONTACTS AND RETENTION CLIPS: COPPER ALLOY.
- △2 PIN CONTACTS PLATING: NOBLE METAL PLATING AT CONTACT FUNCTIONAL AREA OF SIGNAL CONTACT AND POWER CONTACT.
- △3 "AMP", PART NUMBER AND DATE CODE MARKED IN THIS AREA. PARTS UNDER .250 LONG MAY BE MARKED ON BOTH SIDES.
- △4 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- △5 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- △6 APPLIES TO POWER MODULES ON LEFT SIDE OF SIGNAL CAVITIES OF HOUSING.
- △7 APPLIES TO POWER MODULES ON RIGHT SIDE OF SIGNAL CAVITIES OF HOUSING.
- △8 CUSTOMER SUPPLIES (2) #4-40UNC SCREWS, HARDWARE TO BE USED TO MOUNT HEADER ASSEMBLY TO PC BOARD.
- 9. A SEATING TOOL IS REQUIRED TO SEAT THE HEADER ON THE P.C. BOARD. PLEASE REFER TO THE 114-13038 APPLICATION SPEC.
- △10 MECHANICAL CONNECTOR KEEP OUT ZONE.
- △1 NOT RELEASED FOR PRODUCTION.
- △2 FOR PART NUMBER 1-6600383-0, THE OTHER DIMENSIONS PLEASE SEE TABLE.
- △3 FOR THE CONFIGURATION WITH VENT FEATURE, PLEASE REFER TO THE SHEET 2.



	1.120	.550	.210	1.230	.250	.200	1.600	-	-	.700	1.800	.450	1.200	YES	IP + 16S + IP	1-6600383-7
	.720	.550	.210	.830	.250	-	1.200	-	-	-	1.400	.450	.800	YES	0P + 16S + 0P	1-6600383-6
	1.220	.550	.210	1.330	.250	-	1.700	-	-	-	1.900	.450	1.300	YES	0P + 36S + 0P	1-6600383-5
(C2)	1.970	.625	.285	2.080	.325	.250	2.450	-	-	1.400	2.650	.525	2.050	YES	IP + 40S + IP	△1-6600383-4
	.570	.525	.185	.680	.225	-	1.050	-	-	-	1.250	.425	.650	YES	0P + 12S + 0P	1-6600383-3
	2.020	.550	.210	2.130	.250	-	2.500	-	-	-	2.700	.450	2.100	YES	0P + 68S + 0P	1-6600383-0
	3.370	.625	.285	3.480	.325	1.150	3.850	.300	.300	1.900	4.050	.525	3.450	YES	4ACP + 24S + 4ACP	6600383-9
	1.220	.575	.235	1.330	.275	.225	1.700	-	-	.750	1.900	.475	1.300	YES	IP + 16S + IP	6600383-8
	2.920	.575	.235	3.030	.275	.975	3.400	.250	.250	1.700	3.600	.475	3.000	YES	4P + 24S + 4P	6600383-7
	2.770	.625	.285	2.880	.325	.850	3.250	.300	.300	1.600	3.450	.525	2.850	YES	3ACP + 24S + 3ACP	6600383-6
	1.720	.575	.235	1.830	.275	.475	2.200	.250	.250	1.000	2.400	.475	1.800	YES	2P + 16S + 2P	6600383-5
	3.120	.575	.235	3.250	.275	.975	3.600	.250	.250	1.900	3.800	.475	3.200	YES	4P + 32S + 4P	6600383-4
	1.920	.575	.235	2.030	.275	.475	2.400	.250	.250	1.200	2.600	.475	2.000	YES	2P + 24S + 2P	6600383-3
	3.220	.575	.235	3.330	.275	1.475	3.700	.250	.250	2.500	3.900	.475	3.300	YES	6P + 36S + 2P	6600383-2
	4.495	.575	.235	4.605	.275	1.650	4.975	SHT 2	SHT 2	2.575	5.175	.475	4.575	YES	6P + 32S + 6P	6600383-1
	DIM "EE"	DIM "DD"	DIM "CC"	DIM "BB"	DIM "TT"	DIM "W"	DIM "U"	DIM "T"	DIM "S"	DIM "R"	DIM "L"	DIM "K"	DIM "D"	RETENTION CLIP	DESCRIPTION	PART NUMBER







THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCH
 TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.005
 1 PLC ±.01
 2 PLC ±.01
 3 PLC ±.01
 4 PLC ±.01
 ANGLES ±.1
 FINISH: #2

DWN: D. RINGLER 05APR2006
 CH: M. PERCHERRE 05APR2006
 APVD: M. PERCHERRE 05APR2006
 PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038
 WEIGHT: -
 Customer Drawing

STE TE Connectivity
 NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
 SIZE: A1
 CAGE CODE: 6600383
 SCALE: 4:1 SHEET 1 OF 9 REV: C5

LOC		DIST		REVISIONS			
ES	00	P	LYN	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-




△ CONFIGURATION WITH VENT FEATURE
 PART NUMBER 1-6600383-4

FOR PART NUMBER 1-6600383-0, 1-6600383-3 OTHER DIMENSION PLEASE SEE TABLE ON SHEET 1.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 05APR2006											
DIMENSIONS: INCH		CHK M. PERCHERKE 05APR2006											
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. PERCHERKE 05APR2006	NAME VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE										
<table border="1"> <tr> <td>0 PLC</td> <td>±</td> </tr> <tr> <td>2 PLC</td> <td>±.01</td> </tr> <tr> <td>3 PLC</td> <td>±.005</td> </tr> <tr> <td>4 PLC</td> <td>±</td> </tr> <tr> <td>ANGLES</td> <td>±2°</td> </tr> </table>		0 PLC	±	2 PLC	±.01	3 PLC	±.005	4 PLC	±	ANGLES	±2°	PRODUCT SPEC 108-1973	SIZE A100779
0 PLC	±												
2 PLC	±.01												
3 PLC	±.005												
4 PLC	±												
ANGLES	±2°												
MATERIAL		APPLICATION SPEC 114-13038	RESTRICTED TO C=6600383										
FINISH		WEIGHT	SCALE 4:1 SHEET 2 OF 9 REV C5										
Customer Drawing		Customer Drawing											


LOC	DIST	REVISIONS					
		P	LTM	DESCRIPTION	DATE	DMN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER						SIGNAL								POWER											
		P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	7	8	P7	P8	P9	P10	P11	P12						
6600383-1	D	VM	VM	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV						
	C							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	
	B							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV
	A							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV
6P+32S+6P		HD																			HD						



RECOMMENDED PCB LAYOUT 6600383-1
 SCALE 2:1

PART NUMBER	ROWS	POWER						SIGNAL									POWER									
		P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	7	8	9	P7	P8								
6600383-2	D	VM	VM	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV						
	C							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	
	B							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV
	A							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV
6P+36S+2P		HD																		HD						



RECOMMENDED PCB LAYOUT 6600383-2
 SCALE 2:1

-	RETENTION CLIP	HD
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM
MATING SEQUENCE	DESCRIPTION	IDENTIFIER


THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DMN: D. RINGLER 05APR2006	TE Connectivity NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE SIZE: CAGE CODE DRAWING NO: 114-13038 WEIGHT: - RESTRICTED TO: -
INCH	0 PLC ±.01	CHK: M. PERCHERRE 05APR2006	
	2 PLC ±.01	APVD: M. PERCHERRE 05APR2006	
	3 PLC ±.005	PRODUCT SPEC: 108-1973	
	4 PLC ±.005	APPLICATION SPEC: 114-13038	Customer Drawing
MATERIAL:	FINISH:	SCALE: 4:1	SHEET 3 OF 9


LOC	DIST	REV	DATE	APPV
ES	00			

PART NUMBER	ROWS	POWER		SIGNAL						POWER	
		P1	P2	1	2	3	4	5	6	P3	P4
6600383-3	D	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM
	C			EV	EV	EV	EV	EV	EV		
	B			EV	EV	EV	EV	EV	EV		
	A			EV	EV	EV	EV	EV	EV		
2P+24S+2P		HD									HD

PART NUMBER	ROWS	POWER				SIGNAL								POWER			
		P1	P2	P3	P4	1	2	3	4	5	6	7	8	P5	P6	P7	P8
6600383-4	D	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM
	C					EV	EV	EV	EV	EV	EV	EV					
	B					EV	EV	EV	EV	EV	EV	EV					
	A					EV	EV	EV	EV	EV	EV	EV					
4P+32S+4P		HD															HD




RECOMMENDED PCB LAYOUT 6600383-3
SCALE 2:1



RECOMMENDED PCB LAYOUT 6600383-4
SCALE 2:1

PART NUMBER	ROWS	POWER		SIGNAL				POWER	
		P1	P2	1	2	3	4	P3	P4
6600383-5	D	VM	VM	EV	EV	EV	EV	VM	VM
	C			EV	EV	EV	EV		
	B			EV	EV	EV	EV		
	A			EV	EV	EV	EV		
2P+16S+2P		HD							HD



RECOMMENDED PCB LAYOUT 6600383-5
SCALE 2:1

MATING SEQUENCE	DESCRIPTION	IDENTIFIER
-	RETENTION CLIP	HD
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM


THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	OWN: D. RINGLER 05APR2006	NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
INCH	0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.005 ANGLES ±.2°	CHK: M. PERCHERRE 05APR2006	TE Connectivity
MATERIAL:	FINISH:	APVD: M. PERCHERRE 05APR2006	RESTRICTED TO
		PRODUCT SPEC: 108-1973	SIZE: A100779
		APPLICATION SPEC: 114-13038	CAGE CODE: 6600383
		WEIGHT:	SCALE: 4:1
		Customer Drawing	SHEET 4 OF 9


LOC	DIST	REV	DATE	BY	APPV
ES	00				

PART NUMBER	ROWS	POWER			SIGNAL						POWER		
		P1	P2	P3	1	2	3	4	5	6	P4	P5	P6
6600383-6	D	VM	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM	VM
	C				EV	EV	EV	EV	EV				
	B				EV	EV	EV	EV	EV				
	A				EV	EV	EV	EV	EV				
3ACP+24S+3ACP		HD											

PART NUMBER	ROWS	POWER				SIGNAL						POWER			
		P1	P2	P3	P4	1	2	3	4	5	6	P5	P6	P7	P8
6600383-7	D	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM
	C					EV	EV	EV	EV	EV					
	B					EV	EV	EV	EV	EV					
	A					EV	EV	EV	EV	EV					
4P+24S+4P		HD													




RECOMMENDED PCB LAYOUT 6600383-6
SCALE 2:1



RECOMMENDED PCB LAYOUT 6600383-7
SCALE 2:1

PART NUMBER	ROWS	POWER	SIGNAL				POWER
		P1	1	2	3	4	P2
6600383-8	D	VM	EV	EV	EV	EV	VM
	C		EV	EV	EV	EV	
	B		EV	EV	EV	EV	
	A		EV	EV	EV	EV	
IP+16S+IP		HD					



RECOMMENDED PCB LAYOUT 6600383-8
SCALE 2:1

MATING SEQUENCE	DESCRIPTION	IDENTIFIER
-	RETENTION CLIP	HD
MLBF	SIGNAL CONTACT	ES
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM


THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	OWN: D. RINGLER 05APR2006	CHK: M. PERCHERRE 05APR2006	APVD: M. PERCHERRE 05APR2006
INCH	0 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.005 ANGLES ±.2°	PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	WEIGHT: -
MATERIAL:	FINISH:	SIZE: A1	CAGE CODE: 6600383	RESTRICTED TO: -
Customer Drawing		SCALE: 4:1	SHEET: 5 of 9	REV: C5

STE TE Connectivity
NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1			


PART NUMBER	ROWS	POWER				SIGNAL						POWER			
		P1	P2	P3	P4	1	2	3	4	5	6	P5	P6	P7	P8
6600383-9	D					EV	EV	EV	EV	EV	EV				
	C					EV	EV	EV	EV	EV	EV				
	B	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM
	A					EV	EV	EV	EV	EV	EV				
4ACP+24S+4ACP		HD													HD



RECOMMENDED PCB LAYOUT 6600383-9
 SCALE 2.5:1

PART NUMBER	ROWS	SIGNAL																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1-6600383-0	D	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES
	C	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	EV	EV
	B	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	EV	EV
	A	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES
OP+68S+0P		HD																HD

NO CONTACTS LOADED



RECOMMENDED PCB LAYOUT 1-6600383-0
 SCALE 3:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: D. RINGLER 05APR2006	TE Connectivity
DIMENSIONS: INCH		CHK: M. PERCHERRE 05APR2006	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERRE 05APR2006	NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
0 PLC ± 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ± ANGLES ±7° FINISH		PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT:	
MATERIAL:		Customer Drawing	SIZE: A1 CAGE CODE: 6600383 SCALE: 4:1 SHEET: 6 OF 9 REV: C5

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1	-	-	-


PART NUMBER	ROWS	SIGNAL		
		1	2	3
I-6600383-3	D	EV	EV	EV
	C	EV	EV	EV
	B	EV	EV	EV
	A	EV	EV	EV
OP+12S+0P		HD		HD

(C2)

PART NUMBER	ROWS	SIGNAL								
		1	2	3	4	5	6	7	8	9
I-6600383-5	D	ES	ES	ES	ES	ES	ES	ES	ES	ES
	C	ES	ES	ES	ES	ES	ES	ES	ES	ES
	B	ES	ES	ES	ES	ES	ES	ES	ES	ES
	A	ES	ES	ES	ES	ES	ES	ES	ES	ES
OP+36S+0P		HD								HD





RECOMMENDED PCB LAY OUT I-6600383-3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: D. RINGLER 05APR2006	 TE Connectivity
DIMENSIONS: INCH		CHK: M. PERCHERRE 05APR2006	
DIMENSIONS: INCH 0 PLC ± 2 PLC ±.01 3 PLC ±.005 4 PLC ± ANGLES ±2°		TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
MATERIAL: -		APVD: M. PERCHERRE 05APR2006	SIZE: A100779
FINISH: -		PRODUCT SPEC: 108-1973	SCALE: 4:1
		APPLICATION SPEC: 114-13038	SHEET: 7 OF 9
		WEIGHT: -	REV: C5
		Customer Drawing	RESTRICTED TO: -

LOC	DIST	REVISIONS			
P	LTH	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1			

PART NUMBER	ROWS	SIGNAL			
		1	2	3	4
I-6600383-6	D	ES	ES	ES	ES
	C	ES	ES	ES	ES
	B	ES	ES	ES	ES
	A	ES	ES	ES	ES
OP+16S+OP		HD			HD

PART NUMBER	ROWS	POWER		SIGNAL										POWER		
		P1		1	2	3	4	5	6	7	8	9	10	P2		
I-6600383-4	D	VM		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	
	C			EV	EV	EV	EV	EV	EV	EV	EV	EV	EV			
	B			EV	EV	EV	EV	EV	EV	EV	EV	EV	EV			
	A			EV	EV	EV	EV	EV	EV	EV	EV	EV	EV			
IP+40S+IP		HD														HD




THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCH	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DMN D. RINGLER 05APR2006	TE Connectivity NAME VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
	0 PLC ±	CHK M. PERCHERRE 05APR2006	
	1 PLC ±.01	APVD M. PERCHERRE 05APR2006	
	2 PLC ±.005	PRODUCT SPEC	
3 PLC ±.005	4 PLC ±	APPLICATION SPEC	SIZE
ANGLES ±7°	FINISH	114-13038	CAGE CODE
MATERIAL		WEIGHT	DRAWING NO
			A100779
			DRAWING NO
			C=6600383
			RESTRICTED TO
			Customer Drawing
			SCALE 4:1
			SHEET 8 OF 9
			REV C5

LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER	SIGNAL				POWER
			P1	1	2	3	
I-6600383-7	D	VM	EV	EV	EV	EV	VM
	C		EV	EV	EV	EV	
	B		EV	EV	EV	EV	
	A		EV	EV	EV	EV	
IP+16S+IP		HD					HD



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: D. RINGLER 05APR2006	STE TE Connectivity
DIMENSIONS: INCH		CHK: M. PERCHERKE 05APR2006	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE 05APR2006	NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
0 PLC ±.01		PRODUCT SPEC: 108-1973	
2 PLC ±.01		APPLICATION SPEC: 114-13038	
4 PLC ±.005		SIZE: A100779C=6600383	
ANGLES ±.2°		WEIGHT: -	RESTRICTED TO: -
MATERIAL: -	FINISH: -	Customer Drawing	SCALE: 4:1 SHEET: 9 of 9 REV: C5