

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Capacitors



- Material: Housing made of thermoplastic resin
- Connection line: Multi-lead
 PVC cable 0.5 mm² with brass lead tips
- Approval: VDE according to DIN EN 60252 (VDE 0560/8)
- Calculated life time:

 $400\ V;\ -25\ to\ +85^{\circ}C;\ 30,000\ hrs;\ class\ A$ $450\ V;\ -25\ to\ +85^{\circ}C;\ 10,000\ hrs;\ class\ B$

MKP motor capacitors (without fuse)		
Part no.	Capacity	a b (max.) c
02100-4-7320	1.0 μF	25-28 58.0 235.0
99282-4-7320	1.5 µF	25-28 58.0 235.0
99283-4-7320	2.0 μF	25-28 58.0 235.0
02103-4-7320	2.5 µF	25-28 70.0 235.0
68462-4-7320	3.0 µF	25-28 70.0 235.0
99284-4-7320	4.0 μF	28-32 58.0 235.0
02101-4-7320	5.0 μF	30-36 70.0 235.0
99285-4-7320	6.0 µF	30-36 70.0 235.0
66788-4-7320	7.0 µF	30-36 72.0 100.0
99286-4-7320	8.0 µF	35-40 72.0 235.0
99287-4-7320	10.0 μF	35-40 72.0 200.0
66786-4-7320	12.0 μF	40.0 72.0 100.0
30457-4-7320	14.0 μF	40-45 92.0 150.0
50090-4-7320	16.0 μF	35-40 95.0 100.0
90034-4-7320	20.0 μF	40.0 95.0 235.0
90025-4-7320	25.0 μF	40.0 120.0 235.0
subject to alterations		