

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








Pomona®

Model 6728 Adapter, Standard Sheath Banana Jack to Non-Sheath Banana Plug



Features:

- ✓ Adapter provides an easy and quick conversion from a standard sheathed banana plug / patch cord to a standard exposed banana plug.
- ✓ Allows standard sheathed banana plugs / patch cords to connect to non-sheath style banana jacks or blinding post.
- ✓ Ideal for environments using a mixture of sheathed and non-sheathed style patch cords.

Materials:

Banana Jack: Nickel Plated Brass

Banana Plug: Nickel Plated Beryllium Copper

Insulation: Nylon 6

Ratings:

Voltage: 600 Vrms; For CE compliance: not intended for hand held use at voltage above

33 Vrms / 70 Vdc.

Current: 20 A max Temperature: -10 to +55 C

Ordering Information:

6728-0 Black 6738-2 Red

All dimensions are in inches. Tolerances (except noted): $.xx = \pm .02$ " (,51 mm), $.xxx = \pm .005$ " (,127 mm). All specifications are to the latest revisions. Specifications are subject to change without notice. Registered trademarks are the property of their respective companies. Made in USA