

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China














2 X 5 STYLE A







KEY FOR PLATING AND TAIL LENGTH AND TYPE												
Х	TERMINAL PLATING (NOTE 10)	DIM S	TERMINAL TYPE									
-0XX(LF)	30u"/. 76u Au OVER 50u"/1. 27u Ni	. 105/2. 67	RD									
-1XX(LF)	30u'/.76 GXT GOLD FLASH	. 105/2. 67	RD									
-2XX(LF)	30u"/. 76u Au OVER 50u"/1. 27u Ni	. 150/3. 81	RD									
-3XX(LF)	30u'/.76 GXT GOLD FLASH	. 150/3. 81	RD									
-4XX(LF)	30u"/. 76u Au OVER 50u"/1. 27u Ni	. 105/2. 67	SQ									
-5XX(LF)	30u'/.76 GXT GOLD FLASH	. 105/2. 67	SQ									
-6XX(LF)	30u"/. 76u Au OVER 50u"/1. 27u Ni	. 150/3. 81	SQ									
-7XX(LF)	30u″/.76 GXT GOLD FLASH	. 150/3. 81	SQ									
-8XX(LF)	15u"/. 38u Au OVER 50u"/1. 27u Ni	. 150/3. 81	SQ									
-9XX(LF)	15u"/. 38u Au OVER 50u"/1. 27u Ni	. 105/2. 67	SQ									

NOTES

- SAME PIN POSITION TOLERANCE APPLIES TO BOTH ENDS OF EACH TERMINAL.
- MOLDING MAT'L;30% GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL 94-VO, COLOR; BLUE.
- 3. 1.º MAX DRAFT PERMISSIBLE ON ALL SURFACES.
- 4. 1.8 KILOGRAMS/4 POUNDS MIN. TERM. PULL-OUT FORCE.
- 5. TERMINAL MAT'L: PHOSPHOR BRONZE.
- (6) A. PART NUMBERS HAVING AN 'R' FOLLOWING THE 8 DIGIT P/N (EXAMPLE 69155-010 R) HAVE A RETENTION FEATURE. LOCATION IS MANUFACTURER'S OPTION.
 - B. CONNECTORS WITH RETENTION AND ROUND PINS HAVE 15LB/6.8KG MAX INSERTION AND .25LB/.11KG MIN RETENTION FORCE WHEN USED IN A .035/.89±.003/.08 DIA HOLE AND . 062/1.58 THICK PCB BOARD
 - C. CONNECTORS WITH RETENTION AND SQUARE PINS HAVE A 15LB/6 8KG MAX INSERTION AND A .5LB/.23KG MIN RETENTION WHEN USED IN A .040/1.02±.003/.08 DIA HOLE AND A . 062/1.58 THICK PCB BOARD.
- (7) DIMENSION "A" FOR -034 HAS A MAXIMUM SIZE OF 1. 990/50. 6
- 8. 69155-***LF IS JUST A LEAD FREE PRODUCT.
- 9. THE HOUSING OF XXXXX-XYYLF WILL WITHSTAND EXPOSUURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER PROCESS.
- 10. PLATING OPTION: MAYBE EITHER GOLD OR GXT PLATING AT MANUFACTURER'S OPTION
- 11. FOR 69155-150LF , THE TOLERANCE OF DIM " S " IS " -0. 10 , +0. 35 ".

mat'l. code				tolerances unless otherwise specified							CUSTOMER				FÇ	训						
ltr	ecn	no	dr	date			.XX±.01/.X±.3				·	COP	ſ			=	1		www	.fcicon	nect.co	om .
М					linec		.XXX±.005/.XX				projection			title	HEA							NE
					angle	es	0°±2°							RIGHT ANGLE 4 WALL								
					dr	M.C	I.CORNMAN 8/10/90 M.SMYK 8/10/90 M.SMYK 8/10/90 M.SMYK 8/10/90				114011/191191		им	product family QUICKIE					ίE		code	;
					engr	M.S							size	ize dwg no								
					chr	M.S			scale			١, ١	69155						sheet			
					appd	M.S				<u>5:1</u>		Α		O	J 1	<u>ر</u>	<u>ر</u>		2 0	f		
she	et	revis	ion																			
inde	ex	sheet	:																			

PDM: Rev:M ³ STATUS Released Printed: Apr 12, 2011

	ā		
	ş		
	from		
	thority		
	tten au		
	r Mr		
	without	CI.	
	form whatever is not permitted without written authority from the pr	Property of FCI. Copyright FCI.	
•	ģ	ن	
	š	5	
	whatever	erty of	I
	form	Prop	

PR□DUCT N□ N□TE 6	POS	DIM A	DIM B	DIM C	STYLE
69155-X02(LF)	2X5	. 78/19. 8	. 72/18. 3	. 400/10. 16	В
-X10(LF)	2X5	. 78/19. 8	. 72/18. 3	. 400/10. 16	А
-X14(LF)	2X7	. 98/24. 9	. 92/23. 4	. 600/15. 24	С
-X16(LF)	2X8	1. 08/27. 9	1. 02/25. 9	. 700/17. 78	D
-X20(LF)	2X10	1. 28/32. 5	1. 22/31. 0	. 900/22. 86	^
-X24(LF)	2X12	1. 48/37. 6	1. 42/36. 1	1. 100/27. 94	
-X26(LF)	2X13	1. 58/40. 1	1. 52/38. 6	1. 200/30. 48	
-X30(LF)	2X15	1. 78/45. 2	1. 72/43. 7	1. 400/35. 56	
-X34(LF)	2X17	1. 98/50. 3	1. 92/48. 8	1. 600/40. 64	
-X40(LF)	2X20	2, 28/57, 9	2. 22/56. 4	1. 900/48. 26	
-X44(LF)	2X22	2. 48/63. 0	2. 42/61. 5	2. 100/53. 34	
-X50(LF)	2X25	2. 78/70. 6	2, 72/69, 1	2. 400/60. 96	V
69155-X60(LF)	2X30	3, 28/83, 3	3. 22/81. 8	2. 900/73. 66	D

1 | 2

NOTE 7

NOTE 11

mat'l. code						tolerances unless otherwise specified							CUSTOMER			FÇ	<u>]]</u>					
ltr	ecn	no	dr	date			.XX±.01/.X±.3			COPY					"	"		www	.fcicon	nect.co	om	
М					line	ar 🗌	.XXX±.005/.X			'.XX±.13 pro			Ì	title								
						.x				±.051							R QUICKIE SLI					
					ang	es	0°±2°				7			RIGHT ANGLE 4 WAL							ALL	
					dr	м.с	.CORNMAN 8/10/9		0/90									JICKIE			Э	
					engi	М.9	SMYK	MYK 8/10/90				-	size	dwg	no					-	-	
					chr	М.5	SMYK		8/10/90		scale			١,	4 69155						sheet	
					appo	M.5	SMYK		8/10/90			<u>5:1</u>		Α		O	J 1	<u>ر</u>	<u>ر</u>		3 0	ıf
she	et	revision																				
inde	ex	shee	t																			

3 |

PDM: Rev:M 3 STATUS Released Printed: Apr 12, 2011