



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us




Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DMN	APVD		
H1		REVISED PER ECO-11-004835	11MAR11	RK	HMR		
H2		ECR-11-013206	27JUN2011	D.P	C.W		



OBSOLETE

SECTION W-W
SCALE 8:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN T. BILLMAN 4-9-90	04JAN01	TE Connectivity	
DIMENSIONS: INCHES		CHK R. MILLER	NAME	SIMM II RTANG 1.27[.050] 1.27 [.050] CL ASSY 4.064[.160] HEIGHT	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	PRODUCT SPEC	APPLICATION SPEC	
0. PLC	± -		SIZE	CAGE CODE	DRAWING NO
1. PLC	± -		WEIGHT	A1	00779
2. PLC	± -		C=382482		RESTRICTED TO
3. PLC	± 0.127[.005]		CUSTOMER DRAWING		SCALE 4:1 SHEET 1 OF 2 REV H2
4. PLC	± -				
ANGLES	± -				
MATERIAL HSG:GLASS REINF	FINISH 				



OBSOLETE

OBSOLETE	58.22[2.292]	127.00[5.000]	110.49[4.350]	123.19[4.850]	63.50[2.500]	52.07[2.050]	130.81[5.150]	116.43[4.584]	84	8-382482-4
OBSOLETE	55.68[2.192]	121.92[4.800]	105.41[4.150]	118.11[4.650]	60.96[2.400]	49.53[1.950]	125.73[4.950]	111.35[4.384]	80	8-382482-0
OBSOLETE	50.60[1.992]	111.76[4.400]	95.25[3.750]	107.95[4.250]	55.88[2.200]	44.45[1.750]	115.57[4.550]	101.19[3.984]	72	7-382482-2
OBSOLETE	48.06[1.892]	106.68[4.200]	90.17[3.550]	102.87[4.050]	53.34[2.100]	41.91[1.650]	110.49[4.350]	96.11[3.784]	68	6-382482-8
OBSOLETE	30.28[1.192]	71.12[2.800]	54.61[2.150]	67.31[2.650]	35.56[1.400]	24.13[.950]	74.93[2.950]	60.55[2.384]	40	4-382482-0
	DIM M	DIM J	DIM F	DIM E	DIM D	DIM C	DIM B	DIM A	POSN	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0 PLC ± -	1 PLC ± -	2 PLC ± -	3 PLC ± 0.13 [.005]	4 PLC ANGLES ± -
--------------------	--	-----------	-----------	-----------	---------------------	------------------

DIN T. BILLMAN 4-9-90	CHK R. SMITH 4-12-90	APVD R. MILLER 4-9-90	NAME
APPLICATION SPEC			SIZE CAGE CODE DRAWING NO
WEIGHT			A1 00779 C=382482
CUSTOMER DRAWING			SCALE 4:1 SHEET 2 OF 2 REV H2

STE TE Connectivity

SIMM II, RTANG, 1.27 [.050] CENTERLINE ASSY 4.06 [.160] HGT