



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PROG		LOC	DIST	REVISIONS				DATE	APPD
4089	DF	50	P	F	ZONE	LTR	DESCRIPTION		
							AE REDWN & REV PER DF-2034 CT		

PART NO.	A	
834254-1	8.00 [203.2]	
834254-2	54.00 [1371.6]	OBSOLETE
834254-3	12.00 [304.8]	
834254-4	24.00 [609.6]	
834254-5	60.00 [1524.0]	OBSOLETE
834254-6	30.00 [762.0]	
834254-7	36.00 [914.4]	
834254-8	6.00 [152.4]	
834254-9	18.00 [457.2]	
1-834254-0	7.00 [177.8]	
1-834254-1	66.00 [1676.4]	OBSOLETE
1-834254-2	120.00 [3048.0]	OBSOLETE
1-834254-3	42.00 [1066.8]	
1-834254-4	10.00 [254.0]	
1-834254-5	7.50 [190.5]	OBSOLETE
1-834254-6	11.00 [279.4]	
1-834254-7	180.00 [4572.0]	OBSOLETE
1-834254-8	16.00 [406.4]	OBSOLETE
1-834254-9	5.00 [127.0]	
2-834254-0	8.50 [215.9]	OBSOLETE
2-834254-1	84.00 [2133.6]	OBSOLETE
2-834254-2	5.50 [139.7]	OBSOLETE
2-834254-3	80.00 [2032.0]	OBSOLETE
2-834254-4	72.00 [1828.8]	OBSOLETE
2-834254-5	20.00 [508.0]	
2-834254-6	14.00 [355.6]	OBSOLETE
2-834254-7	15.00 [381.0]	
2-834254-8	69.00 [1752.6]	OBSOLETE
2-834254-9	70.00 [1778.0]	OBSOLETE
3-834254-0	82.00 [2082.8]	OBSOLETE
3-834254-1	75.00 [1905.0]	OBSOLETE
3-834254-2	144.00 [3657.6]	OBSOLETE
3-834254-3	5.50 [139.7]	OBSOLETE
3-834254-4	-	OBSOLETE
3-834254-5	21.00 [533.4]	OBSOLETE
3-834254-6	96.00 [2438.4]	OBSOLETE
3-834254-7	204.00 [5181.6]	OBSOLETE
3-834254-8	25.00 [635.0]	OBSOLETE
3-834254-9	29.00 [736.6]	OBSOLETE
4-834254-0	48.00 [1219.2]	OBSOLETE
4-834254-1	240.00 [6096.0]	OBSOLETE
4-834254-2	78.00 [1981.2]	
4-834254-3	90.00 [2286.0]	OBSOLETE
4-834254-4	102.00 [2590.8]	OBSOLETE
4-834254-5	108.00 [2743.2]	OBSOLETE
4-834254-6	114.00 [2895.6]	OBSOLETE
4-834254-7	126.00 [3200.4]	OBSOLETE
4-834254-8	132.00 [3352.8]	OBSOLETE
4-834254-9	138.00 [3505.2]	OBSOLETE
5-834254-0	150.00 [3810.0]	OBSOLETE

PART NO.	A	
5-834254-1	46.00 [1168.4]	OBSOLETE
5-834254-2	26.00 [660.4]	OBSOLETE
5-834254-3	9.00 [228.6]	OBSOLETE
5-834254-4	13.50 [342.9]	OBSOLETE
5-834254-5	5.25 [133.3]	
5-834254-6	50.00 [1270.0]	OBSOLETE
5-834254-7	19.00 [482.6]	OBSOLETE
5-834254-8	27.00 [685.8]	OBSOLETE
5-834254-9	300.00 [7620.0]	OBSOLETE
6-834254-0	7.38 [187.5]	OBSOLETE
6-834254-1	40.00 [1016.0]	OBSOLETE
6-834254-2	-	OBSOLETE
6-834254-3	600.00 [15240.0]	OBSOLETE
6-834254-4	32.00 [812.8]	OBSOLETE
6-834254-5	168.00 [4267.2]	OBSOLETE
6-834254-6	6.50 [165.1]	OBSOLETE
6-834254-7	56.00 [1422.4]	OBSOLETE
6-834254-8	35.00 [889.0]	OBSOLETE
6-834254-9	92.00 [2336.8]	OBSOLETE
7-834254-0	95.00 [2413.0]	OBSOLETE
7-834254-1	99.00 [2514.6]	OBSOLETE
7-834254-2	105.00 [2667.0]	OBSOLETE
7-834254-3	122.00 [3098.8]	OBSOLETE
7-834254-4	24.50 [622.3]	OBSOLETE
7-834254-5	9.25 [234.9]	
7-834254-6	7.25 [184.1]	OBSOLETE
7-834254-7	8.25 [209.5]	OBSOLETE
7-834254-8	11.50 [292.1]	OBSOLETE
7-834254-9	9.50 [241.3]	
8-834254-0	12.60 [320.0]	OBSOLETE
8-834254-1	13.00 [330.2]	OBSOLETE
8-834254-2	10.50 [266.7]	OBSOLETE
8-834254-3	14.62 [371.3]	OBSOLETE
8-834254-4	28.50 [723.9]	OBSOLETE



1. .300 MAX DIMENSION HELD OVER THE .910 MAX AREA ONLY.
2. MARKED PER MIL-STD-130.
3. DIMENSIONS IN BRACKETS ARE IN MILLIMETERS. METRIC EQUIVALENTS ARE BASED UPON 1.00 INCH = 25.4 mm.
4. LEADS WILL MATE WITH WITH AMP LGH-1 OR 1L RECEPTACLES.
5. TOLERANCE OF LEAD LENGTH:
UP TO 24 INCHES [609.6] = ±.12 [±3.1]
24 INCHES [609.6] & UP = 1%
6. OPERATING CONDITIONS: 25 KVDC 0-70,000 FEET AT -55°C TO +125°C.

DO NOT SCALE PRINT. UNLESS SPECIFIED. DIMENSIONS IN INCHES (mm)	DR 9-7-88 C. C. THOMAS	AMP INCORPORATED Harrisburg, Pa. 17105
TOLERANCES ON: 2 PLC DEC ± 3 PLC DEC ± ANGLES ±	CHK G. Schaffner 9-16-89 APPD W. M. Lutz 9-18-89	
MATERIAL	APPD W. M. Lutz 9-18-89	NAME LEAD ASS'Y, LGH 1 & 1L, DOUBLE END
SEE CALLOUTS	PRODUCT SPEC	SIZE D
FINISH	APPLICATION SPEC	CAGE CODE 00779
	WEIGHT	DRAWING NO 834254
		SCALE 2:1
		SHEET 1 OF 1

METRIC