



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**Documentation**  
Installation Guide

## ***XDS510PP MPSD Scan Path Emulator Pod (C30/C31/C32)***



**Application**

Hardware Debug  
Software Debug  
Flash Programming

**Warranty:** 1 year from date of purchase

**Part #:** 701041



XDS510PP MPSD Emulator

**Hardware Features**

- Supports Texas Instruments Digital Signal Processors with the **MPSD** interface (TMS320C30/C31/C32)
- Operates with parallel port on PC or laptop, no internal adapter required
- Supports 4 bit, 8 bit, EPP, and ECP transfers
- Compatible with 3.3V or 5V processors
- Powered by target or supplied adapter

**Software Features**

- Compatible with Code Composer from TI for TMS320C3X (includes 'C' compiler, assembler, linker, and debugger)
- Compatible with Win 98 ME, NT, 2000, XP

**What's Included**

- XDS510PP MPSD Emulator
- +5 Volt power supply
- Parallel port cable
- CD-ROM with device drivers

**Do You Need ?**

- Code Composer
- DSP target board