



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



SPI515 JTAG Emulator with Code Composer for the TMS320VC33/C4x



Documentation

Installation guide

Application

Hardware debug
Software development
Flash Programming

Warranty: 1 year from date of purchase on emulator and power supply, for Code Composer refer to TI website



Part #: 701052

SPI515 JTAG Emulator with Code Composer for TMS320VC33/C4x

System Features	Hardware Features	Includes
<ul style="list-style-type: none"> • Provides a complete development environment for TMS320VC33/C4x Digital Signal Processors from Texas Instruments <p>Software Features</p> <ul style="list-style-type: none"> • Code Composer for TMS320VC33/C4x which includes debugger, "C" compiler, assembler, and linker • Compatible with SDFlash programming utility from Spectrum Digital 	<ul style="list-style-type: none"> • SPI515 JTAG emulator plugs onto JTAG header (2 x 7) on DSP target board • Supports TMS320VC33/C4x DSPs • Emulator operates through parallel port on PC, no adapter card required • Operates with multiple JTAG devices in scan chain • Supports processors with JTAG levels 1-5 volts 	<ul style="list-style-type: none"> • Spectrum Digital SPI515 JTAG Emulator, # 701515, for TMS320VC33/C4x • Includes +5 volt power supply for the Emulator Module • Parallel port cable • CD-ROM with Code Composer for TMS320VC33/C4x • CD-ROM with driver for emulator

