

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











Documentation

Installation Guide

Application

Hardware debug Software debug Flash Programming

Warranty: 1 year from date of purchase

Part #:701121

SPI530 MPSD Intelligent Scan Path Emulator Pod (C30/C31/C32)





SPI530 Intelligent MPSD Emulator

Hardware Features

- Supports Texas
 Instruments Digital Signal
 Processors with MPSD interface
 (TMS320C30/C31/C32)
- Provides highest performance with internal high speed control processor
- Operates with parellel port, no internal adapter card required
- Compatible with portable and laptop PCs in SPP8/bidirectional mode
- Six LEDs for operational status
- Compatible with +3.3V or +5V processors
- Power by supplied AC adapter

Software Features

- Compatible with Code Composer from Texas Instruments (includes "C" compiler, assembler, linker, debugger)
- Compatible with Win 98 ME, NT, 2000, XP

What's Included

- SPI530 Emulator
- +5 volt power supply
- · Parallel port cable
- · CD-ROM with driver

Do You Need?

- · Code Composer
- · DSP target board

