![Chipsmall logo]

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China

Documentation
 Reference manual
  with schematics
  Demo Code

Applications
  Microcontroller
    replacement
  Algorithm
    development
  Benchmarking

Warranty: 1 year from date of purchase

Part #: 701176

EVM320VC5416 Evaluation Module, 100-150 Mhz TMS320VC5416 DSP

EVM320VC5416 Evaluation Module

Hardware Features	Software Features	What's Included
• Texas Instruments TMS320VC5416 (100-150 Mhz.)	• Compatible with C5xxx Code Composer Studio from TI	• EVM320VC5416
• 192K words program memory	• Compatible with all JTAG emulators from Spectrum Digital	• CD-ROM with demo code, manual, and schematics
• 64k words data memory	• Compatible with Spectrum Digital's SDFlash Programming Utility	**Do You need ?**
• 32k words on board Flash boot ROM	• Compatible with TI XDS510	• Power supply
• TLC320AD50 Sigma-Delta AIC		• JTAG Emulator
• Standard **JTAG** interface onboard		• Code Composer Studio
• Requires only +5 volt power supply		• Wire Wrap Module
• Stand-alone operation for easy debug access		
• Expansion connectors for add-on accessories		
• Onboard UART for		

- debugging/data logging
- Size: 6.3 x 3.93 inches (100 x 160 mm.,3U), .062" thickness