

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








ROHS COMPLIANT PRODUCT DATA DRAWING





MATERIAL:

SMP FEMALE CONNECTOR: 1221-4010

2.92MM MALE CONNECTOR: SF1511-60069

200-70-214 STANDARD FLEXTRA CABLE:

M23053/5 (BLACK) SINGLE WALL TUBING:

SV P/N	L (IN)	INSERTION LOSS dB MAX.
7012-1064	6.00	1.70
7012-1065	12.00	2.93

UNLESS OTHERWISE SPECIFIED

STW 06/15/16

TABLE I

PERFORMANCE:

IMPEDANCE: FREQ. RANGE: 50 OHMS DC TO 32 GHz

VSWR: 1.49:1, DC TO 32 GHz

INSERTION LOSS: SEE TABLE

FINISH: S	EE NOTES
SURFACE AREA:	N/A
PRO	PRIETARY
IS THE SOLE PROPE ANY REPRODUCTIO	CONTAINED IN THIS DRAWI RTY OF SV MICROWAVE, II N IN PART OR A OF

SEE NOTES

MATERIAL:

NG	THIRD ANGLE PROJECTION		
	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994		
	FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' ±15' DECIMAL: .X ±.030 .XX ±.010 .XXX ±.010		
	DIMENSIONS ARE IN INCHES TOLERANCES:		

±1/64 ANGULAR: X* ±1*0' ±.030 ((±.010 (X ±.005 (IMENSIONS AND TOLERANCES 4.5M - 1994	1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS] 2) ALL DIMENSIONS ARE AFTER PLATING. 3) BREAK CORNERS & EDGES .005 PS. MAX. 4) CHAM. 1ST & LAST THREADS. 5) SUFFACE ROUGHNESS 63-MIL-STD-10. 6) DIA:'S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R. 7) REMOVE ALL BURRS	
NGLE PROJECTION	DRAWN:	MAL 06/15/16
\Diamond	CHECKED:	STW 06/15/16

APPROVED:

MICROWAVE
2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409
ΓLE:
SMP FEMALE TO 2.92MM MALE
Ø 047 CABLE ASSEMBLY

	SMP FEMALE TO 2.92MM MALE
$\frac{1}{1}$	Ø.047 CABLE ASSEMBLY

SIZE B	95077	DWG. NO. 7012-106	64-1065
S	CALE: 3:1		SHEET 1 OF 1