

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
-	DCN 46496	06/17	GPF



MATERIAL:

ROHS COMPLIANT

CONNECTORS:

STANDARD FLEXTRA CABLE (200-70-214) CABLE:

SHRINK TUBING: M23053/5

PERFORMANCE:

IMPEDANCE: 50 OHMS

FREQ. RANGE: DC TO 18.0 GHz

SMA STRAIGHT MALE (SF2911-60172) SMP QB® STRAIGHT FEMALE (1221-40051)

MATERIAL: SEE NOTES		
FINISH:	SEE NOTES	
SURFACE AREA: N/A		
	PROPRIETARY	
IS THE SOLE P ANY REPRODU WITHOUT THE	TION CONTAINED IN THIS DRAWING ROPERTY OF SV MICROWAVE, INC JCTION IN PART OR AS A WHOLE WRITTEN PERMISSION OF /E, INC IS PROHIBITED.	

	DIMENSIONS ARE IN INCHES TOLERAN
	FRACTIONAL: ±1/64 ANGULAR: X° X°X'
	DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005
	INTERPRET DIMENSIONS AND TOLERAL PER ASME Y14.5M - 1994
3	THIRD ANGLE PROJECTION
٠.	

IRD ANGLE PROJECTION	DRAWN:	VB 06/05/17	
RPRET DIMENSIONS AND TOLERANCES ASME Y14.5M - 1994	6) DIA.'S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R. 7) REMOVE ALL BURRS		
TIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' ±15' X4L: .X ±.030 .XX ±.010 .XXX ±.010 .XXX ±.005	UNLESS OTHERWISE SPECIFIED 1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS] 2) ALL DIMENSIONS ARE AFTER PLATING. 3) BREAK CORNERS & EDGES .005 R. MAX. 4) CHAM. 1ST & LAST THREADS. 5) SUFFACE ROUGHNESS 63 .MIL-STD-10.		
NSIONS ARE IN INCHES TOLERANCES:	LINI FEE OTHERWISE SPECIFIED		

CHECKED:

APPROVED:

	Amphenol MICROWAVE 2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409	
TLE:	SMP QB® FEMALE TO SMA MALE FOR .047 CABLE	

L(OAL)

(6.000")

(12.000")

(24.000")

SV P/N

7012-1301

7012-1302

7012-1303

GPF 06/05/17

GPF 06/05/17

	ASSLIVIDLI				
_	SIZE	CAGE CODE	DWG. NO		
	В	95077		7012-1301-1	1302-1303
	SCALE: 1:1				SHEET 1 OF 1