imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Comprehensive DSP Tool Solutions

Documentation

Installation Manual

Uses

Debugging Multiple Targets

Warranty: 1 year from date of purchase


Part #: 701204 Rev Level: A

Hardware Features

- Allows four JTAG DSPs to be controlled from same emulator.
- Compatible with the following JTAG Emulators: XDS510PP PLUS, XDS510 USB, SPI510, SPI515, SPI525
- Four Standard JTAG interfaces on board
- Expander cascade interface
 on board
- Number of expansion CPUs can be slected
- Clock source can be selected
- 5 status LEDs
- Requires only +5 volt power supply

4 Channel JTAG Expander (+3.3Volt/+5 Volt)





4 Channel JTAG Expansion Module

Software Features

- Compatible with Code Composer Studio from Texas Instruments
- Operates with Windows 98, NT, 2000, XP
- Supports "SDFlash"
 programming utility from
 Spectrum Digital

What's Included

- 4 Channel JTAG Expander
- 4 Cables to target boards
- 1 Expansion cable
- 5 Power cables

Do You Need ?

- JTAG Emulator
- DSP target board
- Code Composer Studio

© 2002-2013 Spectrum Digital, Inc. All Rights Reserved.