



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**Documentation**

Installation Guide

**Application**

Hardware debug  
Software debug  
Flash Programming

**Warranty:** 1 year from date of purchase for emulator and power supply

**Part #:**701515

***SPI515 JTAG Emulator (supports low voltage DSPs)***



SPI515 Adjustable Voltage, Parallel Port JTAG Emulator

**Hardware Features**

- Supports Texas Instrument's Digital Signal Processors and Microcontrollers with **JTAG** interface (C2xx, C24x, F240x, F28xxx, VC33, C4x, C5x, C54xx, C55xx, C6xxx, C64xx, C674x, TMS470, OMAP™, DaVinci™)
- JTAG Variable Voltage interface senses target power and adjusts input and output levels (+1 to +5 V)
- Advanced emulation controller provides high performance
- Portable operation, no adapter card required, communicates to host via standard parallel port, LPT1, (SPP8, EPP, ECP up) To 1 Mbyte/sec transfer rate)

**Software Features**

- Compatible with the Full License of Code Composer Studio versions 3.x and v4 from Texas Instruments
- Compatible with Windows 2000, XP, and Vista
- Supports Spectrum Digital's flash programming utilities

**What's Included**

- SPI515 JTAG Emulator
- +5 Volt power supply
- Parallel port cable
- CD-ROM with drivers

**Do You Need ?**

- Code Composer Studio
- DSP target board (EVMs, DSKs, eZdsp)
- 14-20 pin Adapter

- Six LEDs provide operational status
- Power by supplied AC adapter

---

© 2002-2013 Spectrum Digital, Inc. All Rights Reserved.

---