



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**SPI515 JTAG Emulator with Code
Composer Studio C2000 version 3.3**



Documentation

Installation guide

Application

Hardware debug
Software development
Flash Programming

Warranty: 1 year from date of purchase for emulator and power supply, for Code Composer Studio refer to TI website.



Part #: 701560

SPI515 JTAG Emulator with Code Composer Studio C2000 version 3.3

System Features

- Provides a complete development environment for TMS320C2xxx Digital Signal Processors from Texas Instruments

Software Features

- Code Composer Studio C2000 version 3.3 (F24x, F240x, and F28xx) which includes debugger, "C" compiler, assembler, linker, and DSP BIOS
- Compatible with Windows 2000, XP, and Vista

Hardware Features

- SPI515 JTAG emulator plugs onto JTAG header (2 x 7) on DSP target board
- Supports all members of TMS320F24x/F240x/F28xx families
- Emulator operates through parallel port on PC, no adapter card required
- Operates with multiple JTAG devices in scan chain
- Supports processors with JTAG levels +1 to +5 volts

Includes

- Spectrum Digital SPI515 JTAG Emulator, # 701515, for TMS320C2xxx
- Includes +5 volt power supply for the Emulator Module
- Parallel port cable
- Code Composer Studio C2000 version 3.3
- CD-ROM with driver for emulator

Do You Need ?

- DSP Target Board (EVM, DSK, eZdsp)

- Compatible with SDFlash programming utility from Spectrum Digital

- 4 Channel JTAG Expander
- Optically Isolated Adapter

© 2002-2013 Spectrum Digital, Inc. All Rights Reserved.
