Chipsmall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

Documentation
   Reference manual with schematics

   Demo Code

Applications
   Microcontroller
      replacement
   Algorithm
      development
   Benchmarking

Warranty: 1 year from date of purchase on CPU card and keypad/display module

Part #: 701885

EVM320C6418 Evaluation Module

EVM320C6418 Evaluation Module

Hardware Features	Software Features	What's Included
• Texas Instrument's TMS320C6418 operating at **500** Mhz	• Compatible with C6xxx Code Composer Studio from TI	• EVM320C6418
• TI TLV320AIC23 Stereo Codec	• Compatible with all JTAG emulators from Spectrum Digital	• Keypad/display module
• 8M bytes on board SDRAM	• Board support paclage provided to reduce coding time	• Power supply
• 1M byte on board SBRAM		• CD-ROM with demo code, manual, and schematics
• 1M byte on board Flash ROM		**Do You Need ?**
• 128 x 64 Liquid Crystal Display/Keypad interface		• JTAG Emulator (701014, 701900)
• 3 expansion connectors (peripheral, memory, and HPI)		• Code Composer Studio for C6xxx
• On board 1149.1 JTAG emulation interface		
• 4 user definable LEDs		
• 4 position disp switch, user definable		
• RS-232 Interface		

- +5 Volt operation only, power supply included

- EVM Size: 8.75 x 4.5 inches (220 x 115 mm)

- Keypad/display Size: 3.1 x 4.4 inches (79 x 112 mm)

- RoHS Compliant