mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Single Source Solutions ... In Plastic

Flambeau[®] Inc. is a worldwide industry leader in thermoplastic manufacturing, specializing in both injection and blow molding. Our unique competitive advantage is the ability to offer the largest array of proprietary stock plastic packaging and storage products ... along with countless customization options.

Consider Flambeau Packaging as Your "Art to Part" Source!

Our full range of services include:

Part design

- Prototyping
- Mold design and fabrication Manufacturing and assembly
- Sampling Custom auoting
- Various product fulfillment programs

Flambeau Inc. Profile and History

Flambeau Packaging, a division of Flambeau Inc. has been doing business since 1947. Headquartered in Baraboo, WI, we pride ourselves in being a family owned company. We foster core values such as Family, Integrity, Leadership, Teamwork and Knowledge for the pursuit of Excellence with people who care ... and who are committed to providing you professional service when you need it!

Customer Service: 1 (800) 344-5716

Our professional customer service associates are eager to help answer questions and solve problems! You can contact us toll free for guidance and great customer care.

We encourage you to examine all we have to offer at our website: flambeaucases.com

Flambeau







Follow us on Facebook, Twitter and Instagram.



Overview: Flambeau Capabilities

Express Servicesm

Offers one unit to single carton quantities of in-stock cases to be shipped within 24 business hours. Qualifying products are marked with a *E* symbol.




Blue Diamond[™] Program

Offers select in-stock products to be custom decorated with hot stamp in low volume quantities. Qualifying products are marked with a \bigcirc symbol.



Special Order / Non-Stock Products



ECO Friendly Products 😵




Flambeau's Packaging Divisions offers 100% recyclable storage cases and boxes. Ensures customer disposal of product lessens their carbon footprint on the environment & provides additional value to items. Can be manufactured and made available in most products with production quantities as low as 1,000 pieces.

Canvas / Soft-Sided Solutions

Now offering canvas bags and cases fully customized to your specifications. Choose your ideal solution in fabric. Minimum quantities apply. (S)





flambeaucases.com • Distinctive Packaging For Quality Brands And Products™

2

Overview: Custom Decorating Capabilities


Hot Stamp Labeling

An economical way to customize with up to three colors. **Injection molded* products only



Engraving

We use lid and base inserts on our stock boxes and cases. This allows you the flexibility to insert a custom engraved company logo and/or design plate on one or both sides. * *Injection or blow molded products*



In-Mold Decorating

High quality, multi-color graphic labeling. The result - better product presentation with guaranteed straight, crisp, clear graphics that are impervious to most chemicals. **Injection or blow molded products*



Labels

Adhesive-backed labels available and factory supplied. * *Injection or blow molded products*



Custom Interiors

Choose from custom molded interiors or custom foam interiors for that polished and professional look.




Color Options

Flambeau offers a selection of color resins. Custom blended colors available upon request

Available Injection Molded Colors:



Available Blow Molded Colors:



Available Hot Stamp Foil Colors:



For your convenience and order processing speed we accept:

(3

Flambeau



Zerust® and Anti-Tarnish Capabilities



No Rust With Zerust!

Zerust[®] has proven to be the absolute best way to protect your equipment against rust and corrosion. Molded into many Flambeau[®] products, this patented polymer emits a harmless vapor, forming a protective layer around metal surfaces. With the

Zerust VCI (Volatile Corrosion Inhibitor) molded directly into the plastic, there is no need for messy VCI cardboard chips that lose their potency when they get wet. All Zerust products will maintain their effectiveness for five years of hassle free, long lasting protection. Look for the Zerust symbol next to those products that feature this revolutionary technology. This is just another innovation from Flambeau[®]... your most trusted source in storage.



Anti-Tarnish by Flambeau®

Provides safe, long-term protective storage for sterling silver items. The patented Anti-Tarnish additive forms a harmless protective layer around silver surfaces preventing tarnishing for up to five years.

Flambeau Zerust helps to increase efficiency, saves money and, most importantly, protects tools and hardware keeping them operational.

Flambeau





Zerust[®] is the oldest, most proven effective VCI, (Volatile Corrosion Inhibitor) in the industry!

Flambeau[®] Zerust[®] provides a solution to the corrosion problem. It helps to increase efficiency, saves money & most importantly protects tackle, keeping them operational.

Zerust[®] Molded Directly Into Product: Flambeau stocks select Super Satchels[™] and Tuff Tainers[®] with Anti-Tarnish or Zerust molded within the product. Most products incorporating the Anti-Tarnish or Zerust features are available through our **Special Order Program** and may require certain minimum quantities.

See next page for ordering information for Anti-Tarnish and Zerust Divider Packs. These divider packs provide the same great protection molded in the "divider" for use in Flambeau Super Satchels &Tuff Tainers.

See (page 100) for more Zerust® accessories!



()

Dividers: General, Zerust,[®] Anti-Tarnish and IDS™

Zerust[®] Dividers:

Having Zerust molded directly into the dividers themselves, creates a harmless vapor barrier around your parts inhibiting corrosion for up to five years (see first chart).

Zerust is molded into the dividers

Zerust is a registered trademark of Northern Technologies International Corporation.

Order info for specific Tuff Tainers® or Super Satchels™								
MODEL #	PAGE	PER PACK	ORDER #					
T2003	30	15	2012ZP					
T3003	30	12	3012ZP					
T4007	31	12	4712ZP					
T4008	31	12	4712ZP					
T5007	31	12	5712ZP					
T5008	32	12	5712ZP					
T6004	32	12	6012ZP					
T7003	32	12	7012ZP					
T7004	32	12	7012ZP					
T9101	80	12	5712ZP					
T9007	80	12	9012ZP					

Dividers With Zerust

Standard Dividers



Order info for specific Tuff Tainers® or Super Satchels™

MODEL #	PAGE	PER PACK	ORDER #	BULK ORDER #
T1002	30	12	1012DP	601331
T2003	30	15	2012DP	601321
T3003	30	12	3412DP	601320
T4007	31	12	4712DP	601370
T4008	31	12	4712DP	601370
T5007	31	12	5712DP	601365
T5008	32	12	5712DP	601365
T6004	32	12	6012DP	601329
T7003	32	12	7012DP	601332
T7004	32	12	7012DP	601332
T9101	80	12	5712DP	601365
T9007	80	12	9012DP	601372

INFINITE DIVIDER SYSTEM

Infinite Dividers System™ (IDS) Dividers:

Unique patented system that allows you to place dividers exactly where you need them...every 1/16" (0.16 cm). No wasted space!

To Order IDS Dividers:



US Patent 4,838,445



Anti-Tarnish is molded into the dividers **Anti-Tarnish Dividers:**

Molded directly into the dividers forming a harmless protective layer around non-ferrous metals such as silver, gold and copper and will prevent tarnishing for up to 5 years!

To order Anti-Tarnish dividers for your specific Tuff Tainer[®] or Super Satchel[™]:

MODEL #	PAGE	SETS TO A PACK	ORDER #
T4007AT	31	12	4812DP
T5007AT	32	12	5812DP
T9101AT	80	12	5812DP



PER PACK **BULK ORDER #** MODEL # PAGE **ORDER #** T300 40 8 3108DP 601316 40 8 T600 6108DP 601308 999-2 40 8 9108DP 601310 41 8 9108DP 601310 **T900** To Order IDS Dividers With ZERUST®: T300 601342 40 Individually Sold --T600 40 12 6108ZR --999-2 40 12 9108ZR --41 12 9108ZR **T900** --



See What's New at Flambeau® (New

Distinctive Packaging For Quality Brands And Products[™]



Flambeau



Distinctive Packaging For Quality Brands And Products[™]

Linesman Case

Distinctive 42" length

and 6" depth, this case

8 pistol foamset! Page 103

is designed for multiple storage applications

featuring tough ABS latches, steel pin hinge construction, four locking points and conveniently stacks for optimum storage. Also stocked with an



on your valuable firearms for up to 5 years! Page 100



^{10&}quot; x 54" Rifle Bag: 412502A

Tactical Series

2 Additional sizes to the Tactical line.

Small Tactical: Store more in one! Deep 6" base for extra storage, 4 pad lock holes, 2 tough snap-fit latches, an integral off-set handle for easier transport and 2 layers of foam in the base.



6505PDW

9" x 12" Pistol Bag: 412502A

Medium Tactical: Distinctive 32" length featuring 5" depth, optional interchangeable divider compartments, 4 tough snap-fit latches and 4 pad lock holes for greater security.



over molded handle for easy carry, a recessed lid for

Protects contents from water and moisture with a 360 degree seal and

features 2 locking points, a rubber

Waterproof Satchels

extra work space, rust proof hinge and a durable polycarbonate lid with ribbing design providing extra strength for crush resistance. Page 104

4213AW

4000WP00

The HD Case Series

New waterproof and airline ready cases with durable snapshut latches, metal locking points and thick ribbed walls for high impact durability. These waterproof cases offer an extremely competitive choice for demanding applications. Page 105

7450AP

7450BG

3000WPOC

5213AW

L1109AW 1410AW







Flambeau

MADE IN USA

	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSIONS (INSIDE: L X W X D)	PACKED
4 Compartments (L x W): A=	A221 2-3/16" x 1-5/16" (5.56 x 3.33 cm)	6642CB	A-Series	Styrene	4-3/8" x 2-5/8" x 1.0" (11.11 x 6.67 x 2.54 cm)	36/ctn
6 Compartments (L x W): A=	A220 : 1-3/8" x 1-1/4" (3.49 x 3.18 cm)	6640CB	A-Series	Styrene	4-3/8" x 2-5/8" x 1.0" (11.11 x 6.67 x 2.54 cm)	36/ctn
1 Compartment	A101	6600CB	A-Series	Styrene	5-1/8" x 3-9/16" x 1-1/2" (13.02 x 9.05 x 3.81 cm)	36/ctn
A 4 Compartments (L x W): A=	A154 = 2-3/4" x 1-7/16" (6.99 x 3.65 cm)	6602CB	A-Series	Styrene	5-5/8" x 2-15/16" x 1-1/8" (14.29 x 7.46 x 2.86 cm)	36/ctn
5 Compartments (L x W): A=	A155 = 1.0" x 2-7/8" (2.54 x 7.30 cm)	6604CB	A-Series	Styrene	5-5/8" x 2-15/16" x 1-1/8" (14.29 x 7.46 x 2.86 cm)	36/ctn
1 Compartment, Box Has Lift-	A250 -Off Lid (Non-Hinged)	6648CB	A-Series	Styrene	5-7/8" x 3-3/4" x 1-5/8" (14.92 x 9.53 x 4.13 cm)	36/ctn
A B C D E A B C D E 10 Compartments (L x W): 4	A213 A= 1-1/2" x 1-5/8" (3.81 x 4.13 cm), E	6621CM B= 1-7/16" x 1-5/8" (3.65 x 4.13 cm), C	A-Series = 1-5/16" x 1-5/8" (3.33 x 4.13 c	Styrene m), D = 1-1/4" x 1-5/8" (3.18 x 4.13 cm),	6-3/4" x 3-3/16" x 1-3/16" (17.15 x 8.10 x 3.02 cm) E= 1-1/8" x 1-5/8" (2.86 x 4.13 cm)	36/ctn
	A214	6628CB	A-Series	Styrene	6-3/4" x 3-3/16" x 1-3/16" (17.15 x 8.10 x 3.02 cm)	36/ctn





SIZES 6-3/4" x 3-3/16" x 1-3/1 (17.15 x 8.10 x 3.02 cm						
	BOX MATERI	AL KEY			SYMBOL K	KEY
TP = Translucent Polypropylene YP = Yellow Polypropylene WP = White Polypropylene	TCP=Transparent CellulBMM=Styrene-ButadieneSBC=Styrene-Butadiene	e Methyl Methacrylate	SP = Taupe Polyprop OP = Orange Polyprop	-	😝 = Blue Diamo (S) = Special Ord	
BOX DIAGRAM MODEL NUMBE	R STOCK NUMBER	FAMILY	BOX MATERIAL	DIMEN	SIONS (INSIDE: L X W X D)	PACKED
A A215 5 Compartments (L x W): A= 1-5/16" x 3-3/16" (3.33 x 8.10 c	6630CB	A-Series	Styrene		/4" x 3-3/16" x 1-3/16" 7.15 x 8.10 x 3.02 cm)	36/ctn
A B A210 9 Compartments (L x W): A= 1-5/16" x 1-9/16" (3.33 x 3.97 c	6622CB	A-Series	Styrene		/4" x 3-3/16" x 1-3/16" 7.15 x 8.10 x 3.02 cm)	36/ctn
A A219 12 Compartments (L x W): A= 1-7/16" x 1-1/16" (3.65 x 2.70	6636CB	A-Series	Styrene		/4" x 3-3/16" x 1-3/16" 7.15 x 8.10 x 3.02 cm)	36/ctn
A B A217 7 Compartments (L x W): A= 1-5/16" x 1-5/8" (3.33 x 4.13 cm	6634CB), B= 4.0" x 1-1/16" (10.16 x 2.70 cm)	A-Series	Styrene		/4" x 3-3/16" x 1-3/16" 7.15 x 8.10 x 3.02 cm)	36/ctn
A A211 6 Compartments (L x W): A= 1-1/16" x 3-3/16" (2.70 x 8.10 c)	6624CB	A-Series	Styrene		/4" x 3-3/16" x 1-3/16" 7.15 x 8.10 x 3.02 cm)	36/ctn
A216	6632CB	A-Series	Styrene		/4" x 3-3/16" x 1-3/16" 7.15 x 8.10 x 3.02 cm)	36/ctn
A B A212 5 Compartments (L x W): A= 2-1/2" x 1-5/8" (6.35 x 4.13 cm)	6626CB	A-Series	Styrene		/4" x 3-3/16" x 1-3/16" 7.15 x 8.10 x 3.02 cm)	36/ctn



Flambeau®

Compt A - Series

MADE IN USA

BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSIONS (INSIDE: L X W X D)	PACKED
1 Compartment	A701	6670CB	A-Series	Styrene	6-7/8" x 2-1/16" x 1.0" (17.46 x 5.24 x 2.54 cm)	36/ctn
1 Compartment	A401	6650CB	A-Series	Styrene	7-1/8" x 5-1/8" x 1-9/16" (18.10 x 13.02 x 3.97 cm)	36/ctn
A B C 1	A204 2-5/8" x 1-5/16" (6.67 x 3.33 cm), B =	6614CB	A-Series	Styrene	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn
1 Compartment	A206	6616CB	A-Series	Styrene	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn
	A209 2-5/8" x 1-5/16" (6.67 x 3.33 cm), B =	6620CB	A-Series = 4.0" x 4.0" (10.16 x 10.16 cm)	Styrene	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn
A A A A A A A A A A A A A A A A A A A	A200 ᡇ = 1-1/4" x 1-1/4" (3.18 x 3.18 cm)	6608CB	A-Series	Styrene	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn
A A A A A A A A A A A A A A A A A A A	A208 🗘 = 1-1/4" x 1-15/16" (3.18 x 4.92 cm)	6618CB	A-Series	Styrene	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn
A B C B C C C C C C C C C C C C C C C C	A201 = 1-5/16" x 1-5/16" (3.33 x 3.33 cm), I	6610CB 3 = 1-5/16" x 4.0" (3.33 x 10.16 cm),	A-Series C = 1-5/16" x 2.0" (3.33 x 5.08 cm)	Styrene	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn



For Customer Service Inquiries Call: 1(800) 344-5716



SIZES	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm	through 10-1/2" x 6-3/) through (26.67 x 15.72					
		BOX MATER	IAL KEY			SYMBOL	KEY
TP = Translucent YP = Yellow Poly WP = White Polyp	propylene SB	TCP = Transparent CelluMM = Styrene-ButadienSBC = Styrene-Butadier	e Methyl Methacrylate	SP = Taupe Polypro OP = Orange Polyp		↓ = Blue Dian ⑤ = Special O	
BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSI	ONS (INSIDE: L X W X D)	PACKED
6 Compartments (L x W): A=	A2O3 1-1/4" x 4.0" (3.18 x 10.16 cm)	6612CB	A-Series	Styrene)" x 4.0" x 1-3/16" 2 x 10.16 x 3.02 cm)	24/ctn
36 Compartments (L x W): A=	A166-36 = 1-9/16" x 1-1/16" (3.97 x 2.70 cm)	6606CB	A-Series	Styrene		3" x 6-9/16" x 1-1/2" 5 x 16.69 x 3.81 cm)	12/ctn
A B C 13 Compartments (L x W): A=	A623 (\$) = 10-3/8" x 2-5/8" (26.35 x 6.67 cm),	6668CB B= 1-11/16" x 1-5/16" (4.29 x 3.33 cm)	A-Series , C = 1-11/16" x 2.0" (4.29 x 5.08 cm	Styrene		2" x 6-3/16" x 1-9/16" 7 x 15.72 x 3.97 cm)	24/ctn
A B B B 12 Compartments (L x W): A=	A612 = 1-11/16" x 2.0" (4.29 x 5.08 cm), E	6662CB = 1-11/16" x 4-1/8" (4.29 x 10.48 cm)	A-Series	Styrene		2" x 6-3/16" x 1-9/16" 7 x 15.72 x 3.97 cm)	24/ctn
A A A A A A A A A A A A A A A A A A A	A602 : 1-11/16" x 3-1/16" (4.29 x 7.78 cm)	6654CB	A-Series	Styrene		2" x 6-3/16" x 1-9/16" 7 x 15.72 x 3.97 cm)	24/ctn
	A606 1-11/16" x 6-1/4" (4.29 x 15.88 cm)	6658CB	A-Series	Styrene		2" x 6-3/16" x 1-9/16" 7 x 15.72 x 3.97 cm)	24/ctn
A B C	A613	6664CB	A-Series	Styrene		2" x 6-3/16" x 1-9/16" 7 x 15.72 x 3.97 cm)	24/ctn
13 Compartments (L x W): A=	: 1-11/16" x 2.0" (4.29 x 5.08 cm), B	= 1-11/16" x 4-1/16" (4.29 x 10.32 cm),	C= 3-1/2" x 4-1/16" (8.89 x 10.32 ci	n)			~

Flambeau[®]

Compt A - Series

MADE IN USA

BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSIONS (INSIDE: L X W X D)	PACKED
A B B 7 Compartments (L x W): A=	A607 (\$) 1-11/16" x 2.0" (4.29 x 5.08 cm), B =	6660CB 10-1/2" x 4-1/16" (26.67 x 10.32 cm)	A-Series	Styrene	10-1/2" x 6-3/16" x 1-9/16" (26.67 x 15.72 x 3.97 cm)	24/ctn
1 Compartment	A601	6652DB	A-Series	Styrene	10-1/2" x 6-3/16" x 1-9/16" (26.67 x 15.72 x 3.97 cm)	24/ctn
18 Compartments (L x W): A=	A618 : 1-3/4" x 2-1/16" (4.45 x 5.24 cm)	6666CB	A-Series	Styrene	10-1/2" x 6-3/16" x 1-9/16" (26.67 x 15.72 x 3.97 cm)	24/ctn
A 3 Compartments (L x W): A=	A603 (\$) 10-1/2" x 2-1/16" (26.67 x 5.24 cm)	6656CB	A-Series	Styrene	10-1/2" x 6-3/16" x 1-9/16" (26.67 x 15.72 x 3.97 cm)	24/ctn
A B B B B B B B B B B B B B B B B B B B	A612D 1-11/16" x 2.0" (4.29 x 5.08 cm), B =	6662DB = 1-11/16" x 4-1/8" (4.29 x 10.48 cm)	A-Series	Styrene	10-1/2" x 6-3/16" x 2-1/4" (26.67 x 15.72 x 5.72 cm)	24/ctn
A A Image: Second secon	A618D (\$) 1-3/4" x 2-1/16" (4.45 x 5.24 cm)	6666DB	A-Series	Styrene	10-1/2" x 6-3/16" x 2-1/4" (26.67 x 15.72 x 5.72 cm)	24/ctn
1 Compartment	A601D ®	6652DB	A-Series	Styrene	10-1/2" x 6-3/16" x 2-1/4" (26.67 x 15.72 x 5.72 cm)	24/ctn
A 6 Compartments (L x W): A=	A606D ^(S) 1-11/16" x 6-1/4" (4.29 x 15.88 cm)	6658DB	A-Series	Styrene	10-1/2" x 6-3/16" x 2-1/4" (26.67 x 15.72 x 5.72 cm)	24/ctn





	0-9/16" x 8-1/4" x 1-9/16 26.83 x 20.96 x 3.97 cm)" through 12-3/4" x 8-1) through (32.39 x 21.5					
		BOX MATER	IAL KEY			SYMBOL	KEY
TP = Translucent YP = Yellow Polyp WP = White Polyp	propylene SB	TCP = Transparent Cellu MM = Styrene-Butadien SBC = Styrene-Butadie	e Methyl Methacrylate	SP = Taupe Polyp OP = Orange Poly		😝 = Blue Dian S = Special O	
BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENS	ONS (INSIDE: L X W X D)	PACKED
A 24 Compartments (L x W): A=	A924-2 1-11/16" x 2.0" (4.29 x 5.08 cm), B a	6684CB xx has Sliding Lid (Non-Hinged)	A-Series	Styrene		16" x 8-1/4" x 1-9/16" 33 x 20.96 x 3.97 cm)	10/ctn
1 Compartment	A 801	6672CB	A-Series	Styrene		/4" x 8-1/2" x 2-1/8" 39 x 21.59 x 5.40 cm)	12/ctn
A 12 Compartments (L x W): A=	A812 2-1/16" x 4-3/16" (5.24 x 12.22 cm)	6676CB	A-Series	Styrene		/4" x 8-1/2" x 2-1/8" 9 x 21.59 x 5.40 cm)	12/ctn
24 Compartments (L x W): A=	A824 2-1/16" x 2-1/16" (5.24 x 5.24 cm)	6680CB	A-Series	Styrene		/4" x 8-1/2" x 2-1/8" 39 x 21.59 x 5.40 cm)	12/ctn
A B 18 Compartments (L x W): A=	A818 2-1/16" x 2-1/16" (5.24 x 5.24 cm),	6678CB B= 2-1/16" x 4-3/16" (5.24 x 12.22 cm	A-Series	Styrene		/4" x 8-1/2" x 2-1/8" 99 x 21.59 x 5.40 cm)	12/ctn
6 Compartments (L x W): A= 2	A806 -1/16" x 8-1/2" (5.24 x 21.59 cm)	6674CB	A-Series	Styrene		/4" x 8-1/2" x 2-1/8" 39 x 21.59 x 5.40 cm)	12/ctn

Flambeau[®]


MADE IN USA

Compt A - Ser	ries: SLIM LINE	Boxes		' x 3-3/16" x 1/2" x 8.10 x 1.27 cm)		
BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSIONS (INSIDE: L X W X D)	PACKED
1 Compartment	A316-SL	6641CB	A-Series	Styrene	4.0" x 3-2/5" x 1/2" (10.10 x 8.55 x 1.33 cm)	36/ctn
6 Compartments (L x W): A=	AJ11-SL	6643CB	A-Series	Styrene	4.0" x 3-2/5" x 1/2" (10.10 x 8.55 x 1.33 cm)	36/ctn
10 Compartments (L x W): A=	A313-SL 3/4" x 1-2/3" (1.93 x 4.21 cm)	6645CB	A-Series	Styrene	4.0" x 3-2/5" x 1/2" (10.10 x 8.55 x 1.33 cm)	36/ctn
1 Compartment	A216-SL ®	6632CS	A-Series	Styrene	6-3/4" x 3-3/16" x 1/2" (17.15 x 8.10 x 1.27 cm)	36/ctn
A B C D E A B C D E 10 Compartments (L x W): A=	A213-SL 1-1/2" x 1-5/8" (3.81 x 4.13 cm), B	6627CS = 1-7/16" x 1-5/8" (3.65 x 4.13 cm),	A-Series C= 1-5/16" x 1-5/8" (3.33 x 4.13 cr	Styrene n), D = 1-1/4" x 1-5/8" (3.18 x 4.13 cm),	6-3/4" x 3-3/16" x 1/2" (17.15 x 8.10 x 1.27 cm) E= 1-1/8" x 1-5/8" (2.86 x 4.13 cm)	36/ctn
9 Compartments (L x W): A=	A210-SL (§) 1-1/8" x 1-5/8" (2.86 x 4.13 cm), B =	6622CS 1-1/8" x 3-3/8" (2.86 x 8.57 cm)	A-Series	Styrene	6-3/4" x 3-3/16" x 1/2" (17.15 x 8.10 x 1.27 cm)	36/ctn
transluc	rafts to electronics and cent clear containers of great for organized sto 6643CB	fer easy access		A213-SL		
MAD	EINUSA For Cu	istomer Servic	e Inquiries Call	: 1(800) 344-5716	Flambeau® Distinctive Rockaging For Quality Brands And Products "	15

Precision-Series Boxes

Styrene Butadiene Methyl Methacrylate

Molded from styrene butadiene methyl methacrylate, this box features transparent clarity and impact resistance. The Precision excels in wet applications with its rustproof hinge.





SYMBOL KEY

Compartment Boxes

SIZES ^{3-11/16" x 2-9/16" x 13/16"} through ^{8-3/4" x 4-5/16" x 1-1/4"} (9.37 x 6.51 x 2.06 cm) through (22.23 x 10.95 x 3.18 cm)

BOX MATERIAL KEY

TP = Translucent I YP = Yellow Polyp WP = White Polypr	ropylene SBI	TCP = Transparent Cel MM = Styrene-Butadie BC = Styrene-Butadi	ene Methyl Methacrylate	SP = Taupe Polypr OP = Orange Polyp		🙀 = Blue Di S = Special	
BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSION	S (INSIDE: L X W X D)	PACKED
1 Compartment	2020-2 🗘	6240AA	Precision-Series	SBMM		x 2-9/16" x 13/16" x 6.51 x 2.06 cm)	24/ctn
1 Compartment	3030-2 🔷	6730AA	Precision-Series	SBMM	•••	x 3-5/8" x 1-1/8" x 9.21 x 2.86 cm)	36/ctn
1 Compartment	4040-2 🕏	6740AA	Precision-Series	SBMM		x 4-5/16" x 1-1/4" x 10.95 x 3.18 cm)	24/ctn





Highly recommended for individual seeking a tough compartmentalized case with a clear finish to store and protect valuable parts or everyday items.




or Customer Service Inquiries Call: 1(800) 344-5716



Diamondback[™]-Series Boxes -

Styrene ____

With a slight architectural edge radius & rounded corners, this box is crystal clear like glass and is excellent for merchandising and general display of products. This box also has small stacking feet to keep displays neater and features an easy open hinge. US Patent D412,786



Impact ResistanceChemical Resistance

Compar	tment B	OXes		SIZES	4-1/2" x 2-1		4-1/4" x 1-3/16" 10.80 x 3.02 cm)
		OX MATER	RIAL KEY		(11.45 X 0.0	SYMBOL K	
TP = Translucent YP = Yellow Poly WP = White Polyp	propylene SB	ICP = Transparent C MM = Styrene-Butac SBC = Styrene-Butac	diene Methyl Methacrylate	SP = Taupe Polyp OP = Orange Poly		😝 = Blue Diamo (S) = Special Ord	
BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMEN	SIONS (INSIDE: L X W X D)	PACKED
4 Compartments (L x W): A=	DB221 2-3/16" x 1-5/16" (5.56 x 3.33 cm)	6742CD	Diamondback [™] -Series	Styrene	-	1/2" x 2-11/16" x 1.0" 1.43 x 6.83 x 2.54 cm)	24/ctn
8 Compartments (L x W): A=	DB228 ᡇ	6746CD	Diamondback [™] -Series	Styrene	-	1/2" x 2-11/16" x 1.0" 1.43 x 6.83 x 2.54 cm)	24/ctn
6 Compartments (L x W): A=	DB220 1-5/16" x 1-7/16" (3.33 x 3.65 cm)	6740CD	Diamondback [™] -Series	Styrene	-	1/2" x 2-11/16" x 1.0" 1.43 x 6.83 x 2.54 cm)	24/ctn

MADE IN USA

* Adding color to the resins effects the clarity of the finished product



18

BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSIONS (INSIDE: L X W X D)	PACKED
1 Compartment	DB226	6744CD	Diamondback [™] -Series	Styrene	4-1/2" x 2-11/16" x 1.0" (11.43 x 6.83 x 2.54 cm)	24/ctn
1 Compartment	DB216	6732CD	Diamondback [™] -Series	Styrene	7.0" x 3-3/8" x 1-1/8" (17.78 x 8.57 x 2.86 cm)	25/ctn
6 Compartments (L x W): A= 1	DB211 -1/16" x 3-5/16" (2.70 x 8.41 cm)	6724CD	Diamondback [™] -Series	Styrene	7.0" x 3-3/8" x 1-1/8" (17.78 x 8.57 x 2.86 cm)	25/ctn
12 Compartments (L x W): A=	DB219 1-3/4" x 1-1/16" (4.45 x 2.70 cm)	6736CD	Diamondback [™] -Series	Styrene	7.0" x 3-3/8" x 1-1/8" (17.78 x 8.57 x 2.86 cm)	25/ctn
9 Compartments (L x W): A= 1	DB210 -3/8" x 1-5/8" (3.49 x 4.13 cm), B =	6722CD 1-5/16" x 1-5/8" (3.33 x 4.13 cm),	Diamondback [™] -Series C= 1-5/16" x 3-5/16" (3.33 x 8.41 cm)	Styrene	7.0" x 3-3/8" x 1-1/8" (17.78 x 8.57 x 2.86 cm)	25/ctn
10 Compartments (L x W): A=	DB213 🕏	6721CD	Diamondback [™] -Series	Styrene	7.0" x 3-3/8" x 1-1/8" (17.78 x 8.57 x 2.86 cm)	25/ctn
7 Compartments (L x W): A= 1	DB217 -5/16" x 1-5/8" (3.33 x 4.13 cm), B =	6734CD = 4-1/8" x 1-1/8" (10.48 x 2.86 cm)	Diamondback [™] -Series	Styrene	7.0" x 3-3/8" x 1-1/8" (17.78 x 8.57 x 2.86 cm)	25/ctn
12 Compartments (L x W): A=	DB201 1-5/16" x 1-5/16" (3.33 x 3.33 cm), I	6710CD B= 1-5/16" x 4-1/4" (3.33 x 10.80)	Diamondback [™] -Series cm), C= 1-5/16" x 2-1/16" (3.33 x 5.24 cm	Styrene	8-7/16" x 4-1/4" x 1-3/16" (21.43 x 10.80 x 3.02 cm)	24/ctn







SIZES 8-7/16" x 4-1/4" x 1-3/16 (21.43 x 10.80 x 3.02 cm	" through 11.0" x 6-3 n) through (27.94 x 16.	8/8" x 1-9/16" .19 x 3.97 cm)				
TP = Translucent Polypropylene YP = Yellow Polypropylene SB	BOX MATER TCP = Transparent Cel MM = Styrene-Butadie SBC = Styrene-Butadi	SP = Taupe Polypropylene OP = Orange Polypropylene		SYMBOL KEY = Blue Diamond (S) = Special Order		
BOX DIAGRAM MODEL NUMBER	-	FAMILY	BOX MATERIAL	DIMEN	SIONS (INSIDE: L X W X D)	PACKED
A B B A DB203 6 Compartments (L x W): A= 1-3/8" x 4-1/4" (3.49 x 10.80 cm)	6712CD), B = 1-5/16" x 4-1/4" (3.33 x 10.80 c	Diamondback [™] -Series	Styrene		/16" x 4-1/4" x 1-3/16" .43 x 10.80 x 3.02 cm)	24/ctn
A DB208 12 Compartments (L x W): A= 1-3/8" x 2-1/16" (3.49 x 5.24 cm)	6718CD	Diamondback [™] -Series	Styrene		/16" x 4-1/4" x 1-3/16" .43 x 10.80 x 3.02 cm)	24/ctn
A DB200 \$ 18 Compartments (L x W): A= 1-3/8" x 1-3/8" (3.49 x 3.49 cm)	6708CD	Diamondback [™] -Series	Styrene		/16" x 4-1/4" x 1-3/16" .43 x 10.80 x 3.02 cm)	24/ctn
DB206 S	6716CD	Diamondback [™] -Series	Styrene		/16" x 4-1/4" x 1-3/16" .43 x 10.80 x 3.02 cm)	24/ctn
A B C DB204 12 Compartments (L x W): A= 3.0" x 1-3/8" (7.62 x 3.49 cm),	6714CD B= 1-3/8" x 1-3/8" (3.49 x 3.49 cm), 4	Diamondback [™] -Series C= 3.0" x 2-3/4" (7.62 x 6.99 cm)	Styrene		/16" x 4-1/4" x 1-3/16" .43 x 10.80 x 3.02 cm)	24/ctn
A DB606 6 Compartments (L x W): A= 1-3/4" x 6-3/8" (4.45 x 16.19 cm)	6758CD	Diamondback [™] -Series	Styrene		.0" x 6-3/8" x 1-9/16" '.94 x 16.19 x 3.97 cm)	12/ctn
B C DB613 ♀ 13 Compartments (L x W): A= 1-7/8" x 2-1/16" (4.76 x 5.24 cr	6764CD	Diamondback [™] -Series	Styrene		.0" x 6-3/8" x 1-9/16" '.94 x 16.19 x 3.97 cm)	12/ctn



Compt Diamondback[™] - Series



BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSIONS (INSIDE: L X W X D)	PACKED
1 Compartment	DB601 ®	6752CD	Diamondback [™] -Series	Styrene	11.0" x 6-3/8" x 1-9/16" (27.94 x 16.19 x 3.97 cm)	12/ctn
	DB618	6766CD	Diamondback [™] -Series	Styrene	11.0" x 6-3/8" x 1-9/16" (27.94 x 16.19 x 3.97 cm)	12/ctn

18 Compartments (L x W): A= 1-3/4" x 2-1/16" (4.45 x 5.24 cm)

* Adding color to the resins effects the clarity of the finished product




Quickly view the contents from the outside with this high clarity compartment box. This series is also FDA approved.





Cellulose Propionate _

Just as the name implies, the Mighty-Tuff is tough! This transparent cellulose propionate material excels in industrial and institutional environments. With a double metal hinge you can be sure that this box will take almost any punishment you can give it.



Clarity*
Impact Resistance
Chemical Resistance

SYMBOL KEY

Compartment Boxes

SIZES 4-5/16" x 2-5/8" x 1-1/16" through 11.15/16" x 5-15/16" x 1-7/16" (10.95 x 6.67 x 2.70 cm) through (30.32 x 15.08 x 3.65 cm)

BOX MATERIAL KEY

TP = Translucent YP = Yellow Polyp WP = White Polyp	propylene SBI	CCP = Transparent Ce MM = Styrene-Butad SBC = Styrene-Butad	iene Methyl Methacrylate	SP = Taupe Polypr OP = Orange Polyp		😝 = Blue Diamo	
BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMEN	SIONS (INSIDE: L X W X D)	PACKED
1 Compartment	5200CL	6230MT	Mighty-Tuff [™] -Series	тср		/16" x 2-5/8" x 1-1/16").95 x 6.67 x 2.70 cm)	12/ctn
2 Compartments (L x W): A= 2	5202CL 2-1/8" x 2-5/8" (5.40 x 6.67 cm)	6232MT	Mighty-Tuff [™] -Series	ТСР		/16" x 2-5/8" x 1-1/16").95 x 6.67 x 2.70 cm)	12/ctn
A A A A A A A A A A A A A A A A A A A	5204CL 2-1/8" x 1-1/4" (5.40 x 3.18 cm)	6234MT	Mighty-Tuff [™] -Series	ТСР		/16" x 2-5/8" x 1-1/16").95 x 6.67 x 2.70 cm)	12/ctn

* Adding color to the resins effects the clarity of the finished product

Flambeau





BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSIONS (INSIDE: L X W X D)	PACKED
6 Compartments (L x W): A= 1	5206CL [®] I-3/8" x 1-5/16" (3.49 x 3.33 cm)	6236MT	Mighty-Tuff [™] -Series	ТСР	4-5/16" x 2-5/8" x 1-1/16" (10.95 x 6.67 x 2.70 cm)	12/ctn
17 Compartments (L x W): A=	5126CL 1-1/4" x 7/8" (3.18 x 2.22 cm), B =	6220MT 1-3/16" x 4.0" (3.02 x 10.16 cm)	Mighty-Tuff [™] -Series	ТСР	7.0" x 4.0" x 1-1/16" (17.78 x 10.16 x 2.70 cm)	12/ctn
A C I I Compartments (L x W): A=	5127CL 1-3/16" x 4.0" (3.02 x 10.16 cm), B	6222MT = 1-1/4" x 2.0" (3.18 x 5.08 cm), C	Mighty-Tuff [™] -Series c= 1-1/4" x 7/8" (3.18 x 2.22 cm)	ТСР	7.0" x 4.0" x 1-1/16" (17.78 x 10.16 x 2.70 cm)	12/ctn
6 Compartments (L x W): A= 1	5128CL I-3/16" x 4.0" (3.02 x 10.16 cm)	6224MT	Mighty-Tuff [™] -Series	ТСР	7.0" x 4.0" x 1-1/16" (17.78 x 10.16 x 2.70 cm)	12/ctn
1 Compartment	5129-1	6789CH	Mighty-Tuff [™] -Series	ТСР	11-15/16" x 5-15/16" x 1-7/16" (30.32 x 15.08 x 3.65 cm)	6/ctn
24 Compartments (L x W): A=	5129CL 1-7/16" x 1-7/8" (3.65 x 4.76 cm)	6226MT	Mighty-Tuff [™] -Series	ТСР	11-15/16" x 5-15/16" x 1-7/16" (30.32 x 15.08 x 3.65 cm)	6/ctn
	5130CL	6228MT	Mighty-Tuff [™] -Series		$11-15/16" \times 5-15/16" \times 1-7/16"$ (30.32 x 15.08 x 3.65 cm) (30.32 x 15.08 x 4.76 cm)	6/ctn

6 Compartments (L x W): A= 1-7/16" x 3-15/16" (3.65 x 10.00 cm), B= 8-7/8" x 1-7/8" (22.54 x 4.76 cm), C= 1-7/16" x 1-7/8" (3.65 x 4.76 cm), D= 10-3/8" x 1-7/8" (26.35 x 4.76 cm), E= 5-15/16" x 1-7/8" (15.08 x 4.76 cm)

* Adding color to the resins effects the clarity of the finished product





Image: Comparting the second secon	nent B	oxes		M-Series Box Polypropylene Extra heavy-duty cons M-Series boxes tough a feature a heavy-duty, he to inhibit dust. Impervis solvents, oil and gasolir organized.	truction make nd durable. Th eat-sealed hing ous to most h	es the polypropylene leese workhorse boxes ge and overlapping lid household chemicals, s keep items safe and Clarity Clarity Clarity Chemic Chemic S/8" x 1.0" through 10-1/2" x	High Resistance al Resistance
-	В	OX MATERI	AL KEY		-	SYMBOL K	-
TP = Translucent Poly YP = Yellow Polypropy WP = White Polypropyl	lene SB	TCP = Transparent Cell MM = Styrene-Butadie SBC = Styrene-Butadie	ne Methyl Methacrylate	SP = Taupe Polyp OP = Orange Poly		😝 = Blue Diamo (S) = Special Ord	
BOX DIAGRAM M	ODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMEN	SIONS (INSIDE: L X W X D)	PACKED
4 Compartments (L x W): A= 2-3/16"	M221 (\$) x 1-5/16" (5.56 x 3.33 cm)	6706TF	M-Series	ΥP		-3/8" x 2-5/8" x 1.0" 1.11 x 6.67 x 2.54 cm)	36/ctn
6 Compartments (L x W): A= 1-3/8" x	M220 (\$) 1-1/4" (3.49 x 3.18 cm)	6704TF	M-Series	YP		-3/8" x 2-5/8" x 1.0" 1.11 x 6.67 x 2.54 cm)	36/ctn
A Image: Compartments (L x W): A= 1-5/16"	M215 x 3-3/16" (3.33 x 8.10 cm)	6702TF	M-Series	YP		/4" x 3-3/16" x 1-3/16" 7.15 x 8.10 x 3.02 cm)	36/ctn



Flambeau[®]

BOX DIAGRAM	MODEL NUMBER	STOCK NUMBER	FAMILY	BOX MATERIAL	DIMENSIONS (INSIDE: L X W X D)	PACKED
9 Compartments (L x W): A=	M210 1-5/16" x 1-9/16" (3.33 x 3.97 cm), B	6698TF = 1-1/8" x 3-3/16" (2.86 x 8.10 cm)	M-Series	YP	6-3/4" x 3-3/16" x 1-3/16" (17.15 x 8.10 x 3.02 cm)	36/ctn
18 Compartments (L x W): A=	M2OO (\$) 1-1/4" x 1-1/4" (3.18 x 3.18 cm)	6690TF	M-Series	YP	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn
12 Compartments (L x W): A=	M208 1-1/4" x 1-15/16" (3.18 x 4.92 cm)	6696TF	M-Series	YP	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn
Image: A state of the state	M201 1-5/16" x 1-5/16" (3.33 x 3.33 cm), E	6692TF 3= 1-5/16" x 4.0" (3.33 x 10.16 cm),	M-Series C = 1-5/16" x 2.06" (3.33 x 5.08 cm)	YP	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn
A A 6 Compartments (L x W): A=	M2O3 1-1/4" x 4.0" (3.18 x 10.16 cm)	6694TF	M-Series	YP	8.0" x 4.0" x 1-3/16" (20.32 x 10.16 x 3.02 cm)	24/ctn
A A A A A A A A A A A A A A A A A A A	M616R (5) ble Dividers (L x W): A= 10-3/8" x 1-	6713TF 1/2" (26.35 x 3.81 cm)	M-Series	YP	10-1/2" x 6-3/16" x 1-9/16" (26.67 x 15.72 x 3.97 cm)	24/ctn
A B C 13 Compartments (L x W): A=	M623 10-3/8" x 2-5/8" (26.35 x 6.67 cm), E	6716TF 3= 1-11/16" x 1-5/16" (4.29 x 3.33 c	M-Series m), C = 1-11/16" x 2.0" (4.29 x 5.08 c	YP	10-1/2" x 6-3/16" x 1-9/16" (26.67 x 15.72 x 3.97 cm)	24/ctn
A A B A A A A A A A A A A A A A A A A A	M612 1-11/16" x 2.0" (4.29 x 5.08 cm), B=	6712TF	M-Series	YP	10-1/2" x 6-3/16" x 1-9/16" (26.67 x 15.72 x 3.97 cm)	24/ctn



For Customer Service Inquiries Call: 1(800) 344-5716

