

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







		1				₅ ₃ L							4			5			
				-		1 1							I						
	TION : ABOVE PCB/	BELOW PCB, DECK	AND PUSH RO	OD LOCATION ARE	AS VIEW	BY USER.	I					NO.	TES:						
PRODUC	CT NO.		STAND-OFF	MATING	P.C.B	RECOMMENDED	1	OUNT STYLE											
A 7405	54-***** PUSH	ROD LOCATION	HEIGHT	RECEPTACLE	SIDE	P.C.B LAYOUT	I	CB AND PUS IDE	SH ROD					MIN CARD EJECT.					
				B			J	IDE.				2	EJECT T	RAVEL: 9.50mm					
		RIGHT	0.0									3	MATERIA	L:					
		RIGHT	2.0										3.1 EJE	CT HEADER ASS'Y					
		RIGHT	2.2							⊣				STIC HOUSING: HIGH	TEMPERA	TURE THERI	MOPLASTIC	UL94V-0	BLACK
		RIGHT	2.8				22.200							COPPER ALLOY : FR4					
		RIGHT	4.0											. 1114 STIC GUIDE: HIGH TE	MPFRATILE	PE THERMOI	PLASTIC III	94V_0 BI	ACK
-		-	4.3 5.0	100 POSITIONS (2x50) 0.8mm										TE: STAINLESS	IVII LIVATOI	(L TITEL(WO)	LASIIC CL	_5+V O D	DAOIN
		RIGHT	0.0	RECEPTACLE	ABOVE	SEE DRAWING NO.: TA-1050							EMI	CONTACT: PHOSPHO	R BRONZE	Ξ			
		LEFT	2.0	PART NO.		170.11							3.2 REC	EPTACLE					
		LEFT	2.2	73277-101402LF	-								PLA:	STIC: HIGH TEMPERAT	TURE THE	RMOPLASTIC	: UL94V-0	BLACK	
		LEFT	2.8	Δ						пІ				BeCu					
		LEFT	4.0				2000					4	FINISH						
1	143CAS L	LEFT	4.3											OR OTHER VERSIONS					
1	150CAS L	LEFT	5.0											PLATING: 0.5um MIN T AREA: 0.076 µm N		١			
							пъ			¬			CONTAC	I ARLA. 0.070 Julii I	WIIIV. OOLD				
(022CAR F	RIGHT	2.2			1	777977	ATTICIONE DE LA CONTRACTION DEL CONTRACTION DE LA CONTRACTION DE L	····	J				OR LEAD-FREE TYPE					
						1								PLATING: 1.27um MI					
	122CAT L	LEFT	2.2			1							CONTAC	T AREA: 0.076 µm N	WIIN. GULD	,			
'	122001		2.2				12/14/2		,,,,,,	ಶ			SOLDER	TAIL: 2.5um MIN. P	PURE Tin.				
Ę	522CAS F	RIGHT	2.2											SHIELD :					
	540CAS F	RIGHT	4.0	100 0001710110	.		10000		Manager of E	=====================================				PLATING: 0.75um MII F SURFACE: 0.03um		J OVED			
	543CAS F	RIGHT	4.3	100 POSITIONS (2x50) 0.8mm		OFF DRAWING			<u> </u>	_				50KFACE: 0.03um 5um MIN.(GOLD FLAS					
5	550CAS F	RIGHT	5.0	RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050								8um GOLD(ONE SIDE		,			
		LEFT	2.2	PART NO.	_							5	PUSH R	OD LOCATION AND F	C.B. ARE	AS			
		LEFT	4.0	73277−101402LF Λ				-86111111111111111111111111111111111111		H		-		S INSTALLED		=			
		LEFT LEFT	4.3 5.0	△\						Ш		6	DIM "X"	405104 75104	5.01	0.4			
	CARDBUS WITH I		5.0		1									4.25±0.1 3.5±0.1	5.0±				
				100 POSITIONS	.									OTHERS 36,67	1,17,34,3	13,31,00			
	700040			(2x50) 0.8mm	' ABOVE	SEE DRAWING				Щ.,		7		TOUCH AND KEEP	CLEAN TH	E SURFACE	S OF		
1	322CAS L	LEFT	2.2	RECEPTACLE	ABOVE	NO.: TA-1050							PCB OF	HEADER ASS'Y.					
				PART NO.			(WITH METAL	SHIELD)			8		AYOUT AND PIN ASSI	IGNMENT F	REFERED TO)		
2-STEP	CARDBUS WITH	SPECIAL PUSH R	:OD			•						•		JMBER TA-1050.					
				100 POSITIONS								9	PRODUC	T SPEC:110-263	NIEODI.	TION			
74	40CAS-R I	LEFT	4.0	(2x50) 0.8mm	BELOW	SEE DRAWING	1			7			_	ORDERING				_	
	PUSH R	OD COLOR :BLACK	4.0	RECEPTACLE		NO.: TA-1050				Ш				THREADED INSERT A	SSEMBLE	D BY BERG			
				PART NO.										NAME		PART N	۱0.	Q'TY	
													A	EJECT HEADER ASS	s'Y	74054-	_****	1	
				100 POSITIONS	i		<u> </u>		minimu				0	MATING DECERTAGE	_		10110015	+	
٤	RANCAS I	RIGHT	4.0	(2x50) 0.8mm	BELOW	SEE DRAWING	- R		7										
	RANCAS I	RIGHT OD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050			manana 🕻	_				MATING RECEPTACL		73277-	-101402LF	<u> </u>	
	RANCAS I		4.0	(2x50) 0.8mm	BELOW	SEE DRAWING NO.: TA-1050			::::::::::::::::::::::::::::::::::::::	<u> </u>									
	840CAS PUSH RO		4.0	(2x50) 0.8mm RECEPTACLE PART NO.	BELOW	No.: 1A-1030					mat'l, code		surf	ace tolerance	projec	tiohprodi			
740CAS	S-BLF PUSH RO	OD COLOR :BLACK LEFT OD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm	BELOW	No.: 1A-1030						- ۲- ا مال	surf	ace tolerance	projec	tiohprodi			
	S-BLF PUSH RO	OD COLOR :BLACK		(2x50) 0.8mm RECEPTACLE PART NO.	BELOW	SEE DRAWING NO.: TA-1050					ltr ecn no d		surf ISD 13	ace tolerance 302 ISD 406 ISD ances unless other	projec 1101 wiselspec	tiohprodi			
	S-BLF PUSH RO	OD COLOR :BLACK LEFT OD COLOR :BLACK		(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO.	BELOW	No.: 1A-1030					ltr ecn no (S N05-0087 V	B 06/17/0	surf ISD 13	ace tolerance 302 ISD 406 ISD ances unless other	projec	tionprodi		lly	DECK
740CAS	S-BLF PUSH R	OD COLOR :BLACK LEFT OD COLOR :BLACK id-Free type) RIGHT	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS	BELOW	SEE DRAWING NO.: TA-1050					ltr ecn no d	B 06/17/0	surf ISO 13 tolero	ace tolerance 302 ISB 406 ISB ances unless other	projec 1101 wiselspec	tionprodu	uct fami	lly SINGLE	
	S-BLF PUSH RI CASLF PUSH RI	OD COLOR :BLACK LEFT OD COLOR :BLACK d-Free type) RIGHT OD COLOR :BLACK		(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO.	BELOW	No.: 1A-1030					ltr ecn no (S N05-0087 W T N05-0175 W	B 06/17/0 B 03/23/0 Z 02/22/0	surf ISO 13 tolero 25 angle 08 ±2*	ace tolerance 302 ISD 406 ISD ances unless other	projec 1181 wiselspec MM scale	tionprodu	uct fami CARDBUS	SINGLE	2/3
740CAS	S-BLF PUSH RI CASLF PUSH RI	OD COLOR :BLACK LEFT OD COLOR :BLACK id-Free type) RIGHT	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm	BELOW	SEE DRAWING NO.: TA-1050					ltr ecn no 0 S N05-0087 V T N05-0175 V U N08-0028 N	B 06/17/0 B 03/23/0 Z 02/22/0	surf ISU 13 tolero 55 angle 05 08 ±2 12 dr wi engrs	ace tolerance 302 ISD 406 ISD ances unless other 15	projec 1180 wiselspec MM scale	tionprodu	uct fami CARDBUS -STEP,	SINGLE TYPE 1/2	2/3 t1of10
740CAS	S-BLF PUSH RI CASLF PUSH RI	OD COLOR :BLACK LEFT OD COLOR :BLACK d-Free type) RIGHT OD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050					ltr ecn no 0 S N05-0087 V T N05-0175 V U N08-0028 N	B 06/17/0 B 03/23/0 Z 02/22/0	surf ISU 13 tolero 55 angle 08 ±2* 12 dr we engrs	ace tolerance 302 ISU 406 ISU ances unless other Sinea ± 0.30 ENDY CHEN 09/23/97 TELAR CHU 09/23/97 ISEPH HSIA 09/23/97	projec 1180 wiselspec MM scale	tionprodu 1 1:Fiedtitle 2 2 dwg 1	uct fami CARDBUS -STEP, no 7405	SINGLE TYPE 1/2 shee	2/3 t1of10
740CAS	S-BLF PUSH RI CASLF PUSH RI	OD COLOR :BLACK LEFT OD COLOR :BLACK d-Free type) RIGHT OD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050					S N05-0087 W T N05-0175 W U N08-0028 M V ELX-N-011416 Z	B 06/17/0 B 03/23/0 Z 02/22/0 K 04/07/1	surf ISU 13 tolero 5 angle 08 ±2* 12 dr we engrs: chr/c	ace tolerance 302 ISU 406 ISU ances unless other Linea ± 0.30 ENDY CHEN 09/23/97 TELAR CHU 09/23/97 SEPH HSIA 09/23/97 ENN TSAO 09/23/97	projec 1181 wiselspec MM scale	tionprodi	uct fami CARDBUS -STEP, no 7405	SINGLE TYPE 1/2 shee	2/3
740CAS	S-BLF PUSH RI CASLF PUSH RI	OD COLOR :BLACK LEFT OD COLOR :BLACK d-Free type) RIGHT OD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050					S N05-0087 W T N05-0175 W U N08-0028 M V EX-N-011416 Z	B 06/17/0 B 03/23/0 Z 02/22/0 K 04/07/1	surf ISO 13 tolero angle cos angle cos cos ±2° 12 dr w engrs chruc appo Je	ace tolerance 302 ISU 406 ISU ances unless other Tinear ± 0.30 ENDY CHEN 09/23/97 SEPH HSIA 09/23/97 SEPH HSIA 09/23/97 V V V V V V	projec 1185 wise spec MM scale	tionprodu 1 1:Fiedtitle 2 2 dwg 1	uct fami CARDBUS -STEP, no 7405	SINGLE TYPE 1/2 shee	2/3 t1of10
740CAS	S-BLF PUSH RI CASLF PUSH RI	OD COLOR :BLACK LEFT OD COLOR :BLACK d-Free type) RIGHT OD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050					S N05-0087 W T N05-0175 W U N08-0028 M V ELX-N-011416 Z	B 06/17/0 B 03/23/0 Z 02/22/0 K 04/07/1	surf 1SD 13 15 tolero 25 angle 25 angle 27 12 dr Wie engrs 2 chruck appolit V V V 2 3 3	ace tolerance 302 ISU 406 ISU ances unless other Linear ± 0.30 ENDY CHEN 09/23/97 SEPH HSIA 09/23/97 NN TSAO 09/23/97 V V V V V	project 118 / wise spect MM scale	tionprodu 1 1:Fiedtitle 2 2 dwg 1	CARDBUS CARDBUS CARDBUS CARDBUS CARDBUS CUSTON	SINGLE TYPE 1/2 shee	2/3 t1of10 Draw

	1				5 3 L]	4			
												NOTE 1 8	S: .0mm M	IN CARI	D FJFCI	-	
DESCRIPTION : ABOV	E PCB/BELOW PCB, DECI	K AND PUSH R	OD LOCATION ARE	AS VIEW	BY USER.							2 E	JECT TRA	AVEL: 9		•	
PRODUCT NO.		STAND-OFF	MATING	D C D	RECOMMENDED	MOUNT STYLE TO							IATERIAL:		-D 100'	.,	
A 74054 *****	PUSH ROD LOCATION		RECEPTACLE			ı	CB AND PUS					3	.1 EJECT				
(A) /4054-*****	FOSH ROD LOCATION	HEIGHT	B	SIDE	P.C.B LAYOUT	s	IDE								SING: H	IGH IE	MPERA
000CASLF	RIGHT	0.0											PCB:	FR4			
020CASLF	RIGHT	2.0]												E: HIGH	I TEMP	PERATUR
022CASLF	RIGHT	2.2				m e :								: STAIN	LESS : PHOSF	PHOR I	BRON7
028CASLF	RIGHT	2.8	_			2 2		,,,,,,,,,				.3	.2 RECE				
040CASLF	RIGHT	4.0													н темрі	FRATLIF	RE THE
043CASLF	RIGHT	4.3	100 POSITIONS (2x50) 0.8mm										PIN: E		1 1 - 1 - 1		\L !!!L!
050CASLF 100CASLF	RIGHT	5.0	RECEPTACLE	ABOVE	SEE DRAWING NO.: TA-1050					=			INISH				
120CASLF	LEFT LEFT	0.0 2.0	PART NO.		No.: 1A-1050								IN :(FOR INDER PL				d:
122CASLF	LEFT	2.0	73277-101402LF	•									ONTACT				
128CASLF	LEFT	2.8						***************************************				_				>	
140CASLF	LEFT	4.0	-						4				IN :(FOR				KI!
143CASLF	LEFT	4.3	1										INDER PL ONTACT				
150CASLF	LEFT	5.0													-		
			1										OLDER T			1. PUR	RE Tin.
022CARLF	RIGHT	2.2					<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	<u> </u>					ROUND S			MIN	Ni
]			V//=/							ONTACT				
122CATI E	LEFT	, ,							П				dNi 0.5u				
122CATLF	CCI I	2.2				12/19/2	mini	Tillians.					38um GOLD(ONE SIDE ONLY) ROD LOCATION AND P.C.B. AF				
522CASLF	RIGHT	2.2											USH KUI PPEARS			D P.C.	.B. ARE
540CASLF	RIGHT	4.0	100 POSITIONS (2x50) 0.8mm			27.27.2							ıм "⊻"—				
543CASLF	RIGHT	4.3				فطلا		<u> </u>							1 3.5±	-	5.0±
550CASLF	RIGHT	5.0	RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050									OTHERS			17,34,3
622CASLF	LEFT	2.2	PART NO.										O NOT T			EP CLE	EAN TH
640CASLF	LEFT	4.0	73277−101402LI ∧	7		 							CB OF H			ASSIGN	IMENT F
643CASLF	LEFT	4.3] 🔼				,010101010101010101010101	<u> </u>	-				ART NUM				
650CASLF	LEFT WITH METAL COVER	5.0								_		9 IF	LEAD F	REE P.	N.THE +	10USIN	G WILL
Z-SILF CARDBOS	WITH METAL COVER									7			60°C PE				
			100 POSITIONS (2x50) 0.8mm		CEE DRAWING		1212121212121212121212121	***************************************					PPLICATION				
322CASLF	LEFT	2.2	RECEPTACLE	ABOVE	SEE DRAWING NO.: TA-1050	kantan		mmm	44				IF LEAD		,		
			PART NO.			(WITH METAL	SHIELD)					ND OTHE				
2-STEP CARDBUS	WITH SPECIAL PUSH	ROD			I .	l							LEAD FR	•			MEETS
			400 DOCUTIONS									12	PRODUCT	SPEC:			DINIO 1
740CAS-B	LEFT		100 POSITIONS (2x50) 0.8mm		SEE DRAWING	777			4								RING I
740CA3-B	PUSH ROD COLOR : BLACK	4.0	RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050			11111111111111	all I					IHH	READED		RI ASS
			PART NO.												NAM	<u>IE</u>	
														(A) EJ	ECT HE	ADER	ASS'Y
			100 POSITIONS			I										ECEDI	ACLE
840CAS	RIGHT	4.0	100 POSITIONS (2x50) 0.8mm		SEE DRAWING				1 44					® W	TIME D	ECEF I	ACLE
840CAS	RIGHT PUSH ROD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE		SEE DRAWING NO.: TA-1050				1 44					Ви	ATING R		
840CAS		4.0	(2x50) 0.8mm		SEE DRAWING NO.: TA-1050		f		1 44		1.71			_			
840CAS	PUSH ROD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050		f		1 44	_ ma·	t'l, co	de		surf	ace		ance
			(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm	BELOW									Idote	surf	ace 302	ISD 40)6 ISE
	PUSH ROD COLOR :BLACK		(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050 SEE DRAWING NO.: TA-1050		<u> </u>			ltr			date	surf ISO 13	ace 302 ances u	ISO 40 unless)6 ISE
	PUSH ROD COLOR :BLACK LEFT PUSH ROD COLOR :BLACK		(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm	BELOW									date	surf ISO 13	ace 302 ances u	ISO 40 unless)6 ISE
	PUSH ROD COLOR :BLACK LEFT PUSH ROD COLOR :BLACK		(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS	BELOW	SEE DRAWING NO.: TA-1050					ltr			date	surf ISO 13	ace 302	ISO 40 unless	06 ISE other
	PUSH ROD COLOR :BLACK LEFT PUSH ROD COLOR :BLACK (Lead-Free type) RIGHT PUSH ROD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm	BELOW	SEE DRAWING NO.: TA-1050					ltr			date	surf ISO 13 tolera	ace 302 ances u	ISD 40 unless the	06 ISE other 0.30
740CAS-BLF	PUSH ROD COLOR :BLACK LEFT PUSH ROD COLOR :BLACK (Lead-Free type) RIGHT	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE	BELOW						ltr			date	surf ISO 13 tolera angle ±2° dr we	ace 302 ances u Tinea ENDY CHE	ISD 40 unless	0.30 0/23/97 0/23/97
740CAS-BLF	PUSH ROD COLOR :BLACK LEFT PUSH ROD COLOR :BLACK (Lead-Free type) RIGHT PUSH ROD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm	BELOW	SEE DRAWING NO.: TA-1050					ltr			date	surf ISO 13 tolera angle ±2° dr we engrs	ace 302 ances to estine a ENDY CHE TELAR CH	ISD 40 unless t EN 09 HU 09 SIA 09	0.30 0.30 0/23/97 0/23/97
740CAS-BLF	PUSH ROD COLOR :BLACK LEFT PUSH ROD COLOR :BLACK (Lead-Free type) RIGHT PUSH ROD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050					ltr V	ecn r	no dr		surf ISO 13 tolera angle ±2° dr we engrs	ace 302 ances u Tinea ENDY CHE	ISD 40 unless t EN 09 HU 09 SIA 09	0.30 0/23/97 0/23/97
740CAS-BLF	PUSH ROD COLOR :BLACK LEFT PUSH ROD COLOR :BLACK (Lead-Free type) RIGHT PUSH ROD COLOR :BLACK	4.0	(2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE PART NO. 100 POSITIONS (2x50) 0.8mm RECEPTACLE	BELOW	SEE DRAWING NO.: TA-1050					ltr V		no dr		surf ISO 13 tolera angle ±2° dr we engrs	ace 302 ances to estine a ENDY CHE TELAR CH	ISD 40 unless t EN 09 HU 09 SIA 09	0.30 0.30 0/23/97 0/23/97

RATURE THERMOPLASTIC UL94V-0 BLACK

JRE THERMOPLASTIC UL94V-0 BLACK

IERMOPLASTIC UL94V-0 BLACK

MIN. OVER BLE SIDES)

±0.1 ,35,51,68

- HE SURFACES OF
- REFERED TO
- L WITHSTAND EXPOSURE TO SECONDS IN A WAVE SOLDER IM THICK CIRCUIT BOARD.
- MEETS EUROPEAN UNION DIRECTIVES AS DISCRIBLED IN GS-22-008
- GS-14-920 SPECIFICATION

INFORMATION

THREADED INSERT ASSEMBLED BY BERG										
NAME	PART NO.	Q'TY								
A EJECT HEADER ASS'Y	74054-****LF	1								
B MATING RECEPTACLE		1								

	mat'l, code						surface			era	nce	projectionproduct family												
							ISD 1302 ISD 406 IS				ISI	11,01	٧	1										
	ltr	ecn	no	dr	date	tole	ranc	es	ISO 406 ISO 1105 s unless otherwise specified						utiti	.e								
	>					ang	leş	nea	r ± 0.30			MM			CARDBUS SINGLE DECK									
						±2							ıle		2-STEP, TYPE 1/2/3									
				dr WENDY CH			HEN 09/23/97						dwg no she						et2 of10 si:					
						engr	STEL	TELAR CHU		U 09/23/97				, i .	74054									
		ChrJOSEPH HSIA		SIA	A 09/23/97			, 1001								A4								
						appo	JENN	NN TSAO		09/23/97					type		CUSTOMER				[ing		
	she	et	rev	ision																				
	inde	ex	she	et																				
						⊿ PI	าระ	Rev	٠V			S	ΤΔΤ	US:	Rele	ase	d		Print	ted:	Ser	12	201:	















