



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Spec-Mat

Static Dissipative Work Surface Material



Colors shown are representations and may vary

Spec-Mat Rolls

7400LBR4832 light blue 1220mm x 10m
(approximately 48" x 32.8')

7410LGR4832 light gray 1220mm x 10m
(approximately 48" x 32.8')

Spec-Mats are available in two colors with varying sizes. Each mat includes two 10mm female ground snaps. Ground cords sold separately.

Spec-Mat is a two-layer, synthetic, ESD-safe rubber material made for bench tops. The static dissipative top layer is laminated to a conductive bottom layer, yielding a typical resistance to ground measurement of 10^7 - 10^9 ohms.

This cross-linked rubber material is resistant to solder, heat, and most common solvents. It is suitable to use in static sensitive production areas in electronics manufacturing and laboratories. Easy to maintain with 6001 Mat and Table Top Cleaner.

Spec-Mat complies with industry standards including EN 61340-5-1: Protection of Electronic Devices from Electrostatic Phenomena and ANSI ESD S20.20: Protection of Electrical and Electronic Parts, Assemblies and Equipment.

The maximum roll size of the 2mm thick Spec-Mat is 1.22 meters wide by 10 meters long. Available in both light blue and light gray, all matting can be cut and studded to suit customer requirements.

- ❖ 2 mm thickness
- ❖ 10^7 - 10^9 ohms, ohm per cm RTG, RTT, Vol R
- ❖ Embossed finish reduces light glare and parts slippage
- ❖ Durable surface
- ❖ Heat resistant
- ❖ Halogen free
- ❖ Low outgassing and V.O.C.
- ❖ No vinyl monomers or DOP
- ❖ UV additives to protect color and eliminate fading

