



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us




Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




PRODUCT NO.
 74920-000




NOTES:


- 8mm MIN CARD EJECT.
- EJECT TRAVEL: 9.5mm
- MATERIAL:
 - 3.1 HEADER ASSY:
 PLASTIC HOUSING: LCP UL94V-0 BLACK - ABOVE PCB
 PIN: PHOSPHOR BRONZE
 PCB: FR4
 - 3.2 EJECT MECHANISM ASSY:
 PLASTIC GUIDE: POLYPHTHRAMID UL94V-0 BLACK
 COVER PLATE: STAINLESS STEEL
 EMI CONTACT: PHOSPHOR BRONZE
 - 3.3 MATING RECEPTACLE: (91931-31169)
 PLASTIC: LCP94V-0 NATURAL
 CONTACT: BeCu
- FINISH (PIN)
 UNDER PLATING: 0.5um MIN Ni
 CONTACT AREA: 0.1um MIN GOLD OVER
 0.5um MIN Pd-Ni
 SOLDER TAIL: 2.5um MIN Sn-Pb
- DIM "X"

4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36,67	1,17,34,35,51,68
- RECOMMENDED SCREW TORQUE: 1.0 TO 1.5 MAX in-lbs. (1.2-1.7 cm-kgs).
- ONLY 3 STAND-OFFS. NO STAND OFF ON RIGHT SIDE OF HEADER.



mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		A FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.X ±.3	projection	title	VTB HEADER ASSY WITH 6mm STAND-OFF	
A	V91314	CGC	6/8/99		.XX ±.13	mm	product family PCMCIA	code	-
B	V03-0517	WL	05/29/03		.XXX ±.051				
C	T03-0341	WL	08/18/03	angles	0° ±2°	scale	size dwg no	sheet	1 of 4
				dr	G.CLEMENS 6/8/99				
				enr	D BRANN 6/8/99	1/1	A4	74920	
				chr	D BRANN 6/8/99				
				appd	D.BRANN 6/8/99				
sheet index	revision sheet	C 1	B 2	C 3	C 4				





mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		BERG ELECTRONICS										
ltr	ecn no		dr	date	linear	.X ±.3				projection 	title VTB HEADER ASSY WITH 6mm STAND-OFF									
B						.XX ±.13														
						.XXX ±.051														
					angles	0° ±2°				 mm	product family PCMCIA						code			
					dr	G.CLEMENS		6/8/99			size dwg no						— sheet 2 of			
					enrg	D.BRANN		6/8/99												
					chr	D.BRANN		6/8/99												
					appd	D.BRANN		6/8/99		scale 1:1	A4		74920							
sheet index		revision sheet																		

Tous droits strictement reserves. Reproduction ou communication a des tiers int sous quelque forme que ce soit sans autorisation ecrite du proprietaire. propriete de c BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS by

FCI

All rights strictly reserved. Reproduction or issue to third parties in any for whatever is not permitted without written authority from the proprietor. Property of c BERG ELECTRONICS. Copyright BERG ELECTRONICS by

PRODUCT NO.
74920-080



NOTES:


1. 8mm MIN. CARD EJECT.
2. MATERIAL
 - 2.1 HEADER ASS'Y
PLASTIC :HOUSING ...LCP UL94V-O BLACK
PIN :COPPER ALLOY
PCB : FR4
 - 2.2 MECHANISM ASS'Y
PLASTIC :
GUIDE:POLYPHTHARAMID UL94V-O BLACK
PLATE :STAINLESS
EMI CONTACT:PHOSPHOR BRONZE
STAND-OFF : BRASS
3. FINISH (PIN)
UNDER PLATING :0.5 um MIN. Ni
CONTACT AREA :0.1 um MIN. GOLD OVER
0.5 um MIN. Pd-Ni
SOLDER TAIL : 2.5 um MIN. Sn-Pb
STAND-OFF : 2 um MIN. Ni.

4. DIM "X"

4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36,67	1,17,34,35,51,68

ORDERING INFORMATION

NAME	PART NO.	Q'TY
Ⓐ EJECT HEADER ASS'Y	74920-080	1
Ⓑ MATING RECEPTACLE	91931-31169	1




mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	± 0.30	projection		
C					angles	± 2°		title EJECTOR HEADER ASS'Y WITH 8mm STAND-OFF	
					dr	WENDY CHEN 08/11/03	unit	product family	code
					enr	NICK HSU 08/11/03	mm/inch	PCMCIA	
					chr	NICK HSU 08/11/03	scale	size	dwg no.
					appd	JENN TSAO 08/11/03	1.2:1	A3	74920
sheet	revision								sheet
index	sheet								3 OF

Tous droits strictement reserves. Reproduction ou communication a des tiers int sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Property of c BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any for whatever is not permitted without written authority from the proprietor. Property of c BERG ELECTRONICS. Copyright BERG ELECTRONICS by

PRODUCT NO.
74920-080



BOARD VIEW FROM CONNECTOR MOUNTED SIDE
TOP OF BOARD IN APPLICATION

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com		title EJECTOR HEADER ASS'Y WITH 8mm STAND-OFF	
rev.	ecn	no.	dr	date	linear	± 0.1	projection				
C					angles	± 2°		product family		code	
					dr	WENDY CHEN 08/11/03	unit	mm/inch		size	
					enr	NICK HSU 08/11/03	scale	1.2:1		dwg no.	
					chr	NICK HSU 08/11/03		A3		74920	
					appd	JENN TSAO 08/11/03				sheet 4 OF	
sheet index	revision	sheet									