

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











PDM: Rev:T

STATUS: Released

Printed: May 13, 2011

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2006-04-18

4

## PRODUCT NUMBER SEE SHEET

## NOTES

- I. UNLESS OTHERWISE SPECIFIED. ALL DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994
- HOUSING MATERIAL: LIQUID CRYSTAL POLYMER, GLASS FILLED FLAME RETARDANT PER UL94V-0 GROUND SHIELD MATERIAL: COPPER ALLOY SIGNAL CONTACT MATERIAL: COPPER ALLOY
- 3. PLATING: PRESS-FIT TAIL AREA: SnPb ON STANDARD Sn ON LEAD FREE MATING CONTACT POINTS: MEETS PERFORMANCE LEVEL SHOWN IN TABLE ON SHEET I.
- Ø2.05 HOLE IS UNPLATED.
- Ø 1.53 PLATED HOLES (2X) ARE FOR GROUNDS.
- AVOID TRACES IN THIS AREA ON TOP OF PCB DUE TO EXPOSED GROUND SHIELD.
- 7. UNDERPLATING FOR SHIELD AND SIGNAL CONTACTS IS I.3  $\mu$ m Ni MIN.
- COMPONENT KEEP OUT ZONE FOR PRESS BLOCK CLEARANCE.
- PRODUCT MARKING: DATE AND LOT CODE.
- 10. SEE GS-20-018 FOR APPLICATION OF CONNECTOR TO PCB.
- PCB THICKNESS RANGE: 1.3mm TO 3.4mm.
- 12. SEE PRODUCT SPECIFICATION GS-12-134 FOR PRODUCT PERFORMANCE CHARACTERISTICS.

- THIS GROUND ROW OF VIA-HOLES ONLY REQUIRED FOR PREVIOUS REVISIONS OF THIS DESIGN WHERE THE TOP SHIELDS HAD EON PRESS-FIT. DUE TO INVENTORIES OF PREVIOUS VERSION, WE RECOMMEND THEY BE DESIGNED IN.
- PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

Α

mat'l code SEE NOTE 2 tolerances unless CUSTOMER otherwise specified ecn no. dr date  $0.X \pm 0.3$ COPY www.fciconnect.com projection  $0.XX \pm 0.10$ R<sup>ile</sup>GHT ANGLE SIGNAL RECEPTACLE  $0.XXX \pm 0.050$ 8 ROW, 96 POSITION 0° METRAL 1000 code dr S. KLINE 2000-03-09 MM product family size dwg no M. HAHN 2000-03-09 engr 2000-08-24 scale sheet S. STONER 7498 M. HAHN 2000-08-24 bago sheet revision sheet cage code 3 | 22526 4

PDM: Rev:T

This accument is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this accument may be used in any way or disclosed to others without the written consent of FCI.

Α

В

REV E - 2006-04-18


Pro/E

STATUS: Released

Printed: May 13, 2011

В

1 2



**元**》

mat'l code SEE NOTE 2							tolerances unless otherwise specified					CUSTOMER			F	<u>Cj</u>						
Itr	ecn	ecn no. dr		do			0.X ±0.3			COPY					=		ww	w.fcic	onnect.	com		
T						linear	0.XX ±0.10 0.XXX ±0.050 0° +2°			projection			R''GHT ANGLE SIGNAL RECEPTACLE 8 ROW, 96 POSITION									
					dr		S. K		2000-03-09		MM		product family METRAL 1000 code									
							S. STONER 2		2000-	2000-03-09		101101		size	dwg	dwg no				2	213	
						chr			2000-08-24 2000-08-24		scale 3:1			1 ,		7.	198	981		sheet		
					appd	A								1 4 3 0 1					4			
sh	sheet		on																			
ind	index																					
Pro/E				o/E						3				cag	cage code ,		22526		4			

This document is the property of and en COMPICENTIAL and PROPRIETTARY inform No part of the information shown on this document may be used in any way or dit to others without the written consent of Convictal Ect.

REV E - 2006-04-18

В

1 2

PDM: Rev:T

STATUS: Released

Printed: May 13, 2011

В