



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## Assorted 3-Wire Extension Cable 30-Pack

Product ID: 751-00010



### Overview

Unsure just how long you need that 3-wire extension cable to be? Worry no more with this 30-pack of cables of varying length. Also included are an assortment of male/male headers should you need to transform your female/female wires into male/female or male/male wires.

These 22-gauge, three-conductor wire cables are covered with a pliable silicone shielding of a much higher quality than common extension cables. The female sockets are conveniently compatible with all 3-pin Parallax sensors, and many Parallax boards also support these cables with 3-pin ground-power-signal ports. Whether you are flying an ELEV-8 quadcopter or mounting your PING))) Ultrasonic Distance Sensor away from your microcontroller, these cables are the best choice.

### Features

22 AWG 3-conductor silicone shielded cable

0.1" spacing single-row connector for power, ground, and signal

Female/Female terminators

Uses Molex series 70058 #16-02-0087 terminal or equivalent

## **Kit Contents**

- (3) - 4" wire (#800-00040)
- (3) - 6" wire (#800-00060)
- (10) - 8" wire (#800-00080)
- (5) - 12" wire (#800-00120)
- (2) - 16" wire (#800-00160)
- (2) - 20" wire (#800-00200)
- (3) - 24" wire (#800-00240)
- (2) - 36" wire (#800-00360)
- (12) - 3-Pin header (451-00303)
- (2) - 1x40 SIP header (#451-04001)