imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



AC Power Supply – 12VDC, 100-240VAC, IEC320-C14 input plug, locking barrel, AC power cord not included. Compatibility: 9-30V Adapters

PART NUMBERS



North America: 76000734

International: 76000734



Input Specifications:

Rated input voltage range: 120VAC - 240VAC Input frequency: 47Hz - 63Hz Rated input current: 1.0A Max. in-rush current: 50A Input Plug Type: IEC 60320 C14

Output Specifications:

Output Voltage: 12VDC

Max. load current: .5A Min. load current: 0A Output Power: 20W Output Plug: Connector Type: Locking barrel plug Outer Diameter: 5.5mm Inner Diameter: 2.1mm

Environment:

Operating Temperature: 0° C to 40° C Storage Temperature: -20° C to 85° C

Dimensions:

Size (LxHxW): 92 x 31 x 50mm Weight: 166g Cord Length: NA

Certifications: UL, cUL, PSE, CE, CCC, TUV

Contact a Digi expert and get started today!

CONTACT US