



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Datasheet for 76650-0022

### General Information

<b>Part Number:</b>	76650-0022
<b>Manufacturer:</b>	Molex / Waldom
<b>Title:</b>	EuroStyle Barrier Strip Kit
<b>Description:</b>	12.00mm (.472") Pitch Two Screw Terminal Strip with Standoffs
<b>Product Family:</b>	Terminal Blocks - Beau™ Eurostyle™
<b>Certificates:</b>	(Molex Parts within this kit) - EU RoHS Compliant, UL and CSA
<b>Country of Origin:</b>	Kit assembled in U.S.A.

### Specifications

<b>Design Configuration:</b>	Wire-to-Wire
<b>Pitch:</b>	12.00mm (.472")
<b>Connector Type:</b>	Two-Screw Terminal Strips
<b>Entry Angle / Orientation:</b>	Horizontal
<b>Circuit Sizes:</b>	2, 3, 4, 6, and 8
<b>Current Rating:</b>	40 Amps
<b>Voltage:</b>	600 Volts
<b>Wire size:</b>	20-8 AWG

### Product Highlights

All Two-Screw terminal strips meet applicable industry standards and have a flammability rating of UL 94V-2. In addition, they are designed with wire protectors to prevent wire damage and to ensure a reliable connection. Pre-drilled mounting holes allow for quick and easy installation in the field.

## Datasheet for 76650-0022

Features and Benefits	Applications
<ul style="list-style-type: none"><li>• Modular design allows larger blocks to be easily cut into smaller circuit sizes</li><li>• Contacts and screws are recessed in the housing to help prevent short circuits</li><li>• Wire protectors prevent stranded wire damage during connection</li></ul>	<ul style="list-style-type: none"><li>• Power supplies</li><li>• Spa controllers</li><li>• HVAC equipment</li><li>• Motor controls</li><li>• Lighting controls</li></ul>

### Datasheet for 76650-0022

#### Bill of Materials for Part No. 76650-0022

<b>Molex Part No.</b>	<b>Country of Origin</b>	<b>Description</b>	<b>Quantity in Kit</b>
39100-1202	Finland	2 Circuit .472" (12mm) Eurostyle PCB Terminal Strip	12
39100-1203	Finland	3 Circuit .472" (12mm) Eurostyle PCB Terminal Strip	6
39100-1204	Finland	4 Circuit .472" (12mm) Eurostyle PCB Terminal Strip	6
39100-1206	Finland	6 Circuit .472" (12mm) Eurostyle PCB Terminal Strip	6

#### No Recommended Molex Tool for Part No. 76650-0022