

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



### **Datasheet for 76650-0026**

#### **General Information**

Part Number: 76650-0026

Manufacturer: Molex / Waldon

Manufacturer: Molex / Waldom

Title: Perma-Seal All Weather Solderless Terminal Kit

Assorted Sealed Quick Disconnect, Ring and Butt Splice Terminals. Includes Heat

**Description:** Shrink Tubing and Cable Ties, With Universal Crimp Tool

Product Family: Perma-Seal™

Country of Origin: Kit assembled in U.S.A.

## **Specifications**

Design

**Configuration:** (Wire-to-Wire) and (Wire-to-Board) / Solderless Terminals **Connector Type:** Quick Disconnects, Ring Tongue Terminals, Butt Splices

**Sizes:** .250", #8, #10, 1/4 "and 3/8"

Insulation: NiAc™ (Perma-Seal™)

Voltage: 600 Volts

Wire size: (22-18), (16-14), (12-10) and (8) AWG

### **Product Highlights**

Perma-Seal terminals and splices give you long-lasting, moisture-proof connections that withstand water, salt, condensation, corrosion and heat, all of which cause serious problems for conventional, unsealed splices. The inner wall of the heat-shrinkable Perma-Seal sleeve is lined with a special hot-melt adhesive that is inert at room temperature, permitting wires to be inserted easily into the splices and terminals. As the sleeve is heated, the adhesive melts and flows under pressure from the tubing.

#### **Features and Benefits**

- Perma-Seal splices and terminals resists abrasion and cutting.
- The insulation material shrinks up to 40% faster than comparable nylon or polyolefin products.
- · Low shrink temperature

#### **Applications**

- Farm equipment
- Ships
- Pumps
- Generators
- Material handling equipment
- Factory floor equipment



## **Datasheet for 76650-0026**

Bill of Materials for Part No. 76650-0026				
Molex Part No.	Country of Origin	Description	Quantity in Kit	
19164-0012	USA	Perma-Seal™ .250" Female Quick Disconnects, 22-18 AWG	5	
19164-0047	USA	Perma-Seal™ .250" Female Quick Disconnects, 16-14 AWG	5	
19164-0059	USA	Perma-Seal™ .250" Female Quick Disconnects, 12-10 AWG	5	
19164-0019	USA	Perma-Seal™ .250" Male Quick Disconnects, 22-18 AWG	5	
19164-0084	USA	Perma-Seal™ .250" Male Quick Disconnects, 16-14 AWG	5	
19164-0078	USA	Perma-Seal™ .250" Male Quick Disconnects, 12-10 AWG	5	
19164-0086	USA	Perma-Seal™ #8 Ring Tongue Terminals, 22-18 AWG	10	
19164-0034	USA	Perma-Seal™ #10 Ring Tongue Terminals, 16-14 AWG	10	
19164-0026	USA	Perma-Seal™ 1/4" Ring Tongue Terminals, 16-14 AWG	10	
19164-0068	USA	Perma-Seal™ 3/8" Ring Tongue Terminals, 12-10 AWG	6	
19164-0066	USA	Perma-Seal™ 1/4" Ring Tongue Terminals, 12-10 AWG	8	
19164-0013	USA	Perma-Seal™ Butt Splice Connectors, 22-18 AWG	15	
19164-0044	Taiwan	Perma-Seal™ Butt Splice Connectors, 16-14 AWG	15	
19164-0056	USA	Perma-Seal™ Butt Splice Connectors, 12-10 AWG	10	
19164-0079	India	Perma-Seal™ Butt Splice Connectors, 8 AWG	4	
19252-0147	Taiwan	UV Black Cable Ties, 7.3", 50 pound tensile strength	50	
19269-0239	Canada	Perma-fit Shrink Tube, 2-wall Polyolefin w/Adhesive Liner	4	
19294-0062	Taiwan	Universal Hand Crimping Tool	1	
19413-0042	Taiwan	Mini Butane Torch	1	

## Recommended Molex Tool(s) for Part No. 76650-0026\*

Molex Part No.	Country of Origin	Description
64001-7400 *	Germany	Hand Crimp Tool
64005-7400 *	Germany	Power Crimp Tool

<sup>\*</sup>Tool(s) not included in kit. Tool(s) ordered separately.