

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0029

General Information

Part Number: 76650-0029

Manufacturer: Molex / Waldom

Title: Solderless Terminal Kit

Assorted Non-Insulated Quick Disconnect, Ring, Spade and Butt Splice Solderless

Description: Terminals. Nylon Insulated Closed-End Solderless Terminals, with Universal

Crimping Tool

Product Family: Solderless Terminals

Certificates: (Molex Parts within this kit) - EU RoHS Compliant and UL

Country of Origin: Kit assembled in U.S.A.

Specifications

Design

Configuration: Wire-to-Wire, Wire-to-Board / Solderless Terminals

Size(s): .250", # 6 and # 10

Current Rating: Per (Proper) Wire Specification

Voltage: Per (Proper) Wire Specification

Wire size: (22-18) and (16-14)

Product Highlights

Quick disconnects allow for quickly connecting or disconnecting a terminal. The front end of the terminal has a female-type receptacle which allows the terminal to slide onto and off of a male blade.

Spades have the open tongue end used for rapid insertion on the mounting screw. The spade is usually used on free standing studs.

Butt Splices allow two stripped wires to be inserted into each end and "butt" in the center, with the crimp securing both wires together.

1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0029

Features and Benefits

- Terminals employ the full barrel length that eliminates costly and time consuming location when crimping
- · Finest quality electrolytic copper
- · One-piece design, butted seam
- The Spade's open tongue end is for rapid insertion on the mounting screw / stud
- The basic Ring Tongue type is the safest and most reliable because it cannot be disconnected unless the screw is completely removed.
- Block Spades are designed for use in terminal blocks

Applications

- MRO (Maintenance Repair and Operations)
- Consumer applications
- Power applications
- Motor applications
- Powertrains
- Transportation
- · Construction / Mining
- Energy / Power
- Production Equipment
- Instrumentation
- Environmental Equipment and Controls
- Blower Motors



Datasheet for 76650-0029

Bill of Materials for Part No. 76650-0029			
Molex Part No.	Country of Origin	Description	Quantity in Kit
19016-0111	USA	Non-insulated .250" Female Quick Disconnects,16-14 AWG	40
19022-0018	USA	Non-insulated .250" Male Quick Disconnects, 16-14 AWG	40
19044-0032	USA	Non-insulated #10 Ring Tongue Terminals, 16-14 AWG	30
19044-0068	USA	Non-insulated #6 Ring Tongue Terminals, 22-18 AWG	30
19044-0072	USA	Non-insulated #10 Ring Tongue Terminals, 22-18 AWG	30
19044-0152	USA	Non-insulated #6 Ring Tongue Terminals, 16-14 AWG	30
19118-0021	USA	Non-insulated #6 Flanged Block Spade Terminals, 22-18 AWG	40
19128-0021	USA	Non-insulated #6 Block Spade Terminals, 16-14 AWG	30
19146-0037	USA	Non-insulated #10 Block Spade Terminals, 16-14 AWG	30
19160-0002	USA	Insulated Nylon Closed-end Connectors, 16-14 AWG	20
19189-0002	USA	Non-insulated Butt Splice Connectors, 22-18 AWG	40
19189-0008	USA	Non-insulated Butt Splice Connectors, 16-14 AWG	40
CT-4071-1R^	Taiwan	Universal Hand Crimping Tool, 22-10 AWG	1

^ =Tool Provided by Waldom

Recommended Molex Tool(s) for Part No. 76650-0029*

Country

Molex Part No.	of Origin	Description
64001-0600 *	USA	Hand Crimp Tool (RHT-7000)
64003-0100 *	USA	Hand Crimp Tool (RHT-1992)
64003-1200 *	USA	Hand Crimp Tool (RHT-1752)

^{*}Tool(s) not included in kit. Tool(s) ordered separately.