

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0038

General Information

Part Number: 76650-0038

Manufacturer: Molex / Waldom

Title: Solderless Terminal Kit

Assorted Non-Insulated Quick Disconnect, Ring, Spade and Butt Splice Solderless

Description: Terminals, with Universal Crimping Tool

Product Family: Solderless Terminals

Certificates: (Molex Parts within this kit) - EU RoHS Compliant and UL

Country of Origin: Kit assembled in U.S.A.

Specifications

Design

Configuration: (Wire-to-Wire) and (Wire-to-Board) / Solderless Terminals

Size(s): .250", # 6, # 8, # 10, 1/4" and 3/8"

Current Rating: Per (Proper) Wire Specification

Voltage: Per (Proper) Wire Specification

Wire size: (22-18), (16-14) and (12-10)

Product Highlights

Quick disconnects allow for quickly connecting or disconnecting a terminal. The front end of the terminal has a female-type receptacle which allows the terminal to slide onto and off of a male blade.

Spades have the open tongue end used for rapid insertion on the mounting screw. The spade is usually used on free standing studs.

Butt Splices allow two stripped wires to be inserted into each end and "butt" in the center, with the crimp securing both wires together.

Features and Benefits

- Terminals employ the full barrel length that eliminates costly and time consuming location when crimping
- Finest quality electrolytic copper
- · One-piece design, butted seam
- The Spade's open tongue end is for rapid insertion on the mounting screw / stud
- The basic Ring Tongue type is the safest and most reliable because it cannot be disconnected unless the screw is completely removed.
- Block Spades are designed for use in terminal blocks

Applications

- MRO (Maintenance Repair and Operations)
- Consumer applications
- Power applications
- Motor applications
- Powertrains
- Transportation
- · Construction / Mining
- Energy / Power
- Production Equipment
- Instrumentation
- Environmental Equipment and Controls
- Blower Motors

For additional Molex / Waldom Design and Solution kits please go to www.molexkits.com



1

Datasheet for 76650-0038

Bill of Materials for Part No. 76650-0038 Quantity in Country Molex Part No. of Origin Description Kit USA Non-insulated .250" Female Quick Disconnects, 16-14 AWG 19016-0111 45 19022-0018 USA Non-insulated .250" Male Quick Disconnects, 16-14 AWG 45 USA Non-insulated #8 Ring Tongue Terminals, 16-14 AWG 19044-0031 45 19044-0032 USA Non-insulated #10 Ring Tongue Terminals, 16-14 AWG 45 19044-0066 **USA** Non-insulated #6 Ring Tongue Terminals, 22-18 AWG 45 19044-0152 USA Non-insulated #6 Ring Tongue Terminals, 16-14 AWG 45 USA Non-insulated 1/4" Ring Tongue Terminals, 16-14 AWG 45 19044-0158 19069-0209 USA Non-insulated #10 Ring Tongue Terminals, 12-10 AWG 45 19069-0219 **USA** Non-insulated 1/4" Ring Tongue Terminals, 12-10 AWG 45 19069-0241 USA Non-insulated 3/8" Ring Tongue Terminals, 12-10 AWG 45 19140-0035 USA Non-insulated #6 Block Spade Terminals, 22-18 AWG 45 19140-0036 USA Non-insulated #8 Block Spade Terminals, 22-18 AWG 45 USA Non-insulated #10 Block Spade Terminals, 22-18 AWG 19140-0037 45 19140-0090 USA Non-insulated #6 Block Spade Terminals, 16-14 AWG 45 19140-0091 USA Non-insulated #8 Block Spade Terminals, 16-14 AWG 45 Non-insulated #10 Block Spade Terminals, 16-14 AWG 19140-0093 USA 45 19141-0085 USA Non-insulated #10 Block Spade Terminals, 12-10 AWG 45 USA Non-insulated Butt Splice Connector Terminals, 22-18 AWG 19189-0002 45 19189-0008 USA Non-insulated Butt Splice Connector Terminals, 16-14 AWG 45 **USA** Non-insulated Butt Splice Connector Terminals, 12-10 AWG 19189-0015 45

^{^ =}Tool Provided by Waldom

Recommended Molex Tool(s) for Part No. 76650-0038*		
Molex Part No.	Country of Origin	Description
64003-0100 *	USA	Hand Crimp Tool (RHT-1992)
64003-1200 *	USA	Hand Crimp Tool (RHT-1752)

Universal Hand Crimping Tool, 22-10 AWG

Taiwan

CT-4071-1R[^]

^{*}Tool(s) not included in kit. Tool(s) ordered separately.