



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Datasheet for 76650-0044

### General Information

<b>Part Number:</b>	76650-0044
<b>Manufacturer:</b>	Molex / Waldom
<b>Title:</b>	Solderless Terminal Kit
<b>Description:</b>	.250" Tab Size Nylon Fully Insulated Quick Disconnect Solderless Terminals
<b>Product Family:</b>	Quick Disconnects
<b>Certificates:</b>	(Molex Parts within this kit) - EU RoHS Compliant, UL and CSA
<b>Country of Origin:</b>	Kit assembled in U.S.A.

### Specifications

<b>Design</b>	
<b>Configuration:</b>	Wire-to-Wire / Solderless Terminals
<b>Tab Size:</b>	.250"
<b>Connector Type:</b>	Male and Female
<b>Insulation:</b>	Nylon
<b>Current Rating:</b>	Per (Proper) Wire Specification
<b>Voltage:</b>	600 Volts
<b>Wire size:</b>	(22-18), (16-14) and (12-10)

### Product Highlights

Quick disconnects allow for quickly connecting or disconnecting a terminal. The front end of the terminal has a female-type receptacle which allows the terminal to slide onto and off of a male blade.

#### Features and Benefits

- Color-coded insulator allows easy identification of terminal size and wire gauge.
- A wire stop stamped into the crimp barrel prevents insertion of over-stripped wires.
- Terminal's funnel entrance is designed for increased crimping rates by speeding wire delivery into the crimp section and eliminating wire strand fold back.

#### Applications

- MRO (Maintenance Repair and Operations)
- Consumer applications
- Power applications
- Motor applications

### Datasheet for 76650-0044

#### Bill of Materials for Part No. 76650-0044

Molex Part No.	Country of Origin	Description	Quantity in Kit
19004-0001	USA	Fully Insulated .250" Male Quick Disconnects, 22-18 AWG	25
19004-0005	USA	Fully Insulated .250" Male Quick Disconnects, 16-14 AWG	25
19004-0009	USA	Fully Insulated .250" Male Quick Disconnects, 12-10 AWG	15
19005-0001	USA	Fully Insulated .250" Female Quick Disconnects, 22-18 AWG	25
19005-0005	USA	Fully Insulated .250" Female Quick Disconnects, 16-14 AWG	25
19005-0010	USA	Fully Insulated .250" Female Quick Disconnects, 12-10 AWG	15

#### Recommended Molex Tool(s) for Part No. 76650-0044\*

Molex Part No.	Country of Origin	Description
64001-0400 *	USA	Hand Crimp Tool (RHT-1994)
64001-4700 *	USA	Hand Crimp Tool (RHT-2761-CC)
64001-4900 *	USA	Hand Crimp Tool (RHT-2251CC)
64001-5100 *	USA	Hand Crimp Tool (RHT-2264)

\*Tool(s) not included in kit. Tool(s) ordered separately.