



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Datasheet for 76650-0047

General Information

Part Number:	76650-0047
Manufacturer:	Molex / Waldom
Title:	Solderless Terminal Kit
Description:	Nylon Insulated Butt Splice Solderless Terminals
Product Family:	Quick Disconnects
Certificates:	(Molex Parts within this kit) - EU RoHS Compliant, UL and CSA
Country of Origin:	Kit assembled in U.S.A.

Specifications

Design

Configuration:	Solderless Terminals / Wire-to-Wire
Connector Type:	Female
Insulation:	Nylon
Current Rating:	3 Amps - Dependent on AWG
Voltage:	600 Volts
Wire size:	(22-18), (16-14), and (12-10) AWG

Product Highlights

Stripped wires are inserted from each end and "butt" in the center. Then a crimp at each end secures the connection.

Features and Benefits

- Translucent "see-through" insulator provides fast, on-line quality control inspection by allowing a quick visual check of the wire/terminal assembly.
- Color-coded insulator allows easy identification of terminal size and wire gauge.
- A wire stop stamped into the crimp barrel prevents insertion of over-stripped wires.
- Terminal's funnel entrance is designed for increased crimping rates by speeding wire delivery into the crimp section and eliminating wire strand fold back.

Applications

- MRO (Maintenance Repair and Operations)
- Consumer applications
- Power applications
- Motor applications

Datasheet for 76650-0047

Bill of Materials for Part No. 76650-0047

Molex Part No.	Country of Origin	Description	Quantity in Kit
19202-0013	Taiwan	Insulated Butt Splice (Nylon) Solderless Terminals, 22-18 AWG	100
19202-0031	Taiwan	Insulated Butt Splice (Nylon) Solderless Terminals, 16-14 AWG	100
19202-0049	USA	Insulated Butt Splice (Nylon) Solderless Terminals, 12-10 AWG	40

Recommended Molex Tool(s) for Part No. 76650-0047*

Molex Part No.	Country of Origin	Description
64001-2700 *	USA	Hand Crimp Tool (22-18) - (RHT-8100)
64001-0300 *	USA	Hand Crimp Tool (16-14) & (12-10) - (RHT-1993)
64001-5000 *	USA	Hand Crimp Tool (12-10) - (RHT-9100)

*Tool not included in kit. Tool ordered separately.