



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Datasheet for 76650-0079

General Information

| | |
|---------------------------|--|
| Part Number: | 76650-0079 |
| Manufacturer: | Molex / Waldom |
| Title: | Mini-Fit Jr. Connector Kit |
| Description: | Plug and Receptacle, 12 Circuit |
| Product Family: | Mini-Fit Jr.™ |
| Certificates: | (Molex parts within this kit) - EU RoHS, China RoHS, UL, CSA and TUV |
| Country of Origin: | Kit assembled in U.S.A. |

Specifications

Design

| | |
|------------------------|---------------------|
| Configuration: | Wire-to-Wire |
| Pitch: | 4.2mm (.165") |
| Connector Type: | Plug and Receptacle |

Mounting

| | |
|------------------------|-------------|
| Orientation: | Panel Mount |
| Circuit Sizes: | 12 |
| Current Rating: | 6 Amps |
| Voltage: | 600 Volts |
| Wire size: | 24-18 AWG |

Product Highlights

The Mini-Fit Jr. Series is designed for high current/high density applications. The Mini-Fit Jr. is appropriate for both power and signal applications. The Mini-Fit product family accepts the same terminals and application tooling, further reducing your design and qualification effort.

Features and Benefits

- Fully isolated terminals
- Positive housing locks
- Four point of contact for reliability
- Low engagement force terminals

Applications

- Security and Alarms
- Vending and Gaming Machines
- White Goods
- Production Equipment
- Broadcast Equipment
- Telecom Infrastructure

Datasheet for 76650-0079

Bill of Materials for Part No. 76650-0079

| Molex Part No. | Country of Origin | Description | Quantity in Kit |
|----------------|-------------------|--|-----------------|
| 39-00-0039 | USA | Crimp Type Female Socket Terminals, 24-18 AWG | 12 |
| 39-00-0041 | USA | Crimp Type Male Pin Terminals, 24-18 AWG | 12 |
| 39-01-2120 | USA | 12 Circuit Free Hanging Receptacle, 4.20mm (.165") Pitch | 1 |
| 39-01-2121 | USA | 12 Circuit Panel Mount Plugs, 4.20mm (.165") Pitch | 1 |

Recommended Molex Tool(s) for Part No. 76650-0079*

| Molex Part No. | Country of Origin | Description |
|----------------|-------------------|-----------------|
| 63819-0900 * | Sweden | Hand Crimp Tool |
| 11-03-0044 * | Sweden | Extraction Tool |

*Tools not included in kit. Tools ordered separately.