

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









### **General Information**

**Part Number:** 76650-0135

Manufacturer: Molex / Waldom

Title: MicroClasp Connector Kit

**Description:** Positive Lock Through Hole Right Angle Header and Receptacle

Product Family: MicroClasp™

Certificates: (Molex Parts within this kit) - EU and China RoHS Compliant, UL and CSA

Country of Origin: Kit assembled in U.S.A.

# **Specifications**

Design

**Configuration:** Wire-to-Board **Pitch:** 2.00mm (.079")

**Connector Type:** Receptacle and Header

Mounting

Orientation: Right Angle

**Circuit Sizes:** 8,12,14,18 and 20

Current Rating: 3 Amps
Voltage: 250 Volts
Wire size: 28-22 AWG

### **Product Highlights**

Provides space savings and easy mating/unmating compared to similar 2.00mm (.079") and 2.50mm (.098") pitch wire-to-board systems. MicroClasp includes a unique inner positive lock that provides latch protection, secure retention and an audible mating "click". The terminal design offers low insertion and withdrawal forces and is able to carry 3.0A current in a compact 2.00mm (.079") pitch design. MicroClasp system is available in 2-40 circuits in SMT and through-hole designs, and in single and dual-row versions.

### **Features and Benefits**

- 2.00mm (.079") pitch for PCB space savings
- Inner positive lock for latch protection
- High-current contacts can carry up to 3.0A
- Low insertioon force terminal design for easy mating/unmating

## **Applications**

- Vending/gaming machines
- Automotive
- White goods
- Medical
- Industrial



Bill of Materials for Part No. 76650-0135			
Molex Part No.	Country of Origin	Description	Quantity in Kit
55959-0830	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Header, Dual Row, Right Angle, 8 Circuits	5
51353-0800	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Receptacle Housing, Positive Lock, Dual Row, 8 circuits	5
55959-1430	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Header, Dual Row, Right Angle, 14 Circuits	5
51353-1400	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Receptacle Housing, Positive Lock, Dual Row, 14 circuits	5
55959-1230	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Header, Dual Row, Right Angle, 12 Circuits	5
51353-1200	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Receptacle Housing, Positive Lock, Dual Row, 12 circuits	5
55959-2030	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Header, Dual Row, Right Angle, 20 Circuits	5
51353-2000	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Receptacle Housing, Positive Lock, Dual Row, 20 circuits	5
55959-1830	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Header, Dual Row, Right Angle, 18 Circuits	5
51353-1800	Japan	2.00mm (.079") Pitch MicroClasp™ Wire-to-Board Receptacle Housing, Positive Lock, Dual Row, 18 circuits	5
56134-9100-C	Japan	Crimp Terminal 56134, Female, 22-28 AWG	100

# Recommended Molex Tool(s) for Part No. 76650-0135\* Country Molex Part No. of Origin Description 63811-6300 \* Germany Hand crimp tool 63813-2700 \* USA Extraction tool

<sup>\*</sup>Tool(s) not included in kit. Tool(s) ordered separately.