



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Datasheet for 76650-0164

### General Information

<b>Part Number:</b>	76650-0164
<b>Manufacturer:</b>	Molex / Waldom
<b>Title:</b>	CLIK-Mate Connector Kit
<b>Description:</b>	SMT Dual Positive lock Vertical and Right Angle Plug and Receptacle, 2.0mm (.079") Pitch
<b>Product Family:</b>	CLIK-Mate™
<b>Certificates:</b>	(Molex Parts within this kit) - EU RoHS Compliant, UL and CSA
<b>Country of Origin:</b>	Kit assembled in U.S.A.

### Specifications

#### Design

<b>Configuration:</b>	Wire-to-Board
<b>Pitch:</b>	2.0mm (.079")
<b>Connector Type:</b>	Plugs and Receptacles
<b>Mounting</b>	
<b>Orientation:</b>	Right Angle and Vertical
<b>Circuit sizes:</b>	4, 6, 8, 12, and 14
<b>Current Rating:</b>	3 Amps
<b>Voltage Rating:</b>	250 Volts AC(RMS) / Volts DC
<b>Wire size:</b>	(26-22) AWG

### Product Highlights

Molex's new 2.00mm pitch SMT CLIK-Mate connectors provide dual positive locks and a superior audible "click" to help ensure connectors are fully mated. CLIK-Mate was designed for applications such as LCD TVs that require higher pin count connectors to carry more signal lines in less space. The system includes a unique tuning-fork terminal concept that provides low insertion force and secure mating contact. The system is available in both vertical and right angle versions in 4 to 14 circuits to meet various application needs.

### Features and Benefits

### Applications

**Datasheet for 76650-0164**

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Robust single positive inner lock (below 8 circuits), audible "click", low insertion force and secure mating</li> <li>• Flat area for pick-and-place, no costly capton tape needed</li> <li>• Tuning fork style contact design, secure contact, and avoids terminal stubbing</li> <li>• Low insertion force, easy and quick mating for operators</li> <li>• Reinforced metal solder tabs, housing wall support and secure PCB retention</li> </ul> | <ul style="list-style-type: none"> <li>• LCD/PDP Televisions</li> <li>• Gaming/Pachinko</li> <li>• Data Communication Equipment</li> <li>• Any application requiring superior mating assurance</li> </ul> |
|---|---|

**Bill of Materials for Part No. 76650-0164**

Molex Part No.	Country of Origin	Description	Quantity in Kit
502438-0100	Japan	CLIK-Mate™ Crimp Terminal Male (26-22) AWG for 2.0mm (.079") Pitch	100
502439-0400	Japan	2.0mm (.079") Pitch CLIK-Mate™ Plug Housing 4 Circuits	5
502439-0600	Japan	2.0mm (.079") Pitch CLIK-Mate™ Plug Housing 6 Circuits	5
502439-0800	Japan	2.0mm (.079") Pitch CLIK-Mate™ Plug Housing 8 Circuits	4
502439-1200	Japan	2.0mm (.079") Pitch CLIK-Mate™ Plug Housing 12 Circuits	3
502439-1400	Japan	2.0mm (.079") Pitch CLIK-Mate™ Plug Housing 14 Circuits	3
502443-0470	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Vertical SMT 4 Circuits	5
502443-0670	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Vertical SMT 6 Circuits	5
502443-0870	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Vertical SMT 8 Circuits	4
502443-1270	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Vertical SMT 12 Circuits	3
502443-1470	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Vertical SMT 14 Circuits	3
502494-0470	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Right Angle SMT 4 Circuits	5
502494-0670	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Right Angle SMT 6 Circuits	5
502494-0870	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Right Angle SMT 8 Circuits	4
502494-1270	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Right Angle SMT 12 Circuits	3

**For additional Molex / Waldom Design and Solution Kits please go to [www.molexkits.com](http://www.molexkits.com)**



**Datasheet for 76650-0164**

502494-1470	Japan	2.0mm (.079") Pitch CLIK-Mate™ Receptacle Right Angle SMT 14 Circuits	3
-------------	-------	--	---

**Recommended Molex Tool(s) for Part No. 76650-0164\***

<b>Molex Part No.</b>	<b>Country of Origin</b>	<b>Description</b>
63819-2800 *	Sweden	Crimp Hand Tool (22-26) AWG
11-03-0043 *	USA	Extraction Tool

\*Tool(s) not included in kit. Tool(s) ordered separately.