

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



## **Datasheet for 76650-0186**

## **General Information**

**Part Number:** 76650-0186

Manufacturer: Molex / Waldom

Title: MX150 Connector Kit

**Description:** Single Row Matte Sealed Plug and Receptacle

**Product Family:** MX150™

Certificates: (Molex Parts within this kit) - EU RoHS Compliant

Country of Origin: Kit assembled in U.S.A.

## **Specifications**

Design

Configuration: Wire-to-Wire

Pitch: 3.5mm (.138")

**Connector Type:** Plugs and Receptacles

Circuit Sizes: 3, 4 and 6
Current Rating: 22 Amps
Voltage Rating: 250 Volts
Wire size: 20-18 AWG

## **Product Highlights**

The MX150 Sealed Connector System is designed to meet the need for a rugged, environmentally sealed connector system supporting both low-level signal applications as well as power applications up to 22A, from on-engine automotive applications to off-read construction equipment applications. This design eliminates the need to purchase, handle and crimp individual wire seals to lower applied cost, is in a reduced package size for typical SAE style wire.



## **Datasheet for 76650-0186**

### **Features and Benefits**

- Matte seal design
- Audible and tactile clicks on insertion, extraction, and mating
- Meets USCAR performance requirements
- Smallest 1.50mm (.059") sealed connector in the market
- Terminal retention is 2x industry standard
- Clip slot standard on male side
- · Low insertion force
- Strong crimps
- · Accommodates SAE and metric wires
- Easy terminal extraction and insertion
- · Lead free

## **Applications**

- Automotive Vehicles
- Commercial Vehicles
- · Recreational Vehicles
- Industrial Vehicles and Equipment
- Construction Equipment
- Marine Equipment

### Bill of Materials for Part No. 76650-0186

| Molex Part No. | Country of Origin | Description  | Quantity in<br>Kit |
|----------------|-------------------|--|--------------------|
| 33001-3004-C   | USA               | MX150™ Female Terminal, Gold (Au) Plating, 20-18 AWG                     | 25                 |
| 33011-0004-C   | USA               | MX150™ Male Terminal, Gold (Au) Plating, 20-18 AWG                       | 25                 |
| 33471-0301     | China             | 3.5mm (.138") Pitch MX150™ Receptacle 1X3 Circuit, Black, Polarization A | 2                  |
| 33481-0301     | China             | 3.5mm (.138") Pitch MX150™ Plug 1X3 Circuit, Black, Polarization A       | 2                  |
| 33471-0401     | China             | 3.5mm (.138") Pitch MX150™ Receptacle 1X4 Circuit, Black, Polarization A | 2                  |
| 33481-0401     | China             | 3.5mm (.138") Pitch MX150™ Plug 1X4 Circuit, Black, Polarization A       | 2                  |
| 33471-0601     | China             | 3.5mm (.138") Pitch MX150™ Receptacle 1X6 Circuit, Black, Polarization A | 1                  |
| 33481-0601     | China             | 3.5mm (.138") Pitch MX150™ Plug 1X6 Circuit, Black, Polarization A       | 1                  |

## Recommended Molex Tool(s) for Part No. 76650-0186\*

#### Country

| Molex Part No. | of Origin | Description                           |
|----------------|-----------|---------------------------------------|
| 63813-1500 *   | USA       | Manual Extraction Tool                |
| 63811-6000 *   | Germany   | Hand Crimp Tool, 18-22 AWG            |
| 63811-6100 *   | Germany   | Hand Crimp Tool, Metric 1.00 and 1.50 |
| 63811-6200 *   | Germany   | Hand Crimp Tool, Metric 0.05 and 0.75 |

<sup>\*</sup>Tool(s) not included in kit. Tool(s) ordered separately.