



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Datasheet for 76650-0199

General Information

Part Number:	76650-0199
Manufacturer:	Molex / Waldom
Title:	iGrid Connector Kit
Description:	Positive Lock Vertical Header and Receptacle
Product Family:	iGrid™
Certificates:	(Molex Parts within this kit) - EU and China RoHS Compliant, UL and CSA
Country of Origin:	Kit assembled in U.S.A.

Specifications

Design

Configuration:	Wire-to-Board
Pitch:	2.00mm (.079")
Connector Type:	Receptacle and Header

Mounting

Orientation:	Vertical
Circuit Sizes:	10,12,14,16 and 18
Current Rating:	(1.5 - 2) Amps depending on AWG
Voltage:	250 Volts
Wire size:	26-22 AWG

Product Highlights

iGrid wire-to-board connector system offers a compact design and anti-tangle internal lock for applications such as gaming machines, appliances, industrial and other equipment requiring good mating retention. The unique inner lock of iGrid prevents wire from getting tangled in the latch, compared to outer lock types where such damage may occur. The internal lock also provides space savings, an audible click and a robust design to withstand rugged handling.

Features and Benefits

- Compact design saves PCB real estate
- Fully shrouded headers withstand rugged handling and vibration
- Polarization between housing and terminal always seats properly in housing
- Internal lock prevents wire tangling; space saving

Applications

- GPS
- Vending and Gaming machines
- HVAC
- Microwave ovens
- Medical
- Fitness equipment

Datasheet for 76650-0199

Bill of Materials for Part No. 76650-0199

Molex Part No.	Country of Origin	Description	Quantity in Kit
501647-1100	Japan	iGrid™ Female Crimp Terminal 26-22 AWG	200
501645-1020	Japan	2.00mm (.079") Pitch iGrid™ Vertical Header Dual Row, 10 Circuits	2
501646-1000	Japan	2.00mm (.079") Pitch iGrid™ Receptacle , Dual Row, 10 Circuits	2
501645-1220	Japan	2.00mm (.079") Pitch iGrid™ Vertical Header, Dual Row, 12 Circuits	2
501646-1200	Japan	2.00mm (.079") Pitch iGrid™ Receptacle , Dual Row, 12 Circuits	2
501645-1420	Japan	2.00mm (.079") Pitch iGrid™ Vertical Header, Dual Row, 14 Circuits	2
501646-1400	Japan	2.00mm (.079") Pitch iGrid™ Receptacle , Dual Row, 14 Circuits	2
501645-1620	Japan	2.00mm (.079") Pitch iGrid™ Vertical Header, Dual Row, 16 Circuits	2
501646-1600	Japan	2.00mm (.079") Pitch iGrid™ Receptacle , Dual Row, 16 Circuits	2
501645-1820	Japan	2.00mm (.079") Pitch iGrid™ Vertical Header, Dual Row, 18 Circuits	2
501646-1800	Japan	2.00mm (.079") Pitch iGrid™ Receptacle , Dual Row, 18 Circuits	2

Recommended Molex Tool(s) for Part No. 76650-0199*

Molex Part No.	Country of Origin	Description
63819-2300 *	Sweden	Hand Crimp Tool for 2.00mm(.079") Pitch iGrid™

*Tool(s) not included in kit. Tool(s) ordered separately.