



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



4

3

2



1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION AUG 2008
 © COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		#	LR	DESCRIPTION	DATE	DRN	APD
DW		C6		REVISED (ECR-15-013726)	1MAR2016	A.X	H.W


OBSOLETE

- 7-1734038-1
 - 6-1734038-1
 - 5-1734038-1
 - 4-1734038-2
 - 3-1734038-3
 - 3-1734038-2
 - 3-1734038-1
 - 2-1734038-1
 - 1-1734038-2
 - 1-1734038-1
 - 1734038-3
 - 1734038-2
 - 1734038-1
- PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DRN F. YANG 31.JUL.2009	 TE Connectivity	
		CHK S. CHIEN 31.JUL.2009		
DIMENSIONS: MM		APD W. KODAMA 31.JUL.2009	NAME	
		PRODUCT SPEC 108-57549		USB CONNECTOR, RECEPTACLE, R/A, A TYPE
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0.3 2 PLC ± 0.2 3 PLC ± 0.15 4 PLC ± ± 3'		APPLICATION SPEC		SIZE GAGE CODE DRAWING NO A300779 C=1734038
MATERIAL	FINISH	WEIGHT	RESTRICTED TO	
SEE NOTE	SEE NOTE	1.82 GRAMS	CUSTOMER DRAWING	
		SCALE	SHEET	REV
			1 of 4	C6

LOC	DIST	REVISIONS			
P	LYR	DESCRIPTION	DATE	DM	APVD
		SEE SHEET 1.			

TE LOGO & DATE CODE







NOTES:


- MATERIAL:
HOUSING: (SEE TABLE) WITH 30% GF, UL 94V-0. BLACK COLOR.
CONTACT: PHOSPHOR BRONZE.
SHELL: BRASS.
- FINISH:
CONTACT: 0.762µm [30µ"] MIN. GOLD PLATING ON CONTACT AREA.
3.048µm [120µ"] MIN. MATTE TIN PLATING ON SOLDER TAIL.
WITH ENTIRE CONTACT UNDERPLATED 1.270µm [50µ"] MIN. NICKEL.
SHELL: 0.762µm [30µ"] MIN. NICKEL PLATING OVER 0.762µm [30µ"] MIN. Cu UNDERPLATED.
- REFLOW SOLDER CAPABLE TO 260°C PER TE SPEC 109-201, CONDITION B.

NO BOARD LOCK FUNCTION APPLIED.

LOW HALOGEN SPECIFICATION:
CHLORINE(Cl): 900ppm MAX.
BROMINE(Br): 900ppm MAX.



RECOMMEND P.C.B LAYOUT (THICKNESS 1.2~1.4mm)
(COMPONENT SIDE) TOLERANCE±0.05



RECOMMEND P.C.B LAYOUT (THICKNESS=1.0~1.4mm) ▲
(COMPONENT SIDE) TOLERANCE±0.05


TAPE & REEL	2.40	2.55	2.10	HTN	B-1734038-4
	1.80	1.80	1.80	PAGT	B-1734038-2
PACKAGING	2.40	2.55	2.10		B-1734038-1
	DIM A	DIM B	DIM C	FINISH	MATERIAL

OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
MM		0 PLC	± .3
		1 PLC	± 0.3
		2 PLC	± 0.2
		3 PLC	± 0.15
		4 PLC	± .1
		ANGLES	± .3°
MATERIAL	SEE NOTE	FINISH	SEE NOTE

DM	CRK	APVD	NAME
PRODUCT SPEC	APPLICATION SPEC	SIZE	CAGE CODE
WEIGHT	1.56 GRAMS	DRAWING NO	A300779
CUSTOMER DRAWING		DRAWING NO	C=1734038
SCALE		SHEET	2 of 4
REV	C6		



USB CONNECTOR, RECEPTACLE,
R/A, A TYPE

4




3

2




1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION AUG 2008
 © COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
#	LTR	DESCRIPTION	DATE	DNM	APVD
		SEE SHEET 1.			



- NOTES:
 1. MATERIAL:
 REEL: PS.
 CARRIER: PS.
 COVER TAPE: PBT.
 2. DIMENSION
 REEL: #330mmX37.1mm
 SHIPPING CARTON: L=350mm,W=350mm,H=250mm
 3. QUANTITY:
 PRIMARY PACKING: 300PCS/REEL
 SECONDARY PACKING: 9REELS/CARTON(2,700PCS).
 4. WEIGHT:
 NET WEIGHT: 0.46KG/REEL, 4.15 KG/CARTON.
 GROSS WEIGHT: 0.97 KG/REEL, 9.7 KG/CARTON.
 5. PEELING RESISTANCE: 20G TO 130G.
 6. PEELING SPEED: 300MM/MIN.





OBSELETE 6-1734038-1
 PART NUMBER





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWM		NAME	
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		TE Connectivity	
0 PLC ±		1 PLC ±		PRODUCT SPEC	
2 PLC ±		3 PLC ±		APPLICATION SPEC	
4 PLC ±		5 PLC ±		SIZE	
6 PLC ±		FINISH		CAGE CODE	
MATERIAL		MATERIAL		DRAWING NO	
				A300779 C=1734038	
				RESTRICTED TO	
				CUSTOMER DRAWING	
				SCALE	
				SHEET 3 of 4	
				REV C6	

LOC	DIST	REVISIONS			
REV	DATE	DESCRIPTION	DATE	BY	APPROV
		SEE SHEET 1.			

PULL OUT DIRECTION



- NOTES:
1. MATERIAL:
REEL: PS.
CARRIER: PS.
COVER TAPE: PBT.
 2. DIMENSION
REEL: Ø330mmX37.1mm
 3. PEELING RESISTANCE: 20G TO 130G.
 4. PEELING SPEED: 300MM/MIN.



TAPE & REEL	8.92 Kg	4.91 Kg	350	9	3150 PCS	8-1734038-4
PACKAGING	GROSS WEIGHT	NET WEIGHT	PCS/REEL	REELS/CARTON	QUANTITY	PART NUMBER
						8-1734038-4

OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
MM			
0 PLC	± .		
1 PLC	± .		
2 PLC	± .		
3 PLC	± .		
4 SDC	± .		
MATERIAL		FINISH	

DWG	CHK	APVD	NAME	TE Connectivity	
PRODUCT SPEC	USB CONNECTOR, RECEPTACLE, R/A, A TYPE			RESTRICTED TO	
APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO		
WEIGHT	A3	300779	C=1734038		
CUSTOMER DRAWING	SCALE	SHEET	4 of 4	REV	C6