imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Rectifier modules RSX LOETST. LP 5/8 ADP5



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com





Axial components such as resistors, diodes and capacitors, can be soldered into the RSX component modules.

Depending on the version, up to eight components can be soldered into our RSX modules.

General ordering data

Order No.	<u>8022051001</u>
Туре	RSX LOETST. LP 5/8 ADP5
Version	Assembly modul, Number of signals: 8
GTIN (EAN)	4032248064182
Qty.	1 pc(s).

Rectifier modules RSX LOETST. LP 5/8 ADP5

Technical data




Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Dimensions and we	ights			
Net weight	84.48 g	84.48 g		
Connection data				
Clamping range, rated con	nection, min. 0.5 mm ²	Clamping range, rated connection, max. 2.5 mm ²		
Classifications				
ETIM 3.0	EC001419	UNSPSC	30-21-18-01	
eClass 4.1	27-24-04-04	eClass 5.1	27-24-22-04	
eClass 6.2	27-24-22-04			
Approvals				
Approvals				
	CE			
ROHS	Conform			

Rectifier modules RSX LOETST. LP 5/8 ADP5

Drawings





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com