

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







LEDs

LEDs - Standard Configurations

<u>IntroductionTemp. EffectPCB ComparisonHigh Power Lighting (HPL)T-Clad PATIM SolutionsStandard Configurations</u>


Bergquist shortens the design cycle and speeds up your time to market.

Bergquist offers a family of standard thermally conductive insulated metal substrate (IMS) circuit boards specifically for LED applications which replace conventional FR-4 PCBs. Better thermal management allows more forward current to be applied to the LED, while still maintaining desired die temperatures, which means more light and possibly reducing the number of LEDs required to achieve the desired light output. With proper thermal management, Power LED lifetimes can be extended considerably.

Now you can get a jump-start on your design with one of these star or square substrates; available in single, strip or array configurations. Choose from 10 different LED footprints to give you the freedom to select the LED component's color, brightness and power that best fits your needs. Optimize the prototyping process with the lowest possible operating temperatures and the brightest light output for your next Power LED application. The most popular LED profiles on the world's most reliable IMS – matched for your design ease.

Standard Bergquist Thermal Clad® LED Configurations

Bergquist Thermal Clad® IMS Specs



Base Metal

1.57mm (0.062") Aluminum
5052

Thermally Conductive
Dielectric


Copper Circuit Foil

Surface Finish

1.57mm (0.062") Aluminum
5052

.076mm (3 mil) MP
35 µm (1 oz) copper circuit foil
White Solder Mask, Pb-free
HASL solder pads
(RoHS compliant)

Thermal Impedance of FR4 compared to MP



Standard Bergquist Thermal Clad® LED Configurations can be purchased through <u>Digi-Key®</u>, <u>Quist Electronics</u>, or <u>Mouser Electronics</u>

Bergquist Thermal Clad® - Standard Power LED IMS Selection Guide								
LED Footprint Type		Star Board (1-up) (A) Part No.	Star Array(36-up) (B) Part No.	Square Board (1- up) (C) Part No.	Square Strip (17- up) (D) Part No.			
1	Osram Golden Dragon®	803128	803268	803118	803288			
2	Osram Ostar SMT	803808	803809	803807	803810			
3	Osram Oslon	804087	804561	804559	804563			
4	Lite-On® LOPL	803123	803263	803113	803283			
5	Lumex SML-LX	803124	803264	803114	803284			
6	Lumileds™ Luxeon® I, III and V	803125	803265	803115	803285			
7	Lumileds™ Luxeon® K2	803126	803266	803116	803286			
8	Lumileds™ Luxeon® Rebel	803127	803267	803117	803287			
9	Cree® XLamp® XR-E	803122	803262	803112	803282			
10	Cree® XLamp® XP-E	804090	804091	804089	804092			
11	Cree® XLamp® XP-G	804511	-	-	-			
12	Cree® XLamp® MX-6	804450	-	-	-			
13	Cree® XLamp® MC-E	803772	803790	803771	803806			
14	Seoul Semiconductor Z-Power P4	803129	803269	803119	803289			
15	Seoul Semiconductor Z-Power P5	803774	803803	803773	803804			

16	Seoul Semiconductor Z-Power P7	-	-	803482	803805
17	Nichia Power LED 6.5 x 5.0	803291	803292	803290	803293
18	Nichia Rigel 3.5 x 3.5	804155	804562	804560	804564
19	Samsung Sunnix	804068	804069	804067	804070
20	Avago Moonstone™ Emitter	803121	803261	803111	803281
21	Citizen Electronics CLL600	-	805651	-	-
22	Citizen Electronics CL-L400	-	805652	-	-