



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## 813253BGLF

**Category:** Differential I/O  
**Generic Part:** 813253B  
**Description:** 3 LVPECL OUTPUT VCXO/FEMTOCLOCK FREQ GEN



### Parameters

Temperature	C
Voltage	3.3 V
Package	TSSOP24
Speed	NA

### Sales and Support

#### Sales Offices

▶ [Sales Offices and authorized distributors](#)

#### Technical Support

[Clock Help](#)  
 ▶ [WWW: Clock Help](#)

### Distributor Inventory

No Pricing information is available from our Distributors at this time.

### Documents

No documents available for this part at this time.

### Package

Package	TSSOP 24 (PGG24)
Description	TSSOP 4.4 MM 0.65MM PITCH
Status	Active
Class	PLASTIC
Category	<a href="#">Green</a>
Pb (Lead) Free	Yes
Pb Free Category	e3 Sn
Mark	G
Package Type	TSSOP
Lead Count	24
Length	7.8 mm
Width	4.4 mm
Thickness	1.0 mm
Pitch	0.65 mm
Tube / Tray	TUBE
Quantity per Tube/Tray	62
Quantity per Reel	2500
Moisture Sensitivity Level (MSL)	1
Moisture Exposure Floor Life	Unlimited@<30C/85%RH
Peak Reflow Temperature	260°C
Rebake Conditions	NA
Related Package Documents	<a href="#">view documents</a>