



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



INTERCONNECTS

SERIES 832 & 833 • 2mm GRID (.020" DIA. PINS), SHROUDED STRAIGHT, SURFACE MOUNT & RIGHT ANGLE • DOUBLE ROW STRIPS




FIG. 1




FIG. 2




FIG. 3





FIG. 4

- Shrouded pin interconnects available with straight Series 832...10-052 or surface mount 832...30-052 and use MM #3143 pins. Series 832...20-052 right angle interconnects use MM #3160 and #3161 pins. See page 214 for details
- Series 833...10-002 with keying features use MM #1802 and accept pin diameters from .015"-.025". See page 169 for details
- Receptacles use Hi-Rel, Low force, 4-finger BeCu #30 contact rated at 3 amps. See page 253 for details
- Insulators are high temperature thermoplastic, suitable for all soldering operations



ORDERING INFORMATION










FIG. 1	Series 832...10-052	Straight Pin Header			
		832-10-__-10-052000			
	Specify number of pins	↑	004-100		
FIG. 2	Series 832...20-052	Right Angle Pin Header			
		832-10-__-20-052000			
	Specify number of pins	↑	004-100		
FIG. 3	Series 832...30-052	Surface Mount Pin Header			
		832-10-__-30-052000			
	Specify number of pins	↑	004-100		
  					
SPECIFY PLATING CODE XX=		10			
Pin Plating			10 μ" Au		

FIG. 4	Series 833...10-002	Double Row Keying Socket			
		833-13-__-10-002000			
	Specify number of pins	↑	004-100		
  					
SPECIFY PLATING CODE XX=		13			
Sleeve (Pin)			10 μ" Au		
Contact (Clip)			30 μ" Au		

