

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Modular Plug Application Tooling

ModPlug Dual Terminator Fast Facts

- Pneumatically powered, foot pedal actuated
- Terminate two connectors at the same time
- Programmable tester Check for shorts and opens as product is terminated. Program tester for individual positions or crossovers.
- Terminate up to 200 dual-ended cables/hr
- Interchangeable die sets Easy changeover die sets for your particular product. Die sets have
 - been designed to terminate all AMP modular plug products
- Steel die sets for long life
- · Fully adjustable, primary strain relief, secondary strain relief and contact height
- Lightweight (36 lbs) design makes the press easy to move within work center
- Rental and purchase options available
- Compact size $8" \times 8" \times 10^{1/2}"$ tall
- 1-year limited warranty
- CE approved version available (1320840-2)
- AMP plugs are UL approved when terminated using this tool and the procedures outlined in CM 409-10010 and IS 408-9743
- Technical requirements
 - Air pressure 80 100 psi
 - Air supply hose $-\frac{3}{16}$ dia. with $\frac{1}{8}$ NPT fitting

Tooling Kit*	Base Terminator**†
856196-1	1320840-1
856196-2	1320840-1
856196-3	1320840-1
856196-4	1320840-1
856196-5	1320840-1
1-856196-1	1320840-1
856196-6	1320840-1
	856196-1 856196-2 856196-3 856196-4 856196-5 1-856196-1

- Purchased separately
- ** A tooling kit is needed and purchased separately.
- + -1 for US (110 volt), -2 CE approved





Modular Plug Application Tooling

Professional Hand Tool Fast Facts

- Low handle force
- Terminates both strain reliefs and inserts contacts in one motion
- Cuts, strips and terminates
- Ratchet control insures complete termination cycle
- Interchangeable die sets terminate all plugs except 10-position
- AMP plugs are UL approved when terminated using this tool and the procedures outlined in IS 408-9767

Plug Style	Die Set*	Hand Tool and Die Set Combo**		
4- and 6-Position Line	853400-8	2-231652-8		
8-Position Long Body	853400-1	2-231652-1		
4-Position Handset	853400-3	2-231652-3		
6-Position Long Body	853400-7	2-231652-7		
6-Position Offset	853400-6	2-231652-6		

1-853400-0

3-231652-0

58560-1 2-231652-0

8-Position High Performance

10-Position

Frame only

ModPlug Single Terminator Fast Facts

- Terminate up to 250 connectors/hr
- Interchangeable steel die sets terminate all AMP plugs
- Compact, low cost pneumatically designed bench unit
- Independent adjustments for insertion, primary strain relief, and secondary strain relief depths
- Weighs only 13 lbs
- Compact size 31/2" x 83/4" x 51/8" tall
- CE approved
- AMP plugs are UL approved when terminated using this tool and the procedures outlined in IS 408-9919
- Technical requirements
 - Air pressure 80 100 psi
 - Air supply hose 1/8 I.D. with 1/8 NPT fitting



Plug Style	Tooling Kit*	Terminator**
Base Machine	N/A	354711-1
4- and 6-Position Line	354714-1	354711-2
8-Position Long Body	354714-2	354711-3
4-Position Handset	354714-3	354711-4
6-Position Long Body	354714-4	354711-5
6-Position Offset	354714-6	354711-7
8-Position High Performance	354714-7	354711-8
10-Position	354714-5	354711-6

^{*} If purchased separately, ** With tooling included



^{*} If purchased separately, ** With tooling included